		SIZE	ROOTS	QNTY	1
Abies balsamea 'Nana'		15 - 18" spr	B&B		4
Dwarf Balsam Fir		18 - 21" spr	10g		4
EVERGREEN ORNAMENTAL CONIFER; dark blue-green spreading globe; deer browse resistant;		18 - 21" spr	B&B		4
locate in full sun or very light shade (especially in southern range) & moisture retentive soil with		21 - 24" spr	B&B		4
excellent drainage; native to NE US & Canada; Zones 3 â€" 5 (6 - 7)		24 - 30" spr	B&B		- 1
Abies koreana 'Horstmann's Silberlocke'		18 - 24"	B&B		Ī
Variegated Korean Fir		24 - 30"	B&B		
EVERGREEN ORNAMENTAL CONIFER; twisting green needles with broad silvery stripes below that		30 - 36"	B&B		
are very showy; upright somewhat open pyramidal habit which varies with pruning; upright purple		3 - 4'	B&B		
cones in spring; deer browse resistant; locate in morning sun with afternoon shade & very well-drained	,	36 - 42"	B&B		1
organic soil; South Korean native; Zones 4 - 7		4 - 5'	20g]
		4 - 5'	B&B		1
		5 - 6'	B&B		1
		6 - 7'	B&B		1
Abica legiocomo yen enizonica (Clause)					1
Abies lasiocarpa var. arizonica 'Glauca'		24 - 30" 30 - 36"	B&B B&B		1
Blue Rocky Mountain Fir; Corkbark Fir EVERGREEN CONIFER; irregular pyramid with silver-blue needles; lighter corky white to gray bark		30 - 36"	B&B		1
that's lighter than the species & deeply furrowed when mature; dark purple cones up to 4" long; should		3 - 4'	B&B		1
	,	36 - 42"			1
grow to about 6' tall in 10 years; deer browse resistant; locate in full to partial sun or afternoon shade &		4 - 5'	B&B		1
very well-drained slightly acidic moisture retentive soil; native to higher elevations of southwestern US		5 - 6'	B&B		1
Zones 5 - 6 (7)		6 - 7'	B&B		+
Abies lasiocarpa var. arizonica 'Glauca Compacta'		12 - 15"	B&B		+
Compact Rocky Mountain Fir; Compact Corkbark Fir		15 - 18"	B&B		+
EVERGREEN CONIFER; irregular pyramid with silver-blue needles; lighter corky white to gray bark		18 - 24"	15g		1
that's lighter than the species & deeply furrowed when mature; dark purple cones up to 4" long; should		18 - 24"	B&B		4
grow to about 3' tall in 10 years; deer browse resistant; locate in full to partial sun or afternoon shade &		24 - 30"	B&B		4
very well-drained slightly acidic moisture retentive soil; native to higher elevations of southwestern US	'	30 - 36"	B&B		-
Zones 5 - 6 (7)		36 - 42"	B&B		-
		42 - 48"	B&B		_
		48 - 54"	B&B		-
		54 - 60"	B&B		_
Abies pinsapo 'Aurea'		18 - 24"	B&B		Γ
Golden Spanish Fir		24 - 30"	B&B		
EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit; rigid golden needles radiate totally	,	30 - 36"	B&B		
around the branches with sharp ends; deer browse resistant; locate in morning sun & moisture retentiv		36 - 42"	B&B		
very well-drained soils; Zones (4) 5 - 7		3 - 4'	B&B		
		4 - 5'	B&B]
		5 - 6'	B&B]
		6 - 7'	B&B		N
		7 - 8'	B&B		N
Abios ninsano 'Clauca'		15 - 18"	B&B		11
Abies pinsapo 'Glauca' Blue Spanish Fir		18 - 24"	B&B		1
EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit; rigid bluish-green to pale blue					1
needles radiate totally around the branches with sharp ends; deer browse resistant; locate in morning		24 - 30" 30 - 36"	B&B B&B		1
sun & moisture retentive very well-drained soils; Zones (4) 5 - 7		30 - 36"			1
surra moisture retentive very wen-uranieu sons, Zones (4) 3 - 7			B&B		1
		36 - 42"	B&B		1
		4 - 5'	B&B		1
		5 - 6'	B&B		1
		6 - 7'	B&B		1
		7 - 8'	B&B		+
		8 - 9'	B&B		+

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	4
Abies pinsapo 'Glauca Prostrata'		15 - 18" spr	B&B		4
Dwarf Blue Spanish Fir		18 - 24" spr	B&B		_
EVERGREEN ORNAMENTAL CONIFER; very dense spreading mound to about 3' tall by 6' wide in 10		24 - 30" spr	B&B		_
years; rigid bluish-green to pale blue needles radiate totally around the branches with sharp ends; deer		30 - 36" spr	B&B		_
browse resistant; locate in morning sun & moisture retentive very well-drained soils; Zones (4) 5 - 7		3 - 4' spr	B&B		_
		36 - 42" spr	B&B		_
Acer palmatum		4 - 5'	B&B		
Japanese Maple		5 - 6'	B&B		
DECIDUOUS ORNAMENTAL TREE; soft green foliage; vibrant orange to red fall foliage colors; upright		6 - 7'	B&B		
spreading habit to 30' or more; locate in full sun to partial shade & well-drained moisture retentive		7 - 8'	B&B		
organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7		8 9'	B&B		
		9 - 10'	B&B		
Assample to the Paradas and		3 - 4'	B&B		-
Acer palmatum 'Bloodgood'					-
LOW BRANCHED		4 - 5'	15g		-
Red Japanese Maple		4 - 5'	B&B		-
DECIDUOUS ORNAMENTAL TREE; dark red spring & summer foliage; broadly upright habit to 25' or		5 - 6'	15g		-
more in 25 years; branching usually starts about 12-18" above grade; locate in full sun to partial shade		5 - 6'	B&B		-
& well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors;		6 - 7'	20g		-
Japanese native; Zones 5 - 7		6 - 7'	B&B		-
		7 - 8'	B&B		-
		8 - 9' / 2.5"0	B&B		_
Acer palmatum 'Butterfly'		3 - 4'	B&B		_
Variegated Japanese Maple		4 - 5'	B&B		_
DECIDUOUS ORNAMENTAL TREE; green foliage with white margins; pink tones are prevalent in early	1	5 - 6'	B&B		_
spring as well; upright vase-shaped habit to 15' or more; fairly slow grower; afternoon shade helps		6 - 7'	B&B		_
retain best foliage colors; locate in full sun to partial shade & well-drained moisture retentive organic		7 - 8'	B&B		_
soil; Japanese native; Zones 6 - 8		8 - 9' / 2.5"0	B&B		_
Acer palmatum 'Crimson Queen'		18 - 24" spr	B&B		
LOW OR HIGH GRAFT		24 - 30" spr	15g		
Red Laceleaf Japanese Maple		24 - 30" spr	_		
DECIDUOUS ORNAMENTAL TREE; crimson laceleaf foliage into mid-summer; summer foliage is		30 - 36" spr			
reddish-green, depending on heat, moisture and shade; fall foliage is scarlet; compact mounding habit;		30 - 36" spr			
locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps		36 - 42" spr			
retain best foliage colors; Japanese native; Zones 5 - 7		36 - 42" spr			_
totalli best follage tellors, supuliese hative, zelles e		42 - 48" spr			-
					-
		42 - 48" spr			-
		48 - 54" spr			-
		60 - 66" spr	_		=
Acer palmatum Emperor 1 ('Wolff')		3 - 4'	B&B		_
Red Japanese Maple		4 - 5'	B&B		_
DECIDUOUS ORNAMENTAL TREE; dark red foliage from spring through summer; bud-break a little		5 - 6'	B&B		_
later than 'Bloodgood' in spring; more upright and darker red foliage in late summer than 'Red		6 - 7'	B&B		_
Emperor'; afternoon shade helps retain best foliage colors; locate in full sun to partial shade &		7 - 8'	B&B		_
well-drained moisture retentive organic soil; Japanese native (Wolff) Zones 5 - 7		8 - 9' / 2.5"0	B&B		_
Acer palmatum 'Fireglow'		3 - 4'	B&B		_
Red Japanese Maple		4 - 5'	B&B		_
DECIDUOUS ORNAMENTAL TREE; moderate upright grower; bright red spring & summer foliage; rec	1	5 - 6'	15g		_
is almost translucent when viewed looking through them toward the sun; more heat tolerant than most		5 - 6'	B&B		
other red cultivars; cultivars; afternoon shade helps retain best foliage colors; locate in full sun to		6 - 7'	B&B		
partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 â€″ 7		7 - 8'	B&B		

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

		AVAIL.	SIZE	ROOTS	QNTY	+
Acer palmatum 'Garnet'			18 - 24" spr	B&B		4
LOW OR H	IGH GRAFT		24 - 30" spr	15g		4
Red Laceleaf Japanese Maple			24 - 30" spr	B&B		4
DECIDUOUS ORNAMENTAL TREE; orange-red dissected foliage; holds color well all sum			30 - 36" spr	20g		4
nounding habit; locate in full sun to partial shade & well-drained moisture retentive organ	-		30 - 36" spr			4
red fall foliage; afternoon shade helps retain best foliage colors; locate in full sun to partial			36 - 42" spr	_		4
well-drained moisture retentive organic soil; afternoon shade helps retain best foliage color	rs; Japanese		36 - 42" spr			4
native; Zones 5 - 7			42 - 48" spr	20g		+
			42 - 48" spr	B&B		+
			48 - 54" spr	35g		4
			48 - 54" spr	B&B		4
			60 - 66" spr	35g		1
Acer palmatum 'Inaba shidare'			18 - 24" spr	B&B		4
LOW OR H	IGH GRAFT		24 - 30" spr	15g		4
Red Laceleaf Japanese Maple			24 - 30" spr	B&B		4
DECIDUOUS ORNAMENTAL TREE; large dark burgundy-red deeply dissected leaves reta			30 - 36" spr	15g		- 1
all summer; broadly spreading habit; afternoon shade helps retain best foliage colors; loca			30 - 36" spr	B&B		4
o partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 -	7		36 - 42" spr	20g		4
			36 - 42" spr	B&B		4
			42 - 48" spr	B&B		4
			48 - 54" spr	35g		- 1
			48 - 54" spr	B&B		+
			60 - 66" spr	35g		_
Acer palmatum 'Moonfire'			3 - 4'	B&B		_
Red Japanese Maple			4 - 5'	B&B		4
DECIDUOUS ORNAMENTAL TREE; purple to red foliage throughout the growing season;	plants in		5 - 6'	B&B		4
shade will be more purplish; red color is retained in the southeast; crimson fall color; after	noon shade		6 - 7'	B&B		_
helps retain best foliage colors; broadly upright habit to 20' tall by 16' wide; locate in full su	un to partial		7 - 8'	B&B		- 1
shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 8						
Acer palmatum 'Orangeola'			18 - 24" spr	B&B		Ť
·	IGH GRAFT		24 - 30" spr			1
_aceleaf Japanese Maple	IGIT GIVAL I		24 - 30" spr	_		1
DECIDUOUS ORNAMENTAL TREE; orange-red spring foliage turns dark green in summe	er: a second		30 - 36" spr			_
summer flush of orange-red foliage contrasts beautifully with the mature green foliage; coi			30 - 36" spr	_		1'
weeping to spreading mounding habit; locate in full sun to partial shade & well-drained mo			36 - 42" spr			_
retentive organic soil; Japanese native (Kraxberger) Zones 5 - 7			36 - 42" spr	_]"
			42 - 48" spr			1
			48 - 54" spr]
			54 - 60" spr	_]'
			60 - 66" spr	_		1
Acer palmatum 'Orido nishiki'			3 - 4'	B&B		+
Variegated Japanese Maple			3 - 4 4 - 5'	B&B		1
val legated Sapanese Maple DECIDUOUS ORNAMENTAL TREE; pink, white & green spring foliage turns mostly green	bv		5 - 6'	B&B		1
mid-summer; upright habit; afternoon shade helps retain best foliage colors; locate in full s	-		5 - 0 6 - 7'	B&B		1
shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7	<i>p</i>		7 - 8'	B&B		7
V . Fr			8 - 9' / 2.5"c]
			9 - 10' / 3"c			
Acor palmatum 'Pod Dragon'			18 - 24" spr			1
Acer palmatum 'Red Dragon' Red Laceleaf Japanese Maple			16 - 24 spr 24 - 30" spr			ا ا
Red Laceiear Japanese Mapie DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage all spring, summer & fall; sk	ow to		24 - 30 spr 30 - 36" spr			- -
moderate compact spreading habit; locate in full sun to partial shade & well-drained moist			ou - ou spi	DOD		1
organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7	a. o i otoritivo					
,						

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	L
Acer palmatum 'Red Select'		18 - 24" spr	B&B		4
LOW OR HIGH GRAFT		24 - 30" spr	15g		1
Red Laceleaf Japanese Maple		24 - 30" spr	B&B		4
DECIDUOUS ORNAMENTAL TREE; dark red spring foliage turns shades of green & red foliage in late		30 - 36" spr	20g		N
summer; vigorous spreading habit; tends to be void of foliage in the top center; locate in full sun to		30 - 36" spr	B&B		1
partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage		36 - 42" spr	20g		N
colors; Japanese native; Zones 5 - 7		36 - 42" spr	B&B		
		42 - 48" spr	B&B		
		48 - 54" spr	35g		
		48 - 54" spr	_		
		54 - 60" spr	35g		
		54 - 60" spr	_		N
Acer palmatum 'Ruby Stars'			5g		
·		24 - 30"	B&B		- N
Dwarf Japanese Maple DECIDUOUS ORNAMENTAL TREE; new foliage is star-shaped & emerges ruby-red before bronzing &					N
eventually turning green by summer; fall foliage are shades of gold & crimson; dwarf bushy habit;		30 - 36"	B&B		N
locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps					
retain best foliage colors; Japanese native; Zones 5 - 8					
		4 5	505		-
Acer palmatum 'Sango kaku'		4 - 5'	B&B		+
Coral-bark Japanese Maple		5 - 6'	15g		+
DECIDUOUS ORNAMENTAL TREE; green spring & summer foliage turns yellow & gold in fall; winter		5 - 6'	B&B		+
bark is bright red on younger stems; upright vase-shaped habit to 20'; fairly slow grower; locate in full		6 - 7'	15g		N
sun to partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 6 - 7		6 - 7'	B&B		-
		7 - 8'	B&B		_
Acer palmatum 'Seiryu'		4 - 5'	B&B		1
Upright Laceleaf Japanese Maple		5 - 6'	B&B		_
DECIDUOUS ORNAMENTAL TREE; vigorous upright spreading habit to about 12' tall & wide in 10		6 - 7'	B&B		_
years; medium green laceleaf foliage turns shades of golden in fall; locate in full sun to partial shade &		7 - 8'	B&B		
well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7		8 - 9'	B&B		N
		8 - 9' / 2.5"0	B&B]
		9 - 10' / 3"c	B&B		
Acer palmatum 'Shaina'		21 - 24"	10g		Т
Dwarf Red Japanese Maple		24 - 30"	B&B]
DECIDUOUS ORNAMENTAL TREE; very compact broadly upright habit; medium red to orange-red		30 - 36"	B&B]
summer foliage; afternoon shade helps retain best foliage colors; sport of 'Bloodgood'; breaks bud early		36 - 42"	B&B		
in spring & can get hurt by late freezes; locate in full sun to partial shade & well-drained moisture		42 - 48"	B&B		
retentive organic soil; Japanese native; Zones 6 - 7		12 10	505		
Acer palmatum 'Shishigashira'		30 - 36"	B&B		\vdash
Lion's Head Japanese Maple		3 - 4'	15g		1
LIGH'S HEAU JAPAHESE MAPIE DECIDUOUS ORNAMENTAL TREE; crinkly green layered foliage; green bark; slow broadly upright to		3 - 4 36 - 42"	B&B		1
vase-shaped habit that will be as wide or wider than tall; natural bonsai look; locate in full sun to partia		36 - 42	B&B		1
shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7		3 - 4 4 - 5'			1
stado a tron al amod moistal e retentive oi game son, sapantese native, 20165 5 - 7			25g		1
		4 - 5'	B&B		1
		5 - 6'	B&B		-
Acer palmatum 'Skeeter's Broom'		3 - 4'	B&B		N
Dwarf Columnar Red Japanese Maple		4 - 5'	B&B		N
DECIDUOUS ORNAMENTAL TREE; moderate growing upright habit to about 6' high by 3' wide in 10		5 - 6'	B&B		N
years; bright red spring foliage turns darker red in summer & bright scarlet in fall; witches broom from					
'Bloodgood'; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon					
shade helps retain best foliage colors; Japanese native (Rod) Zones 5 - 7					
13 Decision Way West			phono: (99	2) 221 1	_

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

cer palmatum 'Spring Delight'				
		18 - 24" spr	B&B	_ ı
LOW OR HIGH GRAF	Γ	24 - 30" spr	B&B	4
reen Laceleaf Japanese Maple		30 - 36" spr	B&B	4
ECIDUOUS ORNAMENTAL TREE; light green dissected foliage emerges in spring with a thin red edg	9			
hich lasts into early summer; foliage turns bright shades of orange in fall; seedling selection from				
iridis'; spreading mounded habit to about 2' tall by 4' wide in 10 years; locate in full sun to partial				
ade & well-drained moisture retentive organic soil; Japanese native (Buchholz) Zones 5 - 7				
cer palmatum 'Suminagashi'		3 - 4'	B&B	
ed Japanese Maple		4 - 5'	B&B	
ECIDUOUS ORNAMENTAL TREE; bright reddish-purple spring deeply divided foliage becomes		5 - 6'	B&B	
ddish-green by late summer before turning brilliant crimson in fall; broadlly upright habit to 15' or		6 - 7'	B&B	
ore; afternoon shade helps retain best foliage colors; locate in full sun to partial shade & well-drained		7 - 8'	B&B	
oisture retentive organic soil; Japanese native; Zones 5 - 7		8 - 9' / 2.5"0	B&B	
		9 - 10' / 3"c	B&B	
cer palmatum 'Tamukeyama'		18 - 24" spr	B&B	
LOW OR HIGH GRAF	г	24 - 30" spr		
ed Laceleaf Japanese Maple		24 - 30" spr		
ECIDUOUS ORNAMENTAL TREE; dark red laceleaf holds color well all summer; vigorous spreading		30 - 36" spr		
abit; afternoon shade helps retain best foliage colors; locate in full sun to partial shade & well-drained		30 - 36" spr	_	
oisture retentive organic soil; PHS Gold Metal; Japanese native; Zones 5 - 7		36 - 42" spr		
		36 - 42" spr	_	
		42 - 48" spr		
		42 - 48" spr	_	
		48 - 54" spr		
		48 - 54" spr	_	
		54 - 60" spr		
		60 - 66" spr	_	
cer palmatum 'Trompenburg'		3 - 4'	B&B	
ed Japanese Maple		4 - 5'	B&B	
ECIDUOUS ORNAMENTAL TREE; deeply cut dark purple-red spring foliage have edges that roll		5 - 6'	B&B	
ownward from the main vein; it bronzes somewhat in summer before turning crimson in fall; upright		6 - 7'	B&B	
abit to about 25' tall by 15' wide; afternoon shade helps retain best foliage colors; locate in full sun to		7 - 8'	B&B	
artial shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7		8 - 9' / 2.5"0	B&B	
,		9 - 10' / 3"c		
cer palmatum 'Twombley's Red Sentinel'		4 - 5'	B&B	
olumnar Red Japanese Maple		5 - 6'	B&B	
ECIDUOUS ORNAMENTAL TREE; this sport of 'Bloodgood' is more upright with slightly lighter				
rgundy foliage; it's a moderate grower which will mature about 20' with a spread of about 15'; foliag	e			
rns shades of crimson in fall; locate in full sun to partial shade & well-drained moisture retentive				
ganic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7				
cer palmatum 'Viridis'		18 - 24" spr	B&B	
LOW OR HIGH GRAF	Г	24 - 30" spr		
reen Laceleaf Japanese Maple		24 - 30" spr	_	
ECIDUOUS ORNAMENTAL TREE; green foliage; broadly spreading mounding habit; grows slower		30 - 36" spr	15g	_
an 'Waterfall' & branches grow more horizontally; bright orange, yellow & gold fall foliage; locate in		30 - 36" spr	B&B	_
Il sun to partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7		36 - 42" spr	B&B	_
		42 - 48" spr	B&B	_
		48 - 54" spr	B&B	4

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT	1
Acer shirasawanum 'Aureum'			5g		4
Golden Full Moon Maple		3 - 4'	B&B		+
DECIDUOUS ORNAMENTAL TREE; the soft golden foliage looks its best in dappled shade or protected		4 - 5'	B&B		+
rom the afternoon sun; slow upright spreading habit that should be about as wide as tall when mature; ocate in light or afternoon shade and well drained soil; Asian native; Zones 5 - 7					
			F		+
Acer shirasawanum 'Autumn Moon' Golden Full Moon Maple		30 - 36"	5g B&B		-
DECIDUOUS ORNAMENTAL TREE; orange-yellow foliage through the summer; fall brings shades of		3 - 4'	B&B		
rellow, orange & red; more sun tolerant than 'Aureum'; slow grower to about 20'; locate in light or		0 4	Dab		٦
fternoon shade and well drained soil; Asian native; Zones 5 - 7					
Acer shirasawanum 'Johin'		3 - 4'	B&B		
Red Full Moon Maple		4 - 5'	B&B		4
DECIDUOUS ORNAMENTAL TREE; new deeply divided foliage (similar to Trompenburg) emerges		5 - 6'	B&B		_
eddish-purple with prominent green veins; fall brings shades of orange & red; compact bushy habit to about 15' tall; locate in light or afternoon shade and well drained soil; Asian native; Zones 5 - 7					
Araucaria araucana		30 - 36"	100		+
Araucaria araucana Monkey Puzzle Tree		30 - 36" 36 - 42"	10g 10g		7
NOTIKEY PUZZIE TTEE VERGREEN CONIFER; very sharp triangular foliage expands directly from the stems; most plants are		36 - 42	10g 10g		\exists
ither male or female; tall open layered pyramidal habit to 120'; locate in full sun & most well-drained		4 - 5'	15g		_
oils; native to Chile & Argentina; Zones 7 - 8		5 - 6'	20g		٦
,		6 - 7'	20g		
		7 - 8'	B&B		
		8 - 9'	B&B		
		9 - 10'	B&B		
		10 - 12'	B&B		_
		12 - 14'	B&B		4
Buxus x 'Green Mountain'		24 - 30"	B&B		I
Pyramidal Hybrid Boxwood		30 - 36"	B&B		4
EVERGREEN SHRUB; dark evergreen foliage all winter; upright somewhat pyramidal habit, but not		36 - 42"	B&B		_
heared into formal pyramids; resists deer browse; locate in full sun to moderate shade & moisture		42 - 48"	B&B		4
retentive well-drained organic soil that's neutral to alkaline [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8					
					4
Buxus x 'Green Mountain'		12 - 15" spr			+
STANDARD		15 - 18" spr			+
Pyramidal Hybrid Boxwood EVERGREEN SHRUB; dark evergreen foliage all winter; upright grower; sheared so one round ball sits		18 - 21" spr	B&B		+
over on top of a single stem; resists deer browse; locate in full sun to moderate shade & moisture					
retentive well-drained organic soil that's neutral to alkaline [B. microphylla var. koreana x B.					
rempervirens] (Sheridan Ns) Zones 5 - 8					
Buxus x 'Green Velvet'		18 - 21" spr	B&B		+
Hybrid Boxwood		21 - 24" spr			_
EVERGREEN SHRUB; compact globular habit to 4' high and wide; slow grower, but faster than 'Green		24 - 30" spr	B&B		4
Gem'; dark evergreen foliage all year; resists deer browse; locate in full sun to moderate shade &					
noisture retentive well-drained organic soil that's neutral to alkaline; PHS Gold Metal [B. microphylla					
var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8					
Buxus microphylla 'Julia Jane'		24 - 30"	B&B		4
ittleleaf Boxwood		30 - 36"	B&B		_
EVERGREEN SHRUB; new lime-green foliage contrasts with the mature dark green leaves which can		36 - 42"	B&B		4
urn coppery in colder winters or windy exposure; compact bushy habit to about 5' tall & wide; resists		42 - 48"	B&B		4
deer browse; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's					
neutral to alkaline; Japan native; Zones 5 - 9					
2 Decision Way West represented by:			phono: (99		

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

Buxus microphylla 'Winter Gem' Littleleaf Boxwood EVERGREEN SHRUB; compact spreading habit staying under 3' tall; good for low hedges; resists deer		15 - 18" spr	B&B	
EVERGREEN SHRUB; compact spreading habit staying under 3' tall; good for low hedges; resists deer			DαD	 4
		18 - 21" spr	B&B	4
		21 - 24" spr	B&B	4
prowse; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's neutra	1	24 - 30" spr	B&B	4
o alkaline; Japan native; Zones 5 - 9		30 - 36" spr	B&B	_
Buxus sempervirens		24 - 30"	B&B	I
Common Boxwood		30 - 36"	B&B	
EVERGREEN SHRUB; dark evergreen foliage; very compact upright habit becomes rounded with age;		36 - 42"	B&B	_
highly deer browse resistant; locate in full sun to moderate shade & moisture retentive well-drained				
organic soil that's neutral to alkaline; native to Europe, Asia & Africa; Zones 5 - 8				
Buxus sempervirens 'Dee Runk'		30 - 36"	B&B	Ī
Columnar Common Boxwood		36 - 42"	B&B	_
EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark evergreen foliage; deer-resistan	t	42 - 48"	B&B	
and pollution tolerant; adapts well to poor soils; tolerates all light conditions; stronger upright				
branching than 'Graham Blandy'; resists deer browse; locate in full sun to moderate shade & moisture				
retentive well-drained organic soil that's neutral to alkaline; PHS Gold Metal; native to Europe, Asia &				
Africa; Zones (5) 6 - 8				
Buxus sempervirens 'Graham Blandy'		30 - 36"	B&B	+
Columnar Common Boxwood		36 - 42"	B&B	
EVERGREEN SHRUB; very narrow upright habit; good in tight spaces; narrower but more susceptible		42 - 48"	B&B	
o disease & insects than other fastigiate forms; resists deer browse; locate in full sun to moderate shade		48 - 54"	B&B	
& moisture retentive well-drained organic soil that's neutral to alkaline; native to Europe, Asia & Africa				
Zones 5 - 7				
Buxus sempervirens 'Newport Blue'		24 - 30"	B&B	+
BUSH	ı	30 - 36"	B&B	1
Blue Common Boxwood		36 - 42"	B&B	
EVERGREEN SHRUB; blue-green foliage; compact upright habit; resists deer browse; locate in full sun		42 - 48"	B&B	
to moderate shade & moisture retentive well-drained organic soil that's neutral to alkaline; native to				
Europe, Asia & Africa; Zones 5 - 8				
Buxus sempervirens 'Newport Blue'		30 - 36"	B&B	+
CONE				
Blue Common Boxwood				
EVERGREEN SHRUB; blue-green foliage; compact upright habit; sheared into tight round cones;				
resists deer browse; locate in full sun to moderate shade & moisture retentive well-drained organic soil				
that's neutral to alkaline; native to Europe, Asia & Africa; Zones 5 - 8				
Buxus sempervirens 'Suffruticosa'		15 - 18"	B&B	İ
Dwarf English Boxwood		18 - 21"	B&B	
EVERGREEN SHRUB; hedging boxwood from colonial times; very slow upright habit; broadens with		21 - 24"	B&B	
age; highly deer browse resistant; locate in full sun to moderate shade & moisture retentive well-drained	1	24 - 30"	B&B	
organic soil that's neutral to alkaline; native to Europe, Asia & Africa; Zones 5 - 8		30 - 36"	B&B	
Cedrus atlantica 'Fastigiata'		3 - 4'	B&B	Ī
Columnar Atlas Cedar		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; columnar upright grower; greenish-blue needles; locate in ful	1	5 - 6'	15g	
to mostly sunny locations with good organic well drained soil which holds good moisture; can handle		5 - 6'	B&B	
imited drought; protect from winter winds in northern range; north African native; Zones (5) 6 - 9		6 - 7'	15g	
		6 - 7'	B&B	
		7 - 8'	B&B	
		8 - 9'	B&B	
		9 - 10'	B&B	
				ĺ

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

		ROOTS	QNTY
Cedrus atlantica 'Glauca'	5 - 6'	B&B	
Blue Atlas Cedar	6 - 7'	B&B	
EVERGREEN ORNAMENTAL CONIFER; dark blue evergreen needles; somewhat open & upright when	7 - 8'	B&B	
young; matures to a large pyramid or irregular flat-topped shape; locate in full to mostly sunny	8 - 9'	B&B	
ocations with good organic well drained soil which holds good moisture; can handle limited drought;	9 10'	B&B	
protect from winter winds in northern range; north African native; Zones (5) 6 - 9	10 - 12'	B&B	
	12 - 14'	B&B	
Cedrus atlantica 'Glauca Pendula'	4 - 5'	B&B	
BUTTON HOOK	5 - 6'	B&B	
Neeping Blue Atlas Cedar			
Cedrus atlantica 'Glauca Pendula'	specimen	B&B	
SERPENTINE	3 - 4'	25g	
Veeping Blue Atlas Cedar	3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; blue-green needles; trunks are staked in an undulating shape	4 - 5'	25g	
o resemble a multi-curved S; ultimate shape and undulation will vary with staking; locate in full to	4 - 5'	B&B	
nostly sunny locations with good organic well drained soil which holds good moisture; can handle	5 - 6'	B&B	
imited drought; protect from winter winds in northern range; north African native; Zones (5) 6 - 9	3 - 4' hvy	25g	
	4 - 5' hvy	25g	
Cedrus atlantica 'Glauca Pendula'	3 - 4'	B&B	
STRONG ARM	4 - 5'	B&B	
Veeping Blue Atlas Cedar	5 - 6'	B&B	
Cedrus atlantica 'Horstmann'	3 - 4'	7g	
Compact Blue Atlas Cedar	3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles on a compact upright plant; terrific plant	4 - 5'	B&B	
for small properties where a blue evergreen accent is desired; locate in full to mostly sunny locations			
with good organic well drained soil which holds good moisture; can handle limited drought; protect			
From winter winds in northern range; north African native; Zones (5) 6 - 9			
Cedrus deodara	4 - 5'	B&B	
Ceodara Cedar	5 - 6'	B&B	
EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to	6 - 7'	B&B	
nostly sunny locations with organic well drained soil which holds good moisture; can handle limited	7 - 8'	B&B	
lrought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9	8 - 9'	B&B	
	9 - 10'	B&B	
	10 - 12'	B&B	
	12 - 14'	B&B	
Cedrus deodara 'Aurea'	4 - 5'	B&B	
Golden Deodara Cedar	5 - 6'	B&B	
EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in	6 - 7'	B&B	
ime; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to	7 - 8'	B&B	
vestern Himalaya; Zones (6) 7 - 9	8 - 9'	B&B	
	9 - 10'	B&B	
	10 - 12'	B&B	
Cedrus deodara 'Devinely Blue'	24 - 30"	B&B	
Compact Blue Deodara Cedar	30 - 36"	B&B	
EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit; slow grower; distinct gray-blue	36 - 42"	B&B	
needles; locate in full to mostly sunny locations with good organic well drained soil which holds good	3 - 4'	B&B	
noisture; can handle limited drought; protect from winter winds in northern range; native to western	4 - 5'	B&B	
Himalaya; Zones (6) 7 - 9	5 - 6'	B&B	
	6 - 7'	B&B	
	7 - 8'	B&B	
	8 - 9'	B&B	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

edrus deodara 'Eisregen' eodara Cedar //ERGREEN ORNAMENTAL CONIFER; full growing pyramidal habit with slightly pendulous ranches; needles are blue-green; plant in full sun with well drained soil; this cultivar is especially ardy; locate in full to mostly sunny locations with good organic well drained soil which holds good poisture; can handle limited drought; protect from winter winds in northern range; selection from fighanistan; Zones (4) 5 - 9 edrus deodara 'Feelin' Blue' ompact Blue Deodara Cedar //ERGREEN ORNAMENTAL CONIFER; blue-green needles on a compact pyramidal evergreen conife teral branches droop slightly; best in well drained soils, but will tolerate more than average moisture		5 - 6' 6 - 7' 7 - 8' 8 - 9' 9 - 10' 10 - 12' 12 - 14' 24 - 30" 30 - 36"	B&B B&B B&B B&B B&B B&B	
VERGREEN ORNAMENTAL CONIFER; full growing pyramidal habit with slightly pendulous ranches; needles are blue-green; plant in full sun with well drained soil; this cultivar is especially bridy; locate in full to mostly sunny locations with good organic well drained soil which holds good poisture; can handle limited drought; protect from winter winds in northern range; selection from righanistan; Zones (4) 5 - 9 Pedrus deodara 'Feelin' Blue' Dimpact Blue Deodara Cedar VERGREEN ORNAMENTAL CONIFER; blue-green needles on a compact pyramidal evergreen conife		7 - 8' 8 - 9' 9 - 10' 10 - 12' 12 - 14' 24 - 30"	B&B B&B B&B B&B B&B	
anches; needles are blue-green; plant in full sun with well drained soil; this cultivar is especially ordy; locate in full to mostly sunny locations with good organic well drained soil which holds good poisture; can handle limited drought; protect from winter winds in northern range; selection from sighanistan; Zones (4) 5 - 9 Pedrus deodara 'Feelin' Blue' ompact Blue Deodara Cedar VERGREEN ORNAMENTAL CONIFER; blue-green needles on a compact pyramidal evergreen conife		8 - 9' 9 - 10' 10 - 12' 12 - 14' 24 - 30"	B&B B&B B&B B&B	
ordy; locate in full to mostly sunny locations with good organic well drained soil which holds good poisture; can handle limited drought; protect from winter winds in northern range; selection from Eghanistan; Zones (4) 5 - 9 Edrus deodara 'Feelin' Blue' Ompact Blue Deodara Cedar VERGREEN ORNAMENTAL CONIFER; blue-green needles on a compact pyramidal evergreen conife		9 - 10' 10 - 12' 12 - 14' 24 - 30"	B&B B&B B&B	
oisture; can handle limited drought; protect from winter winds in northern range; selection from ighanistan; Zones (4) 5 - 9 edrus deodara 'Feelin' Blue' ompact Blue Deodara Cedar /ERGREEN ORNAMENTAL CONIFER; blue-green needles on a compact pyramidal evergreen conife		10 - 12' 12 - 14' 24 - 30"	B&B B&B	
edrus deodara 'Feelin' Blue' ompact Blue Deodara Cedar /ERGREEN ORNAMENTAL CONIFER; blue-green needles on a compact pyramidal evergreen conife		12 - 14' 24 - 30"	B&B	
edrus deodara 'Feelin' Blue' ompact Blue Deodara Cedar /ERGREEN ORNAMENTAL CONIFER; blue-green needles on a compact pyramidal evergreen conife		24 - 30"		
ompact Blue Deodara Cedar /ERGREEN ORNAMENTAL CONIFER; blue-green needles on a compact pyramidal evergreen conife			R&R	
/ $\dot{ ext{ERG}}$ REEN ORNAMENTAL CONIFER; blue-green needles on a compact pyramidal evergreen conife		30 - 36"	DOD	
			B&B	
teral branches droop slightly; best in well drained soils, but will tolerate more than average moisture	;	36 - 42"	B&B	
		3 - 4'	B&B	
cate in full to mostly sunny locations with good organic well drained soil which holds good moisture;		4 - 5'	B&B	
n handle limited drought; protect from winter winds in northern range; native to western Himalaya,	;	5 - 6'	B&B	
nes (6) 7 - 9		6 - 7'	B&B	
		7 - 8'	B&B	
		8 - 9'	B&B	
edrus deodara 'Feelin' Blue'		24 - 30" spr	15g	
STANDAR	D	24 - 30" spr	B&B	
ompact Blue Deodara Cedar		30 - 36" spr	15g	
/ $\dot{ extit{ERGREEN}}$ ORNAMENTAL CONIFER; blue-green needles on a compact pyramidal evergreen conife	r;	30 - 36" spr	B&B	
teral branches droop slightly; graftef on a clear trunk at about 24"; best in well drained soils, but will	'	36 - 42" spr	B&B	
lerate more than average moisture; locate in full to mostly sunny locations with good organic well		3 - 4'	B&B	
ained soil which holds good moisture; can handle limited drought; protect from winter winds in		4 - 5'	B&B	
orthern range; native to western Himalaya; Zones (6) 7 - 9		5 - 6'	B&B	
edrus deodara 'Karl Fuchs'		5 - 6'	B&B	
ue Deodara Cedar		6 - 7'	20g	
/ERGREEN ORNAMENTAL CONIFER; steel blue foliage; large grower en excess of 60'; slightly		6 - 7'	B&B	
ndulous branching; narrower profile than the species; very hardy selection from the mountains of		7 - 8'	B&B	
ghanistan; locate in full to mostly sunny locations with good organic well drained soil which holds		8 - 9'	B&B	
od moisture; can handle limited drought; protect from winter winds in northern range; selection from	m	9 - 10'	B&B	
ghanistan (Fuchs) Zones (5) 6 - 9		10 - 12'	B&B	
		12 - 14'	B&B	
edrus deodara 'Kashmir'		5 - 6'	B&B	
ardy Deodara Cedar		6 - 7'	B&B	
/ERGREEN ORNAMENTAL CONIFER; hardy strain with long dark evergreen needles; open habit		7 - 8'	B&B	
hen young; locate in full to mostly sunny locations with good organic well drained soil which holds		8 - 9'	B&B	
od moisture; can handle limited drought; protect from winter winds in northern range; native to		9 - 10'	B&B	
estern Himalaya (Styer) Zones (6) 7 - 9		10 - 12'	B&B	
		12 - 14'	B&B	
		14 - 16'	B&B	
		16 - 18'	B&B	
		18 - 20'	B&B	
		20 - 22'	B&B	
		22 - 24'	B&B	
edrus deodara 'Prostrate Beauty'		24 - 30" spr	B&B	
SPREADING FOR	и	30 - 36" spr		
ue Prostrate Deodara Cedar		36 - 42" spr		
/ERGREEN ORNAMENTAL CONIFER; low spreader with bright blue-green evergreen needles; older	-	3 - 4' spr	B&B	
ants can throw a leader, which can be cut off to keep them low; slow grower; new growth is more		4 - 5' spr	B&B	
reenish-blue; locate in full to mostly sunny locations with good organic well drained soil which holds		5 - 6' spr	B&B	
ood moisture; can handle limited drought; protect from winter winds in northern range; native to		6 - 7' spr	B&B	
estern Himalaya (Iseli N) Zones (6) 7 - 9		7 - 8' spr	B&B	
Decision Way West represented by:			phone: (88	0) 204 4

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:
R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
Cedrus deodara 'Prostrate Beauty'		24 - 30"	B&B	
UPRIGHT FORM		30 - 36"	B&B	
Blue Prostrate Deodara Cedar		36 - 42"	B&B	
EVERGREEN ORNAMENTAL CONIFER; low spreader with bright blue-green evergreen needles; older		3 - 4'	B&B	
plants can throw a leader, which can be cut off to keep them low; slow grower; new growth is more		4 - 5'	B&B	
greenish-blue; locate in full to mostly sunny locations with good organic well drained soil which holds		5 - 6'	B&B	
good moisture; can handle limited drought; protect from winter winds in northern range; native to		6 - 7'	B&B	
western Himalaya (Iseli N) Zones (6) 7 - 9		7 - 8'	B&B	
Cedrus deodara 'Raywood's Contorta'		5 - 6'	B&B	
Contorted Blue Deodara Cedar		6 - 7'	B&B	
EVERGREEN ORNAMENTAL CONIFER; upright pyramidal habit to about 12' tall by 6' wide in 10		7 - 8'	B&B	
years; bluish-green needles & contorted branch tips; locate in full to mostly sunny locations with good		8 - 9'	B&B	
organic well drained soil which holds good moisture; can handle limited drought; protect from winter		9 - 10'	B&B	
winds in northern range; native to western Himalaya (Wollaston) Zones 6 - 9		10 - 12'	B&B	
Cedrus libani 'Pendula'		6 - 7'	B&B	
Weeping Cedar-of-Lebanon		7 - 8'	B&B	
EVERGREEN ORNAMENTAL CONIFER; dark green needles; prominent cones; strictly weeping habit		8 - 9'	B&B	
whose shape is mostly dependent on how it's staked; good for narrow spaces; locate in full to mostly		9 - 10'	B&B	
sunny locations with organic well drained soil which holds good moisture; can handle limited drought;		10 - 12'	B&B	
orotect from winter winds in northern range; native to western Himalaya; Zones 6 - 9		12 - 14'	B&B	
		14 - 16'	B&B	
		16 - 18'	B&B	
		18 - 20'	B&B	
		20 - 22'	B&B	
Cercis canadensis Burgundy Hearts ('Greswan')		4 - 5'	10g	
Purple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in April before the foliage; purple leaf from spring through mid-summer; grows to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native		5 - 6'	10g	
(Greenleaf N) Zones (4) 5 - 9				
Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse		5 - 6'	10g	
lavender-pink flowers in April; yellowish fall foliage; locate in full sun or partial shade with any well-drained soil; US native; Zones 4 - 9				
Cercis canadensis 'Merlot'		5 - 6'	10g	
Purple-leaf Eastern Redbud				
DECIDUOUS ORNAMENTAL TREE; bright pink self-cleaning flowers in April; small glossy rounded				
purplish-red heat resistant foliage; compact vase-shaped spreading head to about 15' high & wide; low				
seed set; locate in full sun to partial shade & most well-drained soils; parentage makes it more heat &				
drought tolerant; US native ['Texas White' x 'Forest Pansy'] (Werner / Plant Haven) Zones 6 - 9				
Cercis canadensis 'Ruby Falls'		4 - 5'	10g	
Purpleleaf Weeping Eastern Redbud		5 - 6'	10g	
DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in mid to late April; narrow weeping habit				
similar to Lavender Twist, but with purple foliage; locate in full sun or partial shade with any				
well-drained soil; US native ['Covey' x 'Forest Pansy'] (Werner / Plant Haven) Zones 5 - 9				
Cercis canadensis subsp. texensis 'Oklahoma'		4 - 5'	10g	
Oklahoma Redbud		5 - 6'	10g	
DECIDUOUS ORNAMENTAL TREE; thick glossy drought resistant foliage; rosy-pink flower April;			.09	
locate in sun or part shade & any well-drained soil; US native; Zones 6 - 9				
25 Tall to part of and a dry from dramod son, so harry, 25 hos o				
13 Decision Way West represented by:		1	phone: (88	8) 321-

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cercis canadensis subsp. texensis 'Traveller'		5 - 6'	10g	
Veeping Oklahoma Redbud				
DECIDUOUS ORNAMENTAL TREE; rosy-pink flower April; broadly weeping habit; size varies with				
staking; thick glossy drought-resistant foliage; locate in sun or part shade & any well-drained soil; US				
native; Zones 6 - 9				
Chamaecyparis nootkatensis 'Glauca Pendula'		5 - 6'	B&B	
Blue Weeping Alaskan Cedar		6 - 7'	B&B	
EVERGREEN ORNAMENTAL CONIFER; pronounced single leader with branchlets hanging downward		7 - 8'	B&B	
from horizontal lateral branches; blue-green foliage; locate in full sun with deep organic well-drained		8 - 9'	B&B	
moisture retentive soil; will tolerate light shade; native to northwestern US; Zones 4 - 7 (8)		9 - 10'	B&B	
		10 - 12'	B&B	
		12 - 14'	B&B	
		14 - 16'	B&B	
		16 - 18'	B&B	
Chamaecyparis nootkatensis 'Green Arrow'		5 - 6'	B&B	
Narrow Weeping Alaskan Cedar		6 - 7'	B&B	
EVERGREEN ORNAMENTAL CONIFER; very narrow profile for tight spaces; erect leader with strictly		7 - 8'	B&B	
weeping secondary branches; locate in full sun with deep organic well-drained moisture retentive soil;		8 - 9'	B&B	
native to northwestern US; Zones 4 - 7 (8)		9 - 10'	B&B	
		10 - 12'	B&B	
		12 - 14'	B&B	
		14 - 16'	B&B	
		16 - 18'	B&B	
Chamaecyparis nootkatensis 'Nana'		3 - 4"	B&B	
Compact Alaskan Cedar		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bushy globular habit with bluish-green foliage that will		5 - 6'	B&B	
mature to about 10' tall & about as wide; locate in full sun with deep organic well-drained moisture		6 - 7'	B&B	
retentive soil; will tolerate light shade; native to northwestern US; Zones 4 - 7 (8)				
Chamaecyparis nootkatensis 'Pendula'		5 - 6'	B&B	
Weeping Alaskan Cedar		6 - 7'	B&B	
EVERGREEN ORNAMENTAL CONIFER; upright pyramidal habit with pendulous secondary branches;		7 - 8'	B&B	
graceful pyramidal shape; locate in full sun with deep organic well-drained moisture retentive soil;		8 - 9'	B&B	
native to northwestern US; Zones 4 - 7 (8)		9 - 10'	B&B	
		10 - 12'	B&B	
		12 - 14'	B&B	
		14 - 16'	B&B	
		16 - 18'	B&B	
Chamaecyparis nootkatensis 'Van den Akker'		7 - 8'	B&B	
Narrow Weeping Alaskan Cedar		8 - 9'	B&B	
EVERGREEN ORNAMENTAL CONIFER; narrow upright habit with strictly weeping secondary		9 - 10'	B&B	
branches; occasionally one of the secondary branches will grow sideways for a couple feet before		10 - 12'	B&B	
weeping downward, giving this plant a very distinctive profile; locate in full sun with deep organic		12 - 14'	B&B	
well-drained moisture retentive soil; native to northwestern US; Zones 4 - 7 (8)		14 - 16'	B&B	
		16 - 18'	B&B	
Chamaecyparis obtusa 'Gracilis'		3 - 4'	B&B	
Slender Hinoki Cypress		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; moderate bushy upright grower; dark green foliage; locate in		5 - 6'	B&B	
full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8		6 - 7'	B&B	
ZUTIES 0 - 0		7 - 8'	B&B	
		8 - 9'	B&B	
		9 - 10'	B&B	
		10 - 12' 12 - 14'	B&B B&B	
		12 - 14	D&B	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

	AVAIL.	SIZE	ROOTS	QNTY
Chamaecyparis obtusa 'Gracilis'		3 - 4'	B&B	
POM PON		4 - 5'	B&B	
Slender Hinoki Cypress		5 - 6'	B&B	
EVERGREEN ORNAMENTAL CONIFER; moderate bushy upright grower; dark green foliage; sheared		6 - 7'	B&B	
palls at the ends of selectively retained branches radiating out from the central trunk; locate in full to		7 - 8'	B&B	
mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8				
Chamaecyparis obtusa 'Gracilis Aurea'		3 - 4'	B&B	
Golden Hinoki Cypress		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright gold foliage on a fairly rapid upright grower; tends to		5 - 6'	B&B	
nave a single leader; foliage can sunburn if not given some afternoon shade; locate in full to mostly				
unny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8				
Chamaecyparis obtusa 'Gracilis Aurea'		3 - 4'	B&B	
POM PON		4 - 5'	B&B	
Golden Hinoki Cypress		5 - 6'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright gold foliage on a fairly rapid upright grower; tends to				
nave a single leader; foliage can sunburn if not given some afternoon shade; sheared balls at the ends of				
electively retained branches radiating out from the central trunk; locate in full to mostly sunny location				
with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8				
Chamaecyparis obtusa 'Gracilis Compacta'		36 - 42"	B&B	
Compact Hinoki Cypress		3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; very compact upright habit, but not dwarf; dark green		4 - 5'	B&B	
oliage; locate in full to mostly sunny location with organic moisture retentive soil that drains well;		5 - 6'	B&B	
native to Japan; Zones 5 - 8		6 - 7'	B&B	
		7 - 8'	B&B	
		8 - 9'	B&B	
		9 - 10'	B&B	
		10 - 12'	B&B	
Chamaecyparis obtusa 'Koster Fast Form'		30 - 36"	B&B	
Compact Hinoki Cypress		3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; this is similar to C. o. 'Kosteri' in all respects except it's a faster		4 - 5'	B&B	
more upright grower; locate in full to mostly sunny location with organic moisture retentive soil that		5 - 6'	B&B	
drains well; native to Japan; Zones 5 - 8		6 - 7'	B&B	
Chamaecyparis obtusa 'Nana Gracilis'		18 - 21"	B&B	
Owarf Hinoki Cypress		21 - 24"	B&B	
EVERGREEN ORNAMENTAL CONIFER; slow irregular broadly upright habit; dark green foliage;		24 - 30"	B&B	
isually grows about 3" per year; locate in full to mostly sunny location with organic moisture retentive		30 - 36"	B&B	
oil that drains well; native to Japan; Zones 5 - 8		36 - 42"	B&B	
		42 - 48"	B&B	
		48 - 54"	B&B	
		54 - 60"	B&B	
		60 - 66"	B&B	
		66 - 72"	B&B	
Chamaecyparis obtusa 'Willamette Elegance'		3 - 4'	B&B	
Compact Hinoki Cypress		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; compact broadly upright habit to about 10' tall by 6' wide in		5 - 6'	B&B	
O years; dark green horizontal foliage; locate in full to mostly sunny location with organic moisture		6 - 7'	B&B	
retentive soil that drains well; native to Japan (Mitch) Zones 5 - 8				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

Chamaecyparis pisifera 'Cyano Viridis' Boulevard Blue Moss Cypress; Blue Sawara Cypress			
	18 - 24"	B&B	
odicvard Dide Moss Cypress, Dide Sawara Cypress	24 - 30"	B&B	
VERGREEN ORNAMENTAL CONIFER; bright blue juvenile foliage; bushy upright grower; locate in	30 - 36"	B&B	
ıll to mostly sunny location with neutral to acidic organic moisture retentive soil that drains well;	36 - 42"	B&B	
apanese native; Zones 4 - 8	3 - 4'	B&B	
	4 - 5'	B&B	
Chamaecyparis pisifera 'Cyano Viridis' 2-TIER	36 - 42"	B&B	
Boulevard Blue Moss Cypress; Blue Sawara Cypress VERGREEN ORNAMENTAL CONIFER; bright blue juvenile foliage; bushy upright grower; 2 balls of			
oliage on top of each other around the central stem; locate in full to mostly sunny location with neutral			
o acidic organic moisture retentive soil that drains well; Japanese native; Zones 4 - 8			
Chamaecyparis pisifera 'Cyano Viridis'	3 - 4'	B&B	
3-TIER	4 - 5'	B&B	
Soulevard Blue Moss Cypress; Blue Sawara Cypress VERGREEN ORNAMENTAL CONIFER; bright blue juvenile foliage; bushy upright grower; 3 balls of			
oliage on top of each other around the central stem; locate in full to mostly sunny location with neutral			
o acidic organic moisture retentive soil that drains well; Japanese native; Zones 4 - 8			
Chamaecyparis pisifera 'Cyano Viridis'	3 - 4'	B&B	
4-TIER			
Soulevard Blue Moss Cypress; Blue Sawara Cypress			
VERGREEN ORNAMENTAL CONIFER; bright blue juvenile foliage; bushy upright grower; 4 balls of			
oliage on top of each other around the central stem; locate in full to mostly sunny location with neutral			
o acidic organic moisture retentive soil that drains well; Japanese native; Zones 4 - 8			
Chamaecyparis pisifera 'Cyano Viridis'	36 - 42"	B&B	
DOUBLE SPIRAL	3 - 4'	B&B	
Soulevard Blue Moss Cypress; Blue Sawara Cypress EVERGREEN ORNAMENTAL CONIFER; bright blue juvenile foliage; bushy upright grower; double and of foliage swirls around the central stem; locate in full to mostly sunny location with neutral to cidic organic moisture retentive soil that drains well; Japanese native; Zones 4 - 8			
Chamaecyparis pisifera 'Cyano Viridis'	24 - 30"	B&B	
POM POM	30 - 36"	B&B	
Boulevard Blue Moss Cypress; Blue Sawara Cypress	36 - 42"	20g	
VERGREEN ORNAMENTAL CONIFER; bright blue juvenile foliage; bushy upright grower; sheared	3 - 4'	20g	
alls at the ends of selectively retained branches radiating out from the central trunk; locate in full to	36 - 42"	B&B	
nostly sunny location with neutral to acidic organic moisture retentive soil that drains well; Japanese	3 - 4'	B&B	
ative; Zones 4 - 8		Cedar Box	
	4 - 5'	25g	
	4 - 5'	B&B	
		Cedar Box	
	5 - 6'	B&B	
		Cedar Box	
	6 - 7'	25g	
	6 - 7'	B&B	
	30 - 36" hvy		
	3 - 4' hvy	B&B	
Chamaecyparis pisifera 'Cyano Viridis'	36 - 42"	B&B	
SPIRAL	3 - 4'	B&B	
Soulevard Blue Moss Cypress; Blue Sawara Cypress VERGREEN ORNAMENTAL CONIFER; bright blue juvenile foliage; bushy upright grower; wide band f foliage swirls around the central stem; locate in full to mostly sunny location with neutral to acidic rganic moisture retentive soil that drains well; Japanese native; Zones 4 - 8	4 - 5'	B&B	
3 Decision Way West represented by:		phone: (888	2) 204

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cotinus coggygria 'Royal Purple'		5g	38	
rurple Smoketree				
DECIDUOUS FLOWERING SHRUB; purple spring & summer foliage lightens to reddish-purple in fall;				
ouffy gray flowers in early summer; broadly upright to 12' by 12'; locate in full to mostly sunny locations				
& virtually any soil with good to moderate drainage; drought resistant; native to southern Europe &				
Asia; Zones (4) 5 - 8				
Cryptomeria japonica 'Black Dragon'			3g	
Dwarf Japanese Cedar			5g	
EVERGREEN ORNAMENTAL CONIFER; slow upright grower; dark evergreen foliage; protect from		18 - 24"	B&B	
vinter winds; deer browse resistant; locate in full sun to partial shade & moist well-drained soil of any		24 - 30"	B&B	
cidity; native to China & Japan; Zones (5) 6 - 8		30 - 36"	B&B	
		36 - 42"	B&B	
		3 - 4' 4 - 5'	B&B B&B	
Number of the sector Butter Borner Level				
Cryptomeria japonica 'Rein's Dense Jade'		30 - 36" 36 - 42"	B&B B&B	
Compact Japanese Cedar EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit; bright green foliage; foliage and		36 - 42" 3 - 4'	B&B B&B	
tems are slightly thicker than 'Yoshino' giving it a more bold appearance; grows close to half the rate of		3 - 4 4 - 5'	B&B	
Yoshino'; protect from winter winds; deer browse resistant; locate in full sun to partial shade & moist		5 - 6'	B&B	
vell-drained soil of any acidity; native to China & Japan; Zones (5) 6 - 8		6 - 7'	B&B	
		7 - 8'	B&B	
Cryptomeria japonica 'Sekkan sugi'		5 - 6'	B&B	
Golden Japanese Cedar		6 - 7'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright golden foliage; bushy columnar to pyramidal habit;		7 - 8'	B&B	
rows to about 15' in 10 years; protect from winter winds; deer browse resistant; locate in full sun to		8 - 9'	B&B	
partial shade & moist well-drained soil of any acidity; native to China & Japan; Zones (5) 6 - 8		9 - 10'	B&B	
		10 - 12'	B&B	
		12 - 14'	B&B	
		14 - 16'	B&B	
Cupressocyparis leylandii		7 - 8'	B&B	
Leyland Cypress		8 - 9'	B&B	
EVERGREEN ORNAMENTAL CONIFER; fast-growing dark evergreen pyramid; can wind-burn in		9 - 10'	B&B	
exposed locations in winter; locate in full sun or minimal shade & any well-drained soil; tolerant of				
raline soils; native US cross; Zones 6 - 10				
Fagus sylvatica 'Dawyck Purple'		4 - 5'	B&B	
Columnar Purple European Beech		5 - 6'	B&B	
DECIDUOUS ORNAMENTAL TREE; very narrow profile; retains the purple foliage all summer;		6 - 7'	B&B	
relected seedling from Trompenburg Arboretum; locate in sun (to enhance foliage color) or shade with		7 - 8'	B&B	
well-drained organic soils; not tolerant of urban conditions or compacted soils; European native; Zones I - 7		8 - 9'	B&B	
·- <i>1</i>				
Fagus sylvatica 'Purple Fountain'		4 - 5'	B&B	
Veeping Purple European Beech		5 - 6'	B&B	
DECIDUOUS ORNAMENTAL TREE; dark purple spring foliage looses intensity in summer; upright		6 - 7'	B&B	
pyramidal habit that usually has a dominant single leader; some develop into fairly narrow irregular		7 - 8'	B&B	
pyramids while others are quite broad at the base; locate in sun (to enhance foliage color) or shade with vell-drained organic soils; not tolerant of urban conditions or compacted soils; European native; Zones		8 - 9'	B&B	
ven-drained organic soils; not tolerant of urban conditions or compacted soils; European native; Zones ! - 7		9 - 10'	B&B	
O Davidso West West				0) 004 3

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

	AVAIL.	SIZE	ROOTS	QNTY
Fagus sylvatica 'Red Obelisk'		4 - 5'	B&B	
Columnar Purple European Beech		5 - 6'	B&B	
DECIDUOUS ORNAMENTAL TREE; narrow columnar habit with slightly dissected dark purple foliage;		6 - 7'	B&B	
an reach 50' or more; locate in sun (to enhance foliage color) or shade with well-drained organic soils;		7 - 8'	B&B	
not tolerant of urban conditions or compacted soils; European native; Zones 4 - 7		8 - 9'	B&B	
		9 - 10'	B&B	
Fagus sylvatica 'Riversii'		4 - 5'	B&B	
Purple European Beech		5 - 6'	B&B	
DECIDUOUS ORNAMENTAL TREE; new foliage is very dark purple which becomes greenish purple by		6 - 7'	B&B	
mid summer; upright somewhat open habit when young; becomes a large (50'+) wide-spreading tree		7 - 8'	B&B	
when mature; locate in sun (to enhance foliage color) or shade with well-drained organic soils; not		8 - 9'	B&B	
olerant of urban conditions or compacted soils; European native; Zones 4 - 7			26.2	
agus sylvatica 'Roseo-marginata'		4 - 5'	B&B	
ricolor European Beech		5 - 6'	B&B	
DECIDUOUS ORNAMENTAL TREE; dazzling pink, purple & white new foliage matures to purple with		6 - 7'	B&B	
white margins; slow upright grower that gets large over time; often listed as 'Tricolor' which is probably	,			
a lost species that has whiter foliage; locate in sun (to enhance foliage color) or shade with well-drained				
organic soils; not tolerant of urban conditions or compacted soils; European native; Zones 4 - 7				
Sinkgo biloba 'Jade Butterflies'		24 - 30"	5g	
Dwarf Ginkgo; Dwarf Maidenhair Tree		30 - 36"	5g	
DECIDUOUS ORNAMENTAL CONIFER; dwarf broadly upright habit to about 5' in 10 years; male				
ultivar; bunched or tufted foliage is dark jade green in summer and turns golden yellow in fall; highly				
resistant to pests & diseases; locate in full sun & any soil that drains; very tolerant of urban & coastal				
onditions; Chinese native (Duncan & Davies) Zones 4 - 8 (9)				
Hydrangea paniculata Vanilla Strawberry ('RENhy')			10g	
STANDARD Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; large pyramidal flower clusters open greenish, quickly turn				
reamy white, then light pink before maturing to dark rosy-pink as they age; new flowers continually				
appear providing a two-tone effect in late summer on new wood; dark green foliage; broadly upright to				
about 7' tall by 5' wide at maturity; locate in full sun to partial or afternoon shade (especially in southern	,			
range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9				
lex aquifolium 'Scotch'		30 - 36"	B&B	
Female Variegated English Holly		3 - 4'	B&B	
ROADLEAF EVERGREEN TREE; creamy edges around dark green centers; heavily bearing dark		4 - 5'	20g	
eddish-orange fruit if pollinator is close by; pyramidal habit; locate in full sun to partial shade &		4 - 5'	B&B	
eutral to acidic well-drained organic soil; native to Europe & western Asia; Zones (6) 7 - 9		5 - 6'	B&B	
		6 - 7'	B&B	
lex aquipernyi Dragon Lady ('Meschick')		5 - 6'	B&B	
Pyramidal Hybrid Holly		6 - 7'	B&B	
VERGREEN TREE; narrow green pyramid with spiny dark green foliage that resists deer browse;		7 - 8'	B&B	
omewhat self-fruitful; locate in full sun to partial shade & neutral to acidic well-drained organic soil;		8 - 9'	B&B	
Cones 6 - 9		0 0	Dab	
		3 - 4'	B&B	
		4 - 5'	B&B	
luniperus chinensis 'Blue Point'		5 - 6'	B&B	
Juniperus chinensis 'Blue Point' Blue Pyramidal Chinese Juniper		0 - 0		
Juniperus chinensis 'Blue Point' Blue Pyramidal Chinese Juniper EVERGREEN ORNAMENTAL CONIFER; compact pyramid to 10'; blue scale-like needles; locate in full		5 - 6 6 - 7'	B&B	
Juniperus chinensis 'Blue Point' Blue Pyramidal Chinese Juniper			B&B	
Juniperus chinensis 'Blue Point' Blue Pyramidal Chinese Juniper EVERGREEN ORNAMENTAL CONIFER; compact pyramid to 10'; blue scale-like needles; locate in full			B&B	
Juniperus chinensis 'Blue Point' Blue Pyramidal Chinese Juniper EVERGREEN ORNAMENTAL CONIFER; compact pyramid to 10'; blue scale-like needles; locate in full			B&B	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

	AVAIL.	SIZE	ROOTS	QNTY
Juniperus chinensis 'Blue Point'		3 - 4'	B&B	
SPIRAL		4 - 5'	B&B	
Blue Pyramidal Chinese Juniper				
EVERGREEN ORNAMENTAL CONIFER; compact pyramid to 10'; blue scale-like needles; foliage is				
rimmed around a central stem in an upward spiral; locate in full sun & most well-drained soils;				
drought tolerant when established; Asian native; Zones 4 - 9				
Juniperus chinensis 'Robusta Green'		3 - 4'	B&B	
rregular Upright Chinese Juniper		3 - 4 4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; irregular upright habit to 15' or more tall with blue-green		4-3	DQD	
oliage; with varies with shearing; salt tolerant; locate in full sun & most well-drained soils; drought				
olerant when established; Asian native; Zones 5 - 9				
luniperus chinensis 'Spartan'		3 - 4'	B&B	
Jpright Chinese Juniper		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright green evergreen needles; narrowly pyramidal to		5 - 6'	B&B	
olumnar habit; grows to about 15' tall by 5' wide; susceptible to Phomopsis; locate in full sun & most		6 - 7'	B&B	
vell-drained soils; drought tolerant when established; Asian native; Zones 5 - 9				
luniperus x pfitzeriana 'Daub's Frosted'			1g	
Prostrate Golden Pfitzer Juniper			3	
EVERGREEN ORNAMENTAL CONIFER; bright gold spreader to 2' tall by 4' wide that doesn't burn;				
lisease resistant; locate in full sun & most well-drained soils; drought tolerant when established; Asian				
native; formerly listed as J. chinensis or J. x media [J. chinensis x J. sabina] Zones 4 - 9				
Luninanus v nfitzaniana IDaubla Frantadi		40 041	Don	
luniperus x pfitzeriana 'Daub's Frosted'		18 - 21" spr		
STANDARD		21 - 24" spr		
Prostrate Golden Pfitzer Juniper EVERGREEN ORNAMENTAL CONIFER; bright gold spreader to 2' tall by 4' wide that doesn't burn;		21 - 24" spr		
grafted on a bare single stem at about 18-24" above the ground; disease resistant; locate in full sun &		24 - 30" spr		
most well-drained soils; drought tolerant when established; Asian native; formerly listed as J. chinensis		24 - 30" spr 30 - 36" spr		
or J. x media [J. chinensis x J. sabina] Zones 4 - 9		54 - 60" spr		
		3 - 4'	-	
Juniperus scopulorum 'Moonglow'			B&B	
Blue Rocky Mountain Juniper EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; fairly narrow upright pyramidal		4 - 5'	B&B B&B	
nabit to 15'; subject to tip blight on the East Coast; needs full sun & dry well-drained soils; does not		5 - 6'	B&B	
perform well in areas with high humidity & high evening temperatures; native western to US & Canada;		6 - 7'	D&D	
zenom wen in areas with night idmidity a night evening temperatures, hative western to 03 a canada, Zones 3 - 6 (7)				
luniperus scopulorum 'Skyrocket'		3 - 4'	B&B	
Narrow Blue Rocky Mountain Juniper		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; very narrow upright columnar habit		5 - 6'	20g	
o 15' tall by 3' wide; subject to tip blight on the East Coast; needs full sun & dry well-drained soils; does		5 - 6'	B&B	
not perform well in areas with high humidity & high evening temperatures; native western to US &		6 - 7'	B&B	
Canada; Zones 3 - 6 (7)				
Juniperus scopulorum 'Skyrocket'		4 - 5'	B&B	
4-TIER		5 - 6'	B&B	
Narrow Blue Rocky Mountain Juniper		7 - 8'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; very narrow upright columnar habit				
o 15' tall by 3' wide; 4 balls of foliage on top of each other around the central stem; subject to tip blight				
on the East Coast; needs full sun & dry well-drained soils; does not perform well in areas with high				
numidity & high evening temperatures; native western to US & Canada; Zones 3 - 6 (7)				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
Juniperus scopulorum 'Skyrocket'		4 - 5'	B&B	
5-TIER		5 - 6'	B&B	
Jarrow Blue Rocky Mountain Juniper		7 - 8'	B&B	
VERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; very narrow upright columnar habit				
o 15' tall by 3' wide; 5 balls of foliage on top of each other around the central stem; subject to tip blight				
n the East Coast; needs full sun & dry well-drained soils; does not perform well in areas with high				
numidity & high evening temperatures; native western to US & Canada; Zones 3 - 6 (7)				
luniperus scopulorum 'Skyrocket'		7 - 8'	B&B	
6-TIER				
Narrow Blue Rocky Mountain Juniper				
EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; very narrow upright columnar habit				
o 15' tall by 3' wide; 6 balls of foliage on top of each other around the central stem; subject to tip blight				
n the East Coast; needs full sun & dry well-drained soils; does not perform well in areas with high				
numidity & high evening temperatures; native western to US & Canada; Zones 3 - 6 (7)				
luniperus scopulorum 'Skyrocket'		3 - 4'	B&B	
SPIRAL		4 - 5'	B&B	
Narrow Blue Rocky Mountain Juniper		5 - 6'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; very narrow upright columnar habit		8 - 9'	B&B	
o 15' tall by 3' wide; band of foliage swirls around the central stem; subject to tip blight on the East				
Coast; needs full sun & dry well-drained soils; does not perform well in areas with high humidity & high				
evening temperatures; native western to US & Canada; Zones 3 - 6 (7)				
luniperus scopulorum 'Skyrocket'		6 - 7'	B&B	
TIER WITH DBL SPIRAL				
Narrow Blue Rocky Mountain Juniper				
EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; very narrow upright columnar habit				
to 15' tall by 3' wide; heavy ball at base with double band of foliage swirling around the leader above;				
subject to tip blight on the East Coast; needs full sun & dry well-drained soils; does not perform well in				
areas with high humidity & high evening temperatures; native western to US & Canada; Zones 3 - 6 (7)				
luniperus scopulorum 'Wichita Blue'		3 - 4'	10g	
Blue Rocky Mountain Juniper		3 - 4'	B&B	
VERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; upright pyramid to 15' tall by 5'		4 - 5'	B&B	
vide; subject to tip blight on the East Coast; needs full sun & dry well-drained soils; does not perform		5 - 6'	B&B	
vell in areas with high humidity & high evening temperatures; native western to US & Canada; Zones 3				
6 (7)				
arix decidua 'Pendula'		36 - 42"	B&B	
STAKED		3 - 4' hvy	20g	
Veeping European Larch		3 - 4' hvy	20g	
DECIDUOUS ORNAMENTAL CONFIER; bright green needles turn golden in fall; shape varies		3 - 4' hvy	B&B	
ccording to staking; locate in full sun & well drained moisture retentive soils that are acidic to neutral;		3 - 4' hvy	B&B	
ot drought tolerant; European native; Zones 3 - 6 (7)		4 - 5' hvy	20g	
		4 - 5' hvy	25g	
		4 - 5' hvy	B&B	
		4 - 5' hvy	B&B	
Picea abies 'Acrocona'		30 - 36"	B&B	
Compact Norway Spruce		36 - 42"	B&B	
EVERGREEN ORNAMENTAL CONIFER; compact grower that becomes a large spreading mound,		42 - 48"	B&B	
lmost as tall as wide; large reddish-purple immature cones on branch tips in spring; new spring		48 - 54"	B&B	
rowth is lighter than the mature needles making a nice contrast; resists deer browse; locate in full sun		54 - 60"	B&B	
o partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe;				
7ones 2 - 7				
3 Decision Way West represented by:			phone: (88	8) 321-

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
Picea abies 'Cupressina'		5 - 6'	B&B	
Columnar Norway Spruce		6 - 7'	B&B	
VERGREEN ORNAMENTAL CONIFER; dark green evergreen needles; narrow upright pyramidal		7 - 8'	B&B	
nabit; good for narrow spaces; resists deer browse; locate in full sun to partial shade & well-drained		8 - 9'	B&B	
neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7		9 - 10'	B&B	
		10 - 12'	B&B	
Picea abies 'Formanek'		30 - 36"	B&B	
Compact Weeping Norway Spruce EVERGREEN ORNAMENTAL CONIFER; compact weeping habit which forms a broad spreading		36 - 42" 42 - 48"	B&B 20g	
mound up to 2' tall by 5' wide if not staked; height varies with staking but can approach 5' in 10 years if		42 - 48"	B&B	
taked upright; resists deer browse; locate in full sun to partial shade & well-drained neutral to acidic		42 - 40	DQD	
noisture retentive soils; native to northern Europe; Zones 2 - 7				
Picea abies 'Frohburg		3 - 4' hvy	B&B	
Compact Weeping Norway Spruce		4"c specime	n B&B	
EVERGREEN ORNAMENTAL CONIFER; compact weeping habit with erect leader and very pendulous		4 - 5' hvy	B&B	
side branches; height varies with staking but can approach 10' in 10 years if staked upright; leader is		5 - 6' hvy	B&B	
taked upright; bottom branches spread out along the ground & surround the leader; resists deer		6 - 7' hvy	B&B	
prowse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils;		7 - 8' hvy	B&B	
native to northern Europe; Zones 2 - 7		8 - 9' hvy	B&B	
		9 - 10' hvy	B&B	
Picea abies 'Little Gem'		12 - 15" spr	B&B	
STANDARD		15 - 18" spr	B&B	
Owarf Norway Spruce		18 - 21" spr	10g	
EVERGREEN ORNAMENTAL CONIFER; very tight bun with very short green needles; dwarf in all		18 - 21" spr	B&B	
respects; usually grafted between 18" & 3' on top of a clear trunk; resists deer browse; locate in full sun		21 - 24" spr	B&B	
o partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe;		24 - 30" spr	B&B	
Zones 2 - 7		30 - 36" spr	B&B	
		36 - 42" spr	B&B	
Picea abies 'Paul's Select'		3 - 4'	B&B	
Blue Norway Spruce		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; moderate growing pyramidal conifer to about 30' tall by 15'		5 - 6'	B&B	
wide; bright blue-gray needles; resists deer browse; locate in full sun to partial shade & well-drained		5-0	DQD	
neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7				
Picea abies 'Pendula'		36 - 42"	B&B	
Weeping Norway Spruce		3 - 4' hvy	B&B	
EVERGREEN ORNAMENTAL CONIFER; heavily weeping branches; height & shape varies with staking,		4 - 5' hvy	20g	
dark evergreen needles; leader is staked upright; height & shape varies with staking; resists deer		4 - 5' hvy	B&B	
prowse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils;		5 - 6' hvy	B&B	
native to northern Europe; Zones 2 - 7		6 - 7' hvy	B&B	
		7 - 8' hvy	B&B	
Picea abies 'Pendula Major'		3 - 4'	10g	
Weeping Norway Spruce		3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; heavily weeping branches; height & shape varies with staking,		4 - 5'	B&B	
dark evergreen needles; leader is staked upright; height & shape varies with staking; resists deer		5 - 6'	B&B	
prowse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils;		6 - 7'	B&B	
native to northern Europe; Zones 2 - 7		7 - 8'	B&B	
		8 - 9'	B&B	
		9 - 10'	B&B	
		10 - 12'	B&B	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Picea abies 'Waldbrund'		18 - 24" spr	B&B	
Owarf Norway Spruce		24 - 30" spr	B&B	
VERGREEN ORNAMENTAL CONIFER; compact mound to about 12" tall by 18" wide in 10 years;		30 - 36" spr	B&B	
olue-green needles; resists deer browse; locate in full sun to partial shade & well-drained neutral to		36 - 42" spr	B&B	
acidic moisture retentive soils; native to northern Europe; Zones 2 - 7		42 - 48" spr	B&B	
Picea bicolor 'Howell's Dwarf Tigertail'		24 - 30"	B&B	
Dwarf Bicolor Spruce; Dwarf Alcock's Spruce		30 - 36"	B&B	
EVERGREEN ORNAMENTAL CONIFER; blue & green needles; compact grower; leader is staked to		36 - 42"	B&B	
create an irregular pyramidal form; locate in full sun or minimal shade & well-drained neutral to acidic		3 - 4'	B&B	
moisture retentive soils; does not thrive in hot humid climates; native to Japan; Zones 5 - 7		4 - 5'	B&B	
		5 - 6'	B&B	
		6 - 7'	B&B	
Picea glauca 'Pendula'		4 - 5'	B&B	
Weeping White Spruce		5 - 6'	B&B	
EVERGREEN ORNAMENTAL CONIFER; the very narrow profile is great for tight spaces; the leader		6 - 7'	B&B	
goes straight up and the lateral branches hang almost straight down; gray-green evergreen needles;		7 - 8'	B&B	
considered deer browse resistant in most areas; highly deer browse resistant; locate in full sun or light				
shade & moist organic soils, although tolerant of many soil conditions; US native; Zones 2 - 6 (7)				
Disca amarika 'Brune'		4 - 5'	Don	
Picea omorika 'Bruns'		4 - 5' 5 - 6'	B&B B&B	
Columnar Serbian Spruce EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal form that will be about 4' wide at 14' tall in		5 - 6 6 - 7'	B&B	
10 years; typical green & blue needles give year-round interest; locate in full sun or partial shade &			B&B	
no years, typical green & blue needles give year-round interest, locate in full sun or partial shade & moisture retentive well-drained soil that's either acidic or alkaline; protect from winter wind in northern		7 - 8'	B&B	
range; adapts to poor air quality; native to southern Europe; Zones 4 - 7		8 - 9' 0 - 10'	B&B	
		9 - 10'		
Picea omorika 'Nana'		15 - 18"	B&B	
Dwarf Serbian Spruce		18 - 21"	B&B	
EVERGREEN ORNAMENTAL CONIFER; bicolor green & blue needles; broadly compact pyramidal		21 - 24"	10g	
habit; sheared into tight globes; locate in full sun or partial shade & moisture retentive well-drained soil		21 - 24"	B&B	
that's either acidic or alkaline; protect from winter wind in northern range; adapts to poor air quality;		24 - 30"	B&B	
native to southern Europe; Zones 4 - 7		30 - 36"	B&B	
		36 - 42"	B&B	
		42 - 48"	B&B	
Picea omorika 'Pendula'		3 - 4'	B&B	
Weeping Serbian Spruce		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; erect leader with gracefully drooping lateral branches that		5 - 6'	B&B	
arch upward toward the tips; typical blue & green needles; very narrow profile makes an excellent		6 - 7'	B&B	
choice for tight spaces; locate in full sun or partial shade & moisture retentive well-drained soil that's		7 - 8'	B&B	
either acidic or alkaline; protect from winter wind in northern range; adapts to poor air quality; native		8 - 9'	B&B	
to southern Europe; Zones 4 - 7		9 - 10'	B&B	
		10 - 12'	B&B	
		12 - 14'	B&B	
Picea omorika 'Pendula Bruns'		3 - 4'	15g	
Weeping Serbian Spruce		3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; typical blue & green needles; differs from 'Pendula' because of		4 - 5'	B&B	
the irregular upright leader & strictly weeping lateral branches; this cultivar will usually remain fairly		5 - 6'	B&B	
narrow, making it useful in tight spaces needing a vertical accent; locate in full sun or partial shade &		6 - 7'	B&B	
moisture retentive well-drained soil that's either acidic or alkaline; protect from winter wind in northern		7 - 8'	B&B	
range; adapts to poor air quality; native to southern Europe; Zones 4 - 7				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

DTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
cea omorika 'Pimoko'		12 - 15"	B&B	
STANDARD		15 - 18"	B&B	
warf Serbian Spruce		18 - 21"	10g	
VERGREEN ORNAMENTAL CONIFER; very dwarf spreading somewhat irregular globose habit;		18 - 21"	B&B	
ue-green evergreen needles have a silver stripe on the bottom; usually grafted between 18" & 3' on top		21 - 24"	B&B	
a clear trunk; locate in full sun or partial shade & moisture retentive well-drained soil that's either		24 - 30"	B&B	
idic or alkaline; protect from winter wind in northern range; adapts to poor air quality; native to		55	20.2	
uthern Europe; Zones 4 - 7				
icea orientalis 'Bergman's Gem'		12 - 15" spr	· B&B	
warf Serbian Spruce		15 - 18" spr		
/ERGREEN ORNAMENTAL CONIFER; very compact spreading bun; male cones are red & female		18 - 21" spr		
nes are purple before turning brown; shorter glossy dark green needles lay against the branches;		21 - 24" spr		
cate in full sun or very light shade & moisture retentive well-drained soil that's either acidic or		24 - 30" spr		
kaline; protect from winter wind in northern range; native to Asia Minor; Zones (4) 5 - 7				
aline, protect from writer wind in northern ange, flative to Asia willor, 20165 (4) 3 - 7		30 - 36" spr		
		36 - 42" spr		
roop orientalis (Courdy)		42 - 48" spr 3 - 4'		
icea orientalis 'Gowdy' ompact Oriental Spruce		3 - 4' 4 - 5'	B&B B&B	
/ERGREEN ORNAMENTAL CONIFER; compact pyramidal habit that resembles the species, but		4 - 5 5 - 6'	B&B	
ows about half as fast; male cones are red & female cones are purple before turning brown; typical		5-0	ΒαΒ	
ort glossy dark green needles lay against the branches; locate in full sun or very light shade &				
pisture retentive well-drained soil that's either acidic or alkaline; protect from winter wind in northen nge; native to Asia Minor; Zones (4) 5 - 7	1			
cea orientalis 'Nigra Compacta'		21 - 24"	B&B	
ompact Pyramidal Oriental Spruce		24 - 30"	B&B	
'ERGREEN ORNAMENTAL CONIFER; very broad compact pyramidal habit; male cones are red &		30 - 36"	B&B	
male cones are purple before turning brown; short glossy dark green needles lay against the branches	;	36 - 42"	B&B	
cate in full sun or very light shade & moisture retentive well-drained soil that's either acidic or		42 - 48"	B&B	
kaline; protect from winter wind in northern range; native to Asia Minor; Zones (4) 5 - 7		48 - 54"	B&B	
		60 - 66"	B&B	
icea pungens 'Baby Blue Eyes'		3 - 4'	B&B	
elect Blue Colorado Spruce		4 - 5'	B&B	
/ERGREEN ORNAMENTAL CONIFER; bright blue needles; somewhat compact pyramidal habit;		5 - 6'	B&B	
ghly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought &				
astal conditions; native to Rocky Mtn. region of US (Holden) Zones 3 - 7 (8)				
icea pungens 'Bacheri'		30 - 36"	B&B	
elect Blue Colorado Spruce		3 - 4'	15g	
/ERGREEN ORNAMENTAL CONIFER; pyramidal habit growing to 50' or more in time; gray-blue		3 - 4'	B&B	
edles; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of		4 - 5'	B&B	
ought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)		5 - 6'	B&B	
sagnit a soustar containers, native to ready with region of 50, 25165 6 7 (6)		6 - 7'	B&B	
		7 - 8'	B&B	
raca nungana IDlua Calaati				
cea pungens 'Blue Select'		30 - 36"	B&B	
elect Blue Colorado Spruce		3 - 4'	15g	
/ERGREEN ORNAMENTAL CONIFER; full growing somewhat compact pyramid; silvery-blue		3 - 4'	B&B	
edles; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of		4 - 5'	B&B	
ought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)		5 - 6'	B&B	
		6 - 7'	B&B	
		7 - 8'	B&B	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Picea pungens 'Fastigiata' / 'Glauca Fastigiata' / 'Iseli Fastigiata'		3 - 4'	15g	
Columnar Blue Colorado Spruce		3 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit when young; widens with age (like we	9	4 - 5'	B&B	
lo); gray-blue needles; highly deer browse resistant; locate in full sun & just about any well-drained		5 - 6'	B&B	
oil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US (Iseli) Zones 3 - 7 (8)		6 - 7'	B&B	
		7 - 8'	B&B	
		8 - 9'	B&B	
Discommunicat Albertal				
Picea pungens 'Fat Albert'		3 - 4'	15g	
Select Blue Colorado Spruce		3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; uniform broadly compact pyramidal habit; good blue color;		4 - 5'	B&B	
nighly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought &		5 - 6'	B&B	
oastal conditions; native to Rocky Mtn. region of US (Iseli) Zones 3 - 7 (8)		6 - 7'	B&B	
		7 - 8'	B&B	
Picea pungens 'Glauca Globosa'		21 - 24" spr	B&B	
Dwarf Blue Colorado Spruce		24 - 30" spr		
EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; highly deer		30 - 36" spr		
prowse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal		36 - 42" spr		
conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)		00 - 42 Spi	טאט	
orialitions, halive to nocky with region of 03, 201165 3 - 7 (0)				
Picea pungens 'Glauca Globosa'		18 - 21" spr	B&B	
STANDARD		24 - 30" spr	B&B	
Dwarf Blue Colorado Spruce		30 - 36" spr		
EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; usually grafted		36 - 42" spr		
netween 18" & 3' on top of a clear trunk; highly deer browse resistant; locate in full sun & just about any		55 . <u> </u>	20.2	
vell-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 -				
7 (8)				
(0)				
Picea pungens 'Glauca Pendula'		30 - 36"	B&B	
Veeping Blue Colorado Spruce		36 - 42"	B&B	
EVERGREEN ORNAMENTAL CONIFER; low trailing habit if left unstaked; leader tied to a stake; can		3 - 4'	B&B	
grow to the height of the stake; may weep down from the top of the stake or it might continue upward or		4 - 5'	B&B	
outward; sharply pointed silver-blue needles; very showy accent plant - no two will be quite the same;		5 - 6'	B&B	
nighly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought &		6 - 7'	B&B	
oastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)			Dab	
Picea pungens 'Glauca Procumbens'		24 - 30"	B&B	
Veeping Blue Colorado Spruce		36 - 42"	B&B	
EVERGREEN ORNAMENTAL CONIFER; low trailing habit if left unstaked; leader tied to a stake; can		42 - 48"	B&B	
grow to the height of the stake; may weep down from the top of the stake or it might continue upward or		48 - 54"	B&B	
outward; sharply pointed silver-blue needles; very showy accent plant - no two will be quite the same;				
nighly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought &				
oastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)				
Picea pungens 'Hoopsii'		30 - 36"	B&B	
Silver Blue Colorado Spruce		3 - 4'	15g	
VEDCDEEN ODNAMENTAL CONFED allean blue mandles manner in the late of		3 - 4'	B&B	
VERGREEN ORNAMENTAL CONIFER; silvery blue needles; narrow pyramidal habit; open &		4 - 5'	B&B	
: VERGREEN ORNAMENTAL CONTFER; silvery blue needles; narrow pyramidal habit; open & rregular if not sheared when young; highly deer browse resistant; locate in full sun & just about any		5 - 6'	B&B	
		5 - 6		
rregular if not sheared when young; highly deer browse resistant; locate in full sun & just about any		5 - 6 6 - 7'	B&B	
rregular if not sheared when young; highly deer browse resistant; locate in full sun & just about any vell-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 -			B&B B&B	
rregular if not sheared when young; highly deer browse resistant; locate in full sun & just about any vell-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)		6 - 7' 7 - 8'	B&B	
rregular if not sheared when young; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8) Picea pungens 'Koster Pendula'		6 - 7' 7 - 8' 30 - 36"	B&B B&B	
rregular if not sheared when young; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8) Picea pungens 'Koster Pendula' STAKED		6 - 7' 7 - 8' 30 - 36" 3 - 4'	B&B B&B B&B	
rregular if not sheared when young; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8) Picea pungens 'Koster Pendula' STAKED Weeping Blue Colorado Spruce		6 - 7' 7 - 8' 30 - 36" 3 - 4' 4 - 5'	B&B B&B B&B B&B	
rregular if not sheared when young; highly deer browse resistant; locate in full sun & just about any vell-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - (8) Picea pungens 'Koster Pendula' STAKED Weeping Blue Colorado Spruce EVERGREEN ORNAMENTAL CONIFER; irregular upright or spreading habit depending on staking;		6 - 7' 7 - 8' 30 - 36" 3 - 4'	B&B B&B B&B B&B B&B	
rregular if not sheared when young; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8) Picea pungens 'Koster Pendula' STAKED Weeping Blue Colorado Spruce EVERGREEN ORNAMENTAL CONIFER; irregular upright or spreading habit depending on staking; each plants grows differently; bright blue needles; highly deer browse resistant; locate in full sun & just		6 - 7' 7 - 8' 30 - 36" 3 - 4' 4 - 5'	B&B B&B B&B B&B	
rregular if not sheared when young; highly deer browse resistant; locate in full sun & just about any vell-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - (8) Picea pungens 'Koster Pendula' STAKED Weeping Blue Colorado Spruce EVERGREEN ORNAMENTAL CONIFER; irregular upright or spreading habit depending on staking;		6 - 7' 7 - 8' 30 - 36" 3 - 4' 4 - 5' 5 - 6'	B&B B&B B&B B&B B&B	
rregular if not sheared when young; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8) Picea pungens 'Koster Pendula' STAKED Weeping Blue Colorado Spruce EVERGREEN ORNAMENTAL CONIFER; irregular upright or spreading habit depending on staking; each plants grows differently; bright blue needles; highly deer browse resistant; locate in full sun & just		6 - 7' 7 - 8' 30 - 36" 3 - 4' 4 - 5' 5 - 6' 6 - 7'	B&B B&B B&B B&B B&B	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Picea pungens 'Mrs Cesarini'		15 - 18" spr	B&B	
Dwarf Colorado Spruce		18 - 21" spr	B&B	
EVERGREEN ORNAMENTAL CONIFER; bluish-green needles; low compact mound; highly deer browse		21 - 24" spr		
resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions;		24 - 30" spr		
native to Rocky Mtn. region of US; Zones 3 - 7 (8)		30 - 36" spr		
		36 - 42" spr		
Picea pungens 'R.H. Montgomery'		15 - 18" spr		
Dwarf Blue Colorado Spruce		18 - 21" spr		
EVERGREEN ORNAMENTAL CONIFER; very compact habit with bright blue needles; may become		21 - 24" spr		
broadly pyramidal with age; highly deer browse resistant; locate in full sun & just about any		24 - 30" spr		
well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)		30 - 36" spr		
		36 - 42" spr		
Picea pungens 'St. Mary's Broom'		15 - 18" spr		
Dwarf Blue Colorado Spruce		18 - 21" spr		
EVERGREEN ORNAMENTAL CONIFER; dwarf, low, spreading mound with silvery-blue needles; this		21 - 24" spr	B&B	
may be one of the smallest of the "Dwarf Blue Spruce"; highly deer browse resistant; locate in full sun & iust about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of	-			
ust about any wen-drained son, tolerant of drought & coastal conditions, flative to Rocky Ivith. Fegion of US; Zones 3 - 7 (8)				
		0 4'	4.5	
Picea pungens 'The Blues'		3 - 4'	15g	
Mooning Plus Coloredo Spruso		3 - 4'	B&B	
Neeping Blue Colorado Spruce EVERGREEN ORNAMENTAL CONIFER; bright silvery-blue needles; weeping habit; shape will vary		4 - 5'	B&B B&B	
with staking; habit similar to P. abies 'Pendula'; highly deer browse resistant; locate in full sun & just		5 - 6' 6 - 7'	B&B B&B	
about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US		0 - 7 7 - 8'	B&B	
(Stanley) Zones 3 - 7 (8)		7 - 0	Dan	
Disco nungons "Maldhrunn"		18 - 24"	B&B	
Picea pungens 'Waldbrunn'		24 - 30"	B&B	
LOW GRAFT Dwarf Blue Colorado Spruce		30 - 36"	B&B	
EVERGREEN ORNAMENTAL CONIFER; low spreading mound with gray-blue needles; branches lay		36 - 42"	B&B	
more horizontally than most other dwarf Colorados & is one of the slowest growers; grafted plants tend		3 - 4'	B&B	
to throw a leader and become broadly conical; highly deer browse resistant; locate in full sun & just		4 - 5'	B&B	
about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US;		5 - 6'	B&B	
Zones 3 - 7 (8)				
Picea sitchensis Papoose' / 'Tenas'		15 - 18"	B&B	
Dwarf Sitka Spruce		18 - 21"	B&B	
EVERGREEN ORNAMENTAL CONIFER; very compact pyramidal habit; bicolor green & blue needles;		21 - 24"	B&B	
ocate in full sun & acidic moisture retentive soil with reasonable drainage; won't tolerate hot humid		24 - 30"	B&B	
summer nights; tolerates coastal conditions; native to Pacific Northwest; Zones 6 - 7		30 - 36"	B&B	
		36 - 42"	B&B	
		42 - 48"	B&B	
Pinus cembra 'Glauca Nana'		24 - 30"	B&B	
Dwarf Swiss Stone Pine		30 - 36"	B&B	
EVERGREEN ORNAMENTAL CONIFER; very slow growing broadly pyramidal habit to about 5' tall in		36 - 42"	B&B	
10 years; dark blue-green needles; locate in full sun & well-drained organic soil on the acidic side;		3 - 4'	B&B	
European native; Zones (2) 3 - 7				
Pinus flexilis 'Cesarini Blue'		3 - 4'	B&B	
Light Blue Pyramidal Limber Pine		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; light gray-blue needles in groups of 5; moderate growing		5 - 6'	B&B	
rregular pyramidal habit to about 8' tall in 10 years; locate in full sun & well-drained organic moisture		6 - 7'	B&B	
retentive soil; native to western North America; Zones 4 - 7		7 - 8'	B&B	
2 Decicion Way West represented by:			ohono: (99	2) 221

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
Pinus flexilis 'Vanderwolf Pyramid'		3 - 4'	B&B	
Blue Pyramidal Limber Pine		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; steel-blue needles in groups of 5; moderate to rapid growing		5 - 6'	B&B	
pyramidal habit reaching about 10' in 10 years; locate in full sun & well-drained organic moisture		6 - 7'	B&B	
retentive soil; native to western North America; Zones 4 - 7		7 - 8'	B&B	
		8 - 9'	B&B	
		9 - 10'	B&B	
Pinus koraiensis 'Dwarf'		3 - 4'	B&B	
Dwarf Korean Pine EVERGREEN ORNAMENTAL CONIFER; slow growing broadly pyramidal to rounded upright habit to		4 - 5'	B&B	
about 5' tall by 4' wide in 10 years; blue-green to gray-green needles in groups of 5; locate in full sun to moderate shade & just about any soil that drains; native to Korea; Zones 4 - 7				
Pinus leucodermis 'Schmidtii' / 'Smidtii'		8 - 10" spr	B&B	
Dwarf Bosnian Pine		10 - 12" spr		
EVERGREEN ORNAMENTAL CONIFER; dwarf globular habit with long dark green needles in groups		12 - 15" spr		
of 2; slow grower reaching about 18" tall & wide in 10 years; high salt tolerance for coastal areas &		15 - 18" spr		
along roads; locate in full sun; native to southeastern Europe (Smidt) Zones 4 - 7		15 - 18" spr		
Service Control Land Control of C		18 - 21" spr		
Dinus laugadammia (Cahmidtii / (Caridtii)		<u> </u>		
Pinus leucodermis 'Schmidtii' / 'Smidtii'		10 - 12" spr		
STANDARD	'	12 - 15" spr		
Dwarf Bosnian Pine		12 - 15" spr		
EVERGREEN ORNAMENTAL CONIFER; dwarf globular habit with long dark green needles in groups of 2; slow grower reaching about 18" tall & wide in 10 years; high salt tolerance for coastal areas &		15 - 18" spr		
		15 - 18" spr		
along roads; usually grafted between 18" & 3' on top of a clear trunk; locate in full sun; native to		18 - 21" spr		
southeastern Europe (Smidt) Zones 4 - 7		21 - 24" spr		
Pinus mugo 'Aurea'		15 - 18" spr		
Golden Mugo Pine; Golden Swiss Mountain Pine		18 - 21" spr		
EVERGREEN ORNAMENTAL CONIFER; light green needles in groups of 2 during spring & summer		21 - 24" spr	B&B	
before turning gold from fall through winter; compact mound to about 3' tall by 4' wide in 10 or more				
years; locate if full sun or light shade & most soils that drain; more sun will create brighter gold needles				
as usual; tolerant of a wide pH range; native to Europe; Zones 3 - 7				
Pinus mugo 'Aurea'		15 - 18" spr	B&B	
STANDARD)	18 - 21" spr		
Golden Mugo Pine; Golden Swiss Mountain Pine				
EVERGREEN ORNAMENTAL CONIFER; light green needles in groups of 2 during spring & summer				
before turning gold from fall through winter; compact mound to about 3' tall by 4' wide in 10 or more				
years; usually grafted between 18" & 3' on top of a clear trunk; locate if full sun or light shade & most				
soils that drain; more sun will create brighter gold needles - as usual; tolerant of a wide pH range;				
native to Europe; Zones 3 - 7				
Pinus mugo 'Sherwood Compact'		15 - 18" spr		
Dwarf Mugo Pine; Dwarf Swiss Mountain Pine		18 - 21" spr		
EVERGREEN ORNAMENTAL CONIFER; very compact spreading mounding growing about 3" per		21 - 24" spr	B&B	
year; short dark green needles with a slight twish in groups of 2; dark color remains all year; locate if				
full sun or light shade & most soils that drain; tolerant of a wide pH range; native to Europe				
(Sherwood) Zones (2) 3 - 7				
Pinus nigra 'Arnold Sentinel'		3 - 4'	B&B	
Columnar Austrian Pine		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; dark green needles in groups of 2; dense columnar habit to 30	,	5 - 6'	B&B	
by about 8' wide; high salt tolerance makes it good for roadsides and coastal areas; watering during		6 - 7'	B&B	
drought conditions in the mid-Atlantic region is needed to prevent Diplodia blight; locate in full sun &		7 - 8'	B&B	
		8 - 9'	B&B	
most well-drained moisture retentive soils; European native; Zones 4 - 7				
		0 - 3	20.2	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME		AVAIL.	SIZE	ROOTS	QNT
Pinus nigra Brepo ('Pierrick Bregeon')			30 - 36" spr	B&B	
STAM	NDARD		36 - 42" spr	B&B	
Dwarf Austrian Pine			42 - 48" spr	B&B	
EVERGREEN ORNAMENTAL CONIFER; dwarf mounding to globular form reaching about 3' hi			48 - 54" spr	B&B	
vide in 10 years; dark green needles in groups of 2 surround white buds; orange bark; usually g					
between 18" & 3' on top of a clear trunk; high salt tolerance makes it good for roadsides and coas	stal				
areas; watering during drought conditions in the mid-Atlantic region is needed to prevent Diplo					
blight; locate in full sun & most well-drained moisture retentive soils; European native; Zones 4	- 7				
Pinus nigra 'Frank'			24 - 30"	B&B	
Compact Columnar Austrian Pine			30 - 36"	B&B	
$ar{ ext{EVERGREEN}}$ ORNAMENTAL CONIFER; dark green needles in groups of 2; dense columnar hab	bit to 5'		36 - 42"	B&B	
by about 12" wide in 10 years; high salt tolerance makes it good for roadsides and coastal areas;			3 - 4'	B&B	
watering during drought conditions in the mid-Atlantic region is needed to prevent Diplodia blig	ght;		4 - 5'	B&B	
locate in full sun & most well-drained moisture retentive soils; European native; Zones 4 - 7			5 - 6'	B&B	
Pinus nigra 'Oregon Green'			30 - 36"	B&B	
Compact Austrian Pine			3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit that is somewhat open or loc	ose; not		4 - 5'	B&B	
unlike a pyramidal P. thunbergii 'Thunderhead'; with prominent off-white buds in winter; dark g	green		5 - 6'	B&B	
needles in groups of 2; high salt tolerance makes it good for roadsides and coastal areas; waterii	ng		6 - 7'	B&B	
during drought conditions in the mid-Atlantic region is needed to prevent Diplodia blight; locate	in full				
sun & most well-drained moisture retentive soils; European native; Zones 4 - 7					
Pinus parviflora 'Glauca'			30 - 36"	B&B	
Blue Japanese White Pine			3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; dark blue needles in groups of 5; narrow open habit w.	hen		4 - 5'	B&B	
young; matures to a wide spreading upright evergreen; locate in full sun & very well-drained so			5 - 6'	B&B	
varying pH; salt tolerant; Japanese native; Zones 4 - 7			6 - 7'	B&B	
			7 - 8'	B&B	
			8 - 9'	B&B	
Pinus strobus 'Fastigiata'			4 - 5'	B&B	
Columnar Eastern White Pine			5 - 6'	B&B	
EVERGREEN ORNAMENTAL CONIFER; fairly narrow upright habit becomes broadly columna	r when		6 - 7'	B&B	
mature; soft green needles in groups of 5; locate in full sun & well drained acidic soil; protect fro	m wind				
in colder locations; PHS Gold Metal; native to eastern US & Canada; Zones 3 - 7 (8)					
Pinus strobus 'Horsford Dwarf'			12 - 15" spr	B&B	
Dwarf Eastern White Pine			15 - 18" spr		
EVERGREEN ORNAMENTAL CONIFER; dwarf evergreen mound; short medium green needles	in		18 - 21" spr		
groups of 5; locate in full sun & well drained acidic soil; protect from wind in colder locations; na			.5 21 opi	200	
eastern US & Canada; Zones 3 - 7 (8)					
Pinus strobus 'Pendula'			36 - 42" hvy	B&B	
	TAKED		36 - 42 11vy 3 - 4' hvy	B&B	
	IAVED		4 - 5' hvy	25g	
Neeping Eastern White Pine EVERGREEN ORNAMENTAL CONIFER; feathery appearance but full, soft medium green needl	les in		4 - 5 Hvy 4 - 5' hvy	B&B	
groups of 5; weeping habit varies with staking; locate in full sun & well drained acidic soil; prote			5 - 6' hvy	35g	
vind in colder locations; native to eastern US & Canada; Zones 3 - 7 (8)			5 - 6' hvy	B&B	
			6 - 7' hvy	B&B	
			7 - 8' hvy	B&B	
Pinus strobus 'Torulosa'			7 - 8'	B&B	
Twisted Eastern White Pine			7 - 8 8 - 9'	B&B B&B	
TWISTED EASTERN WHITE PINE EVERGREEN ORNAMENTAL CONIFER; upright grower with twisted needles & stems; typical s	soft		8 - 9 9 - 10'	B&B B&B	
green needles in groups of 5; locate in full sun & well drained acidic soil; protect from wind in co			9 - 10	Dad	
green needles in groups of 5, locate in run sun & wen dramed actuic son, protect from wind in co. locations; native to eastern US & Canada; Zones 3 - 7 (8)	idei				
ocations, native to easier if 00 a oanada, 201103 5 - 7 (0)					
3 Decision Way West represented by:			,	phone: (88	8) 321-/

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Pinus sylvestris		3 - 4'	25g	
POM POM		36 - 42"	B&B	
Scotch Pine		3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; moderate growing pyramidal habit; grey-blue needles in		4 - 5'	25g	
oundles of 2; sheared balls at the ends of selectively retained branches radiating out from the central		4 - 5'	B&B	
runk; locate in full sun & well-drained acidic soil; survives in areas with poor soils if drained; native to		5 - 6'	B&B	
northern Europe & Asia; Zones 3 - 6 (7)		6 - 7'	B&B	
Pinus sylvestris Fastigiata' / 'Glauca Fastigiata'		3 - 4'	B&B	
Fastigiate Blue Scotch Pine		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; dense narrow upright; bluish needles in bundles of 2; does not		5 - 6'	B&B	
perform well in the mid-Atlantic states; locate in full sun & well-drained acidic soil; survives in areas		6 - 7'	B&B	
vith poor soils if drained; native to northern Europe & Asia; Zones 3 - 6 (7)				
Pinus sylvestris 'Glauca Nana'		24 - 30" sp	r B&B	
STANDARD		30 - 36" spr		
Dlue Dwarf Scotch Pine		36 - 42" spr		
EVERGREEN ORNAMENTAL CONIFER; gray-blue needles in bundles of 2 on compact rounded			,	
nounds; usually grafted between 18" & 3' on top of a clear trunk; locate in full sun & well-drained acidic				
oil; survives in areas with poor soils if drained; native to northern Europe & Asia; Zones 3 - 6 (7)				
		10 45" -	Dep	
Pinus sylvestris 'Pixie'		12 - 15" spr		
STANDARD		15 - 18" spr		
Owarf Scotch Pine EVERGREEN ORNAMENTAL CONIFER; soft green needles in bundles of 2 on very dwarf mound;		18 - 21" spr		
Isually grafted between 18" & 3' on top of a clear trunk; locate in full sun & well-drained acidic soil;		21 - 24" spr	B&B	
survives in areas with poor soils if drained; witches broom; native to northern Europe & Asia; Zones 3 -				
6 (7)				
, (/)				
Pinus thunbergii 'Thunderhead'		24 - 30"	B&B	
Compact Japanese Black Pine		30 - 36"	B&B	
EVERGREEN ORNAMENTAL CONIFER; dark green needles in bundles of 2 with prominent white buds		36 - 42"	B&B	
n winter; broadly upright irregular habit; usually with multiple leaders; locate in full sun &		3 - 4'	B&B	
well-drained neutral to acidic soil; perhaps the best ornamental evergreen for coastal areas; native to		4 - 5'	B&B	
lapan & Korea; Zones (5) 6 - 8				
Prunus laurocerasus		30 - 36"	B&B	
Common Cherrylaurel; English Laurel		36 - 42"	B&B	
BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to		3 - 4'	B&B	
plack fruit in summer that are poisonous; large shrub to 20' tall & wider at maturity; dark evergreen		4 - 5'	B&B	
oliage to 6" long & half as wide; locate in full sun or moderate shade & moist well-drained soil that's pH		5 - 6'	B&B	
ndaptable; native to Europe & Asia Minor; Zones 6 - 9		6 - 7'	B&B	
		7 - 8'	B&B	
		8 - 9'	B&B	
Prunus laurocerasus 'Nana'		30 - 36"	B&B	
Compact English Laurel; Upright Cherrylaurel		36 - 42"	B&B	
BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to		3 - 4'	B&B	
plack fruit in summer that are poisonous; broad mounding habit; oval evergreen foliage; deer browse		4 - 5'	B&B	
resistant; slightly faster grower than 'Anbri' with foliage that's not quite as dark in mid-summer; locate		5 - 6'	B&B	
n full sun or moderate shade & moist well-drained soil that's pH adaptable; native to Europe & Asia		6 - 7'	B&B	
Minor; Zones (6) 7 - 8		7 - 8'	B&B	
Prunus laurocerasus 'Otto Luyken'		18 - 24" spr		
Spreading Cherrylaurel; Spreading English Laurel		24 - 30" spr		
BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to		30 - 36" spr		
plack fruit in summer that are poisonous; low spreading evergreen; long dark evergreen foliage; deer		36 - 42" spr		
		50 - 42 Spi	טאט	
prowse resistant; locate in full sun or moderate shade & moist well-drained soil that's pH adaptable; native to Europe & Asia Minor; Zones (6) 7 - 8				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
Prunus laurocerasus 'Schipkaensis'		30 - 36"	B&B	
Jpright Schip Laurel; Upright Schip Cherrylaurel		3 - 4'	10g	
BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to		36 - 42"	B&B	
black fruit in summer that are poisonous; broadly columnar habit; long dark evergreen foliage; deer			B&B	
prowse resistant; locate in full sun or moderate shade & moist well-drained soil that's pH adaptable;		4 - 5'	15g	
native to Europe & Asia Minor; Zones (6) 7 - 8		4 - 5'	B&B	
		5 - 6'	B&B	
		6 - 7'	B&B	
		7 - 8'	B&B	
Prunus Iusitanica		30 - 36"	B&B	
Portugese Laurel		36 - 42"	B&B	
BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to		3 - 4'	B&B	
plack to black fruit in summer that are poisonous; bushy broadleaf evergreen to about 25' tall; locate in		4 - 5'	B&B	
full sun or moderate shade & moist well-drained soil that's pH adaptable; native to southern Europe;		5 - 6'	B&B	
Zones (6) 7 - 8		6 - 7'	B&B	
Pseudotsuga menziesii 'Graceful Grace'		3 - 4'	B&B	
Blue Weeping Douglas Fir		4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; broadly upright with arching branches; blue-green evergreen		5 - 6'	B&B	
needles; locate in full sun & neutral to slightly acidic well-drained moisture retentive soil; native to		6 - 7'	B&B	
western US, Canada & Mexico; Zones 4 - 6 (7)		7 - 8'	B&B	
		8 - 9'	B&B	
Stewartia pseudocamellia		3 - 4'	B&B	
Japanese Stewartia		3 - 4 4 - 5'	B&B	
DRNAMENTAL TREE; 3" diameter white flowers with prominent yellow centers in late June or July;		4 - 5 5 - 6'	B&B	
pyramidal habit to about 30' tall by 20' wide; exfoliating reddish-brown bark; dark green summer		5 - 6 6 - 7'	B&B	
oliage turns reddish-orange to burgundy in fall; locate in mostly sunny or filtered shade & rich organic		7 - 8'	B&B	
well-drained moisture retentive acidic soil; Asian native; Zones 5 - 8		7 - 0	DQD	
Syringa meyeri 'Palibin'			10g	
STANDARD				
Dwarf Korean Lilac				
DECIDUOUS FLOWERING SHRUB; purplish-pink buds open to profuse light pink flowers in May;				
compact spreading mound to 4' high by 6' wide; branching starts 3-4' above a single stem; locate in full				
sun or light shade & well-drained organic soil of any pH; native to northeastern Asia; PHS Gold Metal;				
Zones 3 - 7				
Faxodium distichum var. distichum 'Falling Water'		5 - 6'	10g	
Weeping Common Bald Cypress				
DECIDUOUS ORNAMENTAL CONIFER; vigorous graceful arching form; bright green summer needles				
turn bronze before falling; locate in full sun or minimal shade & moist to well-drained acidic soils;				
olerant of urban situations with little water & compacted soils as well as wet tidal areas; US native;				
Zones 5 - 10				
Farme hassate (Fastinista)		0 41	B.0.5	
Γaxus baccata 'Fastigiata'		3 - 4'	B&B	
Columnar Irish Yew				
EVERGREEN SHRUB; dark green needles; narrow upright habit to as much as 30' tall by 8' wide; all	,			
pranches are strictly upright; locate in full sun to full shade & moist well-drained soil; just about any pH				
s acceptable; native to Europe & southwestern Asia; Zones (6) 7				
Taxus baccata 'Repandens'		15 - 18" spi	B&B	
Owarf English Yew		18 - 24" spi		
EVERGREEN SHRUB; wide spreading habit to as much as twice as wide as high; dark evergreen		24 - 30" spi		
oliage; deer browse resistance in some areas; locate in full sun to full shade & moist well-drained soil;		30 - 36" spi		
ust about any pH is acceptable; native to Europe & southwestern Asia; Zones (5) 6 - 7		36 - 42" spi		
2		35 12 361	200	
3 Decision Way West represented by:			phone: (88	8) 321-

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

Taxus x media 'Densiformis' Spreading Anglo-Jap Yew EVERGREEN SHRUB: dark green needles: compact spreading mound: grows twice as wide as high: locate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils: Zones 4 - 7 Taxus x media 'H.M. Eddie' Columnar Anglo-Jap Yew EVERGREEN SHRUB: dark green foliage: moderate upright grower to as much as 10' tall by 4' wide: locate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils: Zones 4 - 7 Taxus x media 'Hicksii' Upright Anglo-Jap Yew EVERGREEN SHRUB: dark green foliage: a little narrower than 'Hatfield'; locate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils: Zones 4 - 7 Thuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae EVERGREEN GRANAMENTAL CONIFER: vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity: bright green foliage: minimal pest or disease problems; variable deer browse resistance: locate in full sun or light shade & moist to well-drained soil of varying acidity: tolerant of coastal exposure but not persistent drought: PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER: narrow columnar habit to 15' or more by 2' to 3'; interesting nubby medium green foliage: tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER: bright emerald-green foliage all year; columnar to narrow pyramidal habit; a balis of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade;	. SIZE	ROOTS	QNT
coate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of vaterlogged soils: Zones 4 - 7 Faxus x media 'H.M. Eddie' Columnar Anglo-Jap Yew VERGREEN SHEUB: dark green foliage; moderate upright grower to as much as 10' tall by 4' wide: ocate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of vaterlogged soils: Zones 4 - 7 Faxus x media 'Hicksii' Jpright Anglo-Jap Yew VERGREEN SHEUB: dark green foliage; a little narrower than 'Hatfield': locate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of vaterlogged soils: Zones 4 - 7 Faxus x media 'Hicksii' Jpright Anglo-Jap Yew VERGREEN SHEUB: dark green foliage; a little narrower than 'Hatfield': locate in full sun to full hade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils: Zones 4 - 7 Finuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae VERGREEN GRAMAMENTAL CONIFER: vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; ocate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal xposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Finuja occidentalis 'Degroot's Spire' astigiate American Arborvitae; Fastigiate White Cedar VERGREEN ORNAMENTAL CONIFER: narrow columnar habit to 15' or more by 2' to 3'; interesting ubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 1 Finuja occidentalis 'Smaragd' Emerald Arborvitae VERGREEN ORNAMENTAL CONIFER: bright green foliage all year; columnar to narrow pyramidal habit; 3 balis of foliage on top of each other around the central stem: t	15 - 18	B" spr B&B	
cate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of vaterlogged soils; Zones 4 - 7 Caxus x media 'H.M. Eddie' Columnar Anglo-Jap Yew VERGREEN SHRUB; dark green foliage; moderate upright grower to as much as 10' tall by 4' wide; vaterlogged soils; Zones 4 - 7 Faxus x media 'Hicksii' Ipright Anglo-Jap Yew VERGREEN SHRUB; dark green foliage; a little narrower than 'Hatfield'; locate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of vaterlogged soils; Zones 4 - 7 Faxus x media 'Hicksii' Ipright Anglo-Jap Yew VERGREEN SHRUB; dark green foliage; a little narrower than 'Hatfield'; locate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils; Zones 4 - 7 Thuja x 'Green Giant' Hybrid Western Arborvitae: Hybrid Giant Arborvitae VERGREEN ORNAMENTAL CONIFER: vigorous narrowly pyramidal habit to 60' tall by 20' wide at vaturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; coate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal xposure but not persistent drought: PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA stroduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' astiglate American Arborvitae: Fastiglate White Cedar VERGREEN ORNAMENTAL CONIFER: bright emerald-green foliage all year; columnar to narrow yoramidal work more properties of a pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' **THER** **Imerald Arborvitae* VERGREEN ORNAMENTAL CONIFER: bright green foliage all year; columnar to narrow pyramidal abit; 3 balis foliage on top of each other around the central stem; top pad may be pointed or round; oblerant of air pollution & Black Walnut; locate in full sun or light shade; a	18 - 24	4" spr B&B	
Taxus x media 'H.M. Eddie' Columnar Anglo-Jap Yew VERGREEN SHRUB: dark green foliage: moderate upright grower to as much as 10' tall by 4' wide; coate in full sun to full shade & moist well-drained slightly alkaline to acidic soil: not tolerant of vaterlogged soils; Zones 4 - 7 Taxus x media 'Hicksii' Jpright Anglo-Jap Yew VERGREEN SHRUB; dark green foliage: a little narrower than 'Hatfield'; locate in full sun to full hade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils; Zones 4 - 7 Thuja x 'Green Giant' Hybrid Western Arborvitae: Hybrid Giant Arborvitae VERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 20' wide at naturity: bright green foliage; minimal pest or disease problems; variable deer browse resistance; ocate in full sun or light shade & moist to well-drained soil of varying acidity: tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' 'astigiate American Arborvitae; Fastigiate White Cedar 'VERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting ubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; daptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; ones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae VERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal abit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 1 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae VERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal abit; 3 balls foliage	24 - 30	O" spr B&B	
Taxus x media 'H.M. Eddie' Columnar Anglo-Jap Yew VERGREEN SHRUB: dark green foliage; moderate upright grower to as much as 10' tall by 4' wide; cocate in full sun to full shade & moist well-drained slightly alkaline to acidic soil: not tolerant of waterlogged soils; Zones 4 - 7 Faxus x media 'Hicksii' Jpright Anglo-Jap Yew VERGREEN SHRUB: dark green foliage; a little narrower than 'Hatfield'; locate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils; Zones 4 - 7 Fhuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae VERGREEN GRNAMENTAL CONIFER: vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity: bright green foliage; minimal pest or disease problems; variable deer browse resistance; ocate in full sun or light shade & moist to well-drained soil of varying acidity: tolerant of coastal water to pest to the torought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA nitroduction) Zones 5 - 8 Fhuja occidentalis 'Degroot's Spire' Tastigiate American Arborvitae; Fastigiate White Cedar VERGREEN ORNAMENTAL CONIFER: antrow columnar habit to 15' or more by 2' to 3': interesting nubby medium green foliage; tolerant of air pollution & Black Walnut: locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either: native to eastern US & Canada; Zones 3 - 7 Fhuja occidentalis 'Smaragd' Tenerald Arborvitae VERGREEN ORNAMENTAL CONIFER: bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Fhuja occidentalis 'Smaragd' Tenerald Arborvitae VERGREEN ORNAMENTAL CONIFER: bright green foliage all year; columnar to narrow pyramidal habit; tolerant of one pof each other around the central stem; top pad may be pointed or round; olerant of air pollution & Black	30 - 36	6" spr B&B	
Columnar Anglo-Jap Yew VERGREEN SHRUBs' dark green foliage; moderate upright grower to as much as 10' tall by 4' wide; occate in full sun to full shade & molst well-drained slightly alkaline to acidic soil: not tolerant of waterlogged soils; Zones 4 - 7 Taxus x media 'Hicksii' Jpright Anglo-Jap Yew EVERGREEN SHRUB: dark green foliage; a little narrower than 'Hatfield'; locate in full sun to full shade & molst well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils; Zones 4 - 7 Thuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae EVERGREEN ORNAMENTAL CONIFER: vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity: bright green foliage; minimal pest or disease problems; variable deer browse resistance; locate in full sun or light shade & molst to well-drained soil of varying acidity: tolerant of coastal exposure but not persistent drought: PHS Gold Metal [T. plicata x T. standishii] US/Aslan cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' Tastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER: narrow columnar habit to 15' or more by 2' to 3': interesting bright moly medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER: bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER: bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem: top pad may be pointed or round; tolerant of air pol	36 - 42	2" spr B&B	
cocate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils; Zones 4 - 7 Faxus x media 'Hicksii' Jpright Anglo-Jap Yew VERGREEN SHRUB; dark green foliage; a little narrower than 'Hatfield'; locate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils; Zones 4 - 7 Fhuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae VERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; ocate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' astigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting pubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; 2000 2010 2010 2010 2010 2010 2010 201	3 - 4'	B&B	
cocate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils; Zones 4 - 7 Faxus x media 'Hicksii' Jpright Anglo-Jap Yew VERGREEN SHRUB; dark green foliage; a little narrower than 'Hatfield'; locate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils; Zones 4 - 7 Fhuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae VERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; ocate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Fhuja occidentalis 'Degroot's Spire' Fastigiate American Arborvitae; Fastigiate White Cedar VERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting mubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; zones 3 - 7 Fhuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Fhuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of eith	4 - 5'	B&B	
Taxus x media 'Hicksii' Jpright Anglo-Jap Yew EVERGREEN SHRUB; dark green foliage: a little narrower than 'Hatfield'; locate in full sun to full shade & molst well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils; Zones 4 - 7 Thuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae EVERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; ocate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting mubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; a balls of foliage on top of each other around the central stem; top pad may be pointed or round; folerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER;			
Taxus x media 'Hicksii' Upright Anglo-Jap Yew EVERGREEN SHRUBS: dark green foliage: a little narrower than 'Hatfield'; locate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils: Zones 4 - 7 Thuja x 'Green Giant' Hybrid Western Arborvitae: Hybrid Giant Arborvitae EVERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity: bright green foliage: minimal pest or disease problems: variable deer browse resistance; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought: PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' Tastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting browby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFE			
Upright Anglo-Jap Yew EVERGREEN SHRUB: dark green foliage; a little narrower than 'Hatfield'; locate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils; Zones 4 - 7 Thuja x 'Green Giant' Hybrid Western Arborvitae: Hybrid Giant Arborvitae EVERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity: bright green foliage; minimal pest or disease problems; variable deer browse resistance; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting mubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; abalis of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-Tier Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; col			
EVERGREEN SHRUB: dark green foliage; a little narrower than 'Hatfield'; locate in full sun to full thade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils; Zones 4 - 7 Thuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae EVERGREEN ORNAMENTAL CONIFER: vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; ocate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Fhuja occidentalis 'Degroot's Spire' Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting bubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; 2005 2017 2018 2018 2018 2018 2018 2018 2018 2018	3 - 4'	B&B	
Thuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae EVERGREEN ORNAMENTAL CONIFER: vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER: narrow columnar habit to 15' or more by 2' to 3'; interesting mubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER: bright emerald-green foliage all year; columnar to narrow poyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' S-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER: bright green foliage all year; columnar to narrow pyramidal habit; a balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to	4 - 5'	B&B	
Thuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae EVERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting nubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 bals of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to va			
Hybrid Western Arborvitae; Hybrid Giant Arborvitae EVERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting mubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil			
Hybrid Western Arborvitae; Hybrid Giant Arborvitae EVERGREEN ORNAMENTAL CONIFER: vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; bright green foliage minimal pest or disease problems, variable deer browse resistance; ocate in full sun or light shade & moist to well-drained soil of varying acidity: tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 [Thuja occidentalis 'Degroot's Spire'] Eastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER: narrow columnar habit to 15' or more by 2' to 3'; interesting mubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; consenses 3 - 7 [Thuja occidentalis 'Smaragd'] Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER: bright emerald-green foliage all year; columnar to narrow byramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 [Thuja occidentalis 'Smaragd'] Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 [Thuja occidentalis 'Smaragd'] Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil olerant o	5 - 6'	B&B	
EVERGREEN ORNAMENTAL CONIFÉR; vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting mubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	6 - 7'	B&B	
maturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; ocate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting mubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow poyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal mabit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae Evergen Ornamentalis 'Smaragd' 4-TIER Emerald Arborvitae Evergen Ornamentalis 'Smaragd' 4-TIER Emerald Arborvitae Evergen Ornamentalis 'Smaragd' 4-TIER	7 - 8'	B&B	
cocate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting interesting metaby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow paramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EWERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	8 - 9'	B&B	
exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8 Thuja occidentalis 'Degroot's Spire' Fastiglate American Arborvitae; Fastiglate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting mubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	9 - 10'	B&B	
Thuja occidentalis 'Degroot's Spire' Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting mubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow payramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' S-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil		- 4:-2	
Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting mubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow poyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil			
Fastigiate American Arborvitae; Fastigiate White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting hubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; hadaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Evergona 3 - 7 Fhuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow byramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Fhuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; holerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil hacidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Fhuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; holerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; holerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting hubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow by an idea to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	4 - 5'	B&B	
Aubbby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; it is considered as a second considered considered as a second considered considered as a second considered c	5 - 6'	B&B	
Adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow payramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; colorant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	6 - 7'	B&B	
Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow by pramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	7 - 8'	B&B	
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow by an ideal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to warying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil			
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow organidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow oyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to ovarying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5-7 Thuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal thabit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal thabit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	4 - 5'	B&B	
Thuja occidentalis 'Smaragd' Separation of the pollution & Black Walnut; locate in full sun or light shade; adaptable to warying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 27 Thuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal thabit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal thabit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	5 - 6'	B&B	
Thuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal ababit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	6 - 7'	B&B	
Thuja occidentalis 'Smaragd' 3-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	7 - 8'	B&B	
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	8 - 9'	B&B	
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	3 - 4'	B&B	
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil eacidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	5 - 6'	B&B	
habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil		20,2	
tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil			
Thuja occidentalis 'Smaragd' 4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil			
4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil			
4-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	3 - 4'	B&B	
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	4 - 5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	5 - 6'	B&B	
nabit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	6 - 7'	B&B	
olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil	-		

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 6-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	3 - 4' 4 - 5' 5 - 6' 6 - 7' 7 - 8' 6 - 7' 7 - 8' 3 - 4' 4 - 5' 5 - 6' 6 - 7'	B&B B&B B&B B&B B&B B&B B&B	
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; folerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 6-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	5 - 6' 6 - 7' 7 - 8' 6 - 7' 7 - 8' 3 - 4' 4 - 5' 5 - 6'	B&B B&B B&B B&B B&B	
EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 6-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	6 - 7' 7 - 8' 6 - 7' 7 - 8' 3 - 4' 4 - 5' 5 - 6'	B&B B&B B&B B&B	
nabit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' 6-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; ocate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	7 - 8' 6 - 7' 7 - 8' 3 - 4' 4 - 5' 5 - 6'	B&B B&B B&B	
Thuja occidentalis 'Smaragd' Collegation & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' G-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL ENERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	6 - 7' 7 - 8' 3 - 4' 4 - 5' 5 - 6'	B&B B&B	
Finuja occidentalis 'Smaragd' 6-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; brolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Finuja occidentalis 'Smaragd' DOUBLE SPIRAL Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Finuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	7 - 8' 3 - 4' 4 - 5' 5 - 6'	B&B	
Fhuja occidentalis 'Smaragd' 6-TIER Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	7 - 8' 3 - 4' 4 - 5' 5 - 6'	B&B	
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; mative to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	7 - 8' 3 - 4' 4 - 5' 5 - 6'	B&B	
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; ocate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	7 - 8' 3 - 4' 4 - 5' 5 - 6'	B&B	
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; mative to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' EMERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	3 - 4' 4 - 5' 5 - 6'	B&B	
rabit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; mative to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal mabit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	4 - 5' 5 - 6'		
Thuja occidentalis 'Smaragd' EWERGREEN ORNAMENTAL CONIFER; bright to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL EMERICA ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	4 - 5' 5 - 6'		
Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; docate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; mative to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	4 - 5' 5 - 6'		
Thuja occidentalis 'Smaragd' Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; mative to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	4 - 5' 5 - 6'		
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	4 - 5' 5 - 6'		
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; ocate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal nabit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	5 - 6'	R&R	
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; mative to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	5 - 6'	D(XI)	
EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal mabit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; mative to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal mabit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7		B&B	
habit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7		B&B	
Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	0 - 7	טעט	
Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7			
Thuja occidentalis 'Smaragd' DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7			
DOUBLE SPIRAL WITH POM Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; columnar to fair pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7			
Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	3 - 4'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	4 - 5'	B&B	
habit; wide band of foliage swirls around the central stem with 2 large flat-topped balls at the base; colerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	5 - 6'	B&B	
tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	6 - 7'	B&B	
acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7	6 - 7'	B&B	
-	7 - 8'	B&B	
TI	7 - 8'	B&B	
Thuja occidentalis 'Smaragd'	3 - 4'	B&B	
SPIRAL	4 - 5'	B&B	
Emerald Arborvitae	5 - 6'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal	6 - 7'	B&B	
habit; broadly twisting band around a central stem; tolerant of air pollution & Black Walnut; locate in			
full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to			
eastern US & Canada; Zones (4) 5 - 7			
Thuis assidentalis (Cmercad)	3 - 4'	B&B	
Thuja occidentalis 'Smaragd'			
SPIRAL WITH POM	4 - 5'	B&B	
Emerald Arborvitae	5 - 6'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal	6 - 7'	B&B	
habit; wide band of foliage swirls around the central stem with a large flat-topped ball at the base;	7 - 8'	B&B	
tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil			
acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7			
Thuja plicata 'Excelsa'	4 - 5'	B&B	
Western Arborvitae; Giant Arborvitae	5 - 6'	B&B	
EVERGREEN ORNAMENTAL CONIFER; rapid growing pyramid with loosely borne branching if	6 - 7'	B&B	
unsheared; bright green foliage bronzes in winter; selection from Berlin, Germany; somewhat deer	7 - 8'	B&B	
browse resistant; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant			
of coastal exposure but not persistent drought; native to northwestern US & Canada; Zones 4 - 8			

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

SOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Fhuja plicata 'Virescens'		36 - 42"	B&B	
lybrid Western Arborvitae; Hybrid Giant Arborvitae		4 - 5'	B&B	
VERGREEN ORNAMENTAL CONIFER; pyramidal habit; good green winter color; somewhat deer		5 - 6'	B&B	
rowse resistant; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant		6 - 7'	B&B	
f coastal exposure but not persistent drought; native to northwestern US & Canada; Zones (4) 5 - 8				

				AVAIL.	SIZE	ROOTS	QNT
- II							
Delivery Instruct	ions						
Company Name:							
Delivery Address:							
	CITY:	STATE:	ZIP:				
Contact(s):							
Phone Numbers:	OFFICE:	M	OBILE:				
	ALTERNATE:		FAX:				
Email Address:							
Requested Delivery Weeks							
Delivery Days / Time:	MON TUE WED				m/pm TO	-	/ pm
	MOIA TOT MATO	INOL INIL SAIL	OON INOM	aı	, piii 10	anı	, piii
Special Instructions:							
Special Instructions:							
Special Instructions:							