BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Abelia x 'Edward Goucher' Pink Abelia EVERGREEN FLOWERING SHRUB; evergreen to semi-evergreen foliage; purple-pink flowers all summer; grows to 5' high & wide; attracts butterflies; resists deer browse; locate in full sun & well drained slightly acidic soil; Zones (5) 6 - 9			3g	
Abelia 'Little Richard' Dwarf Abelia EVERGREEN FLOWERING SHRUB; white flowers from late spring into summer; new red foliage turns dark glossy green; dwarf habit to 3' high & wide; foliage is semi-evergreen in northern range; deer browse resistant; locate in full sun or semi-shade & well-drained moisture retentive soils [zanderi] (Currin) Zones 6 - 9			3g	
Abelia x 'Rose Creek' Compact Glossy Abelia EVERGREEN FLOWERING SHRUB; clusters of small white flowers from summer to frost; dense spreading habit to 3' tall by 4' wide; new foliage emerges from red stems with pinkish tinge before turning dark glossy green by summer; late fall & winter foliage has a purplish cast; locate in full to partial sun; good moisture retentive organic soil is best; Zones 6 - 9			3g	
Acer palmatum 'Beni kawa' Red Bark Japanese Maple DECIDUOUS ORNAMENTAL TREE; green spring & summer foliage turns yellow & gold in fall; winter bark is bright red on younger stems; slow, bushy, vase-shaped habit to 5'; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 6 - 7			3g 5g	
Acer palmatum 'Bloodgood' Red Japanese Maple DECIDUOUS ORNAMENTAL TREE; dark red spring & summer foliage; broadly upright habit to 25' or more in 25 years; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7			7 g	
Acer palmatum 'Crimson Prince' Red Japanese Maple DECIDUOUS ORNAMENTAL TREE; bright red spring foliage becomes greenish-red by late summer then bright red by mid-fall; broad densely branched upright habit to 20' tall & wide in 10 years; branching starts about 3' or more above grade; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Princeton Ns) Zones 5 - 7			10g	
Acer palmatum 'Crimson Queen' Red Laceleaf Japanese Maple DECIDUOUS ORNAMENTAL TREE; crimson laceleaf foliage into mid-summer; summer foliage is reddish-green, depending on heat, moisture and shade; excellent compact mounding habit; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7			3g	
Acer palmatum 'Fireglow' Red Japanese Maple DECIDUOUS ORNAMENTAL TREE; moderate upright grower; bright red spring & summer foliage; red is almost translucent when viewed looking through them toward the sun; more heat tolerant than most other red cultivars; cultivars; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 ™ 7	1		5g	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Acer palmatum 'Red Dragon' Red Laceleaf Japanese Maple DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage all spring, summer & fall; slow to moderate compact spreading habit; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7			3g	
Acer palmatum 'Sango kaku' / 'Senkaki' Coral Bark Japanese Maple DECIDUOUS ORNAMENTAL TREE; green spring & summer foliage turns yellow & gold in fall; winter bark is bright red on younger stems; upright vase-shaped habit to 20'; fairly slow grower; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 6 - 7			10g	
Acer palmatum Shirazz ('Gwen's Rose Delight') Variegated Red Laceleaf Japanese Maple DECIDUOUS ORNAMENTAL TREE; spring foliage is a blend of reddish-green with creamy white & pink margins; green is more prominent in summer with colorful margins; lobes are deeply cut - almost like a strapleaf form; upright habit to 18' high by 15' wide with gracefully arching branches; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage tolors; Japanese native (Novalis) Zones 5 - 7			10G	
Acer palmatum 'Tamukeyama' Red Laceleaf Japanese Maple DECIDUOUS ORNAMENTAL TREE; dark red laceleaf holds color well all summer; vigorous spreading habit; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; PHS Gold Metal; Japanese native; Zones 5 - 7			3G 10g	
Acer palmatum 'Viridis' Green Laceleaf Japanese Maple DECIDUOUS ORNAMENTAL TREE; green foliage; broadly spreading mounding habit; grows slower than 'Waterfall' & branches grow more horizontally; bright orange, yellow & gold fall foliage; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain the property of the partial shade of the partial shade of the property of the partial shade of the property of the partial shade of the			7g sqt	
Achillea 'Strawberry Seduction Red Yarrow PERENNIAL; dark red flowers with prominent yellow centers from early summer through early fall; compact habit to 20" tall by 24" wide; dark green foliage; attracts butterflies; resists deer & rabbit prowse; good cut flower; not tolerant of high humidity & moisture retentive soils; locate in full sun & most well-drained soils; native to Europe &/or Asia (Blooms of B.) Zones (3) 4 - 9			2g	
Achillea 'Sunny Seduction' Yellow Yarrow PERENNIAL; soft yellow flowers with a darker center from early summer through early fall; compact upright habit to 30" tall by 27" wide; gray-green foliage; attracts butterflies; resists deer & rabbit browse; good cut flower; not tolerant of high humidity & moisture retentive soils; locate in full sun & most well-drained soils; native to Europe &/or Asia (Blooms of B.) Zones (3) 4 - 9			2g	
Acorus gramineus 'Oborozuki' Variegated Sweet Flag; Grassy-Leafed Sweet Flag PERENNIAL; golden foliage with green stripes; non-showy yellow flowers in late spring yields fleshy perries; grows from 6" to 12" tall & wide; good for erosion control; resistant to deer & rabbit browse; pocate in full to partial sun & moist to wet soils along or slightly in waterways; Asian native; Zones 5 - 8			2g	
13 Decision Way West represented by:			phone: (888	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Agastache 'Mango Tango' Hyssop-Anise; Hummingbird Mint			2g		-1
PERENNIAL; light peach to dusty orange bottlebrush-like flowers from mid-summer to early fall which cover the top half of the plant; compact upright habit to 18" tall by 15" wide; good cut flower; attracts butterflies & hummingbirds; tolerant of drought, rabbits & deer browse; locate in full sun & slightly					
alkaline well-drained moisture retentive soil; North American native; Zones (5) 6 - 9					
Agastache 'Peachie Keen' Hyssop-Anise; Hummingbird Mint PERENNIAL; apricot-peach bottlebrush-like flowers from mid-summer to early fall which cover the top half of the plant; purplish-pink calyxes extend the ornamental display into late fall; compact rounded habit to 24" tall by 30" wide; aromatic bright green flower; good cut flower; attracts butterflies & hummingbirds; tolerant of drought, rabbits & deer browse; locate in full sun & slightly alkaline well-drained moisture retentive soil; North American native; Zones (5) 6 - 9			2g		- 1
Ajuga 'Black Scallop' Purple Bugleweed GROUND COVER; PERENNIAL; oversized very dark purple foliage contrasts with bright blue flowers in June on a low groundcover; makes dense mats that can be aggressive; can be spaced up to 3' apart; resistant to deer & rabbit browse; tolerates Black Walnuts; needs good drainage & air circulation to prevent Crown Rot; locate in full to partial shade & well-drained soils, but is adaptable; European native; Zones 4 - 11			2g		
Alchemilla mollis Lady's Mantle PERENNIAL; greenish-yellow flowers in late spring to early summer; clumping habit to 18" tall by 30" wide; seed can be invasive to unwanted areas; removing spent flowers can prevent unwanted spreading; good in containers; resists deer & rabbit browse; performs well in sun or shade & most well-drained soils; quite drought tolerant when established; native to southern Europe; Zones 2 - 9			2g		
Aquilegia 'Songbird Mix' Columbine PERENNIAL; white, pink & purple petals surround white or light pink centers from late spring to early summer for about 4 weeks on 18" stalks; foliage is 12" tall by 18" wide; blue-green foliage turns yellow in the fall; attracts butterflies & hummingbirds; resists deer & rabbit browse; locate in filtered to partial sun & moist well-drained acidic soils; native to Northern Hemisphere; Zones 3 - 9			2g		- 1
Arctostaphyllos uva-ursi 'Massachusetts' Kinnickinnick; Bearberry EVERGREEN GROUND COVER; pinkish-white flowers in April; red fruit appears in late summer; resistant to leaf spot & gall; needs well drained neutral to acidic infertile soil; full sun to partial shade; slow spreading habit to 12" tall; will tolerate light foot traffic & coastal sites; eastern US native (Tichnor) Zones 2 - 7 (8)			1g		
Aronia arbutifolia 'Brilliantissima' Red Chokeberry DECIDUOUS FLOWERING SHRUB; upright suckering shrub to 10'; white flowers in May; brilliant red fall foliage; persistent red fruit; glossy dark green summer foliage; locate in full sun to part shade; tolerant of most soils that don't stay wet; eastern US native; PHS Gold Metal; Zones 4 - 9			3g		
Aronia melanocarpa 'Autumn Magic' Black Chokeberry DECIDUOUS FLOWERING SHRUB; masses of small white flowers in May; large persistent black fruit into winter; glossy dark green summer foliage turns brilliant purplish-red in the fall; broadly upright habit to about 6' tall by 7' wide; spreads by root suckers; locate in full sun to part shade & well-drained to boggy soils that don't stay wet; eastern US native (U of British Columbia) Zones 3 - 8 (9)			3g		
13 Decision Way West represented by:				8) 321-4	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by:

R.P. Tuthill & Associates

Artemesia 'Silver Mound'			QNTY
Vormwood Vormwood ERENNIAL; finely cut lacy silver foliage; compact mounding habit to 10" tall by 15" wide; insignifical lowers & fruit; locate in full sun to light shade & very well-drained soil with minimal fertility; drought		2g	
owers & Truit; locate in full sun to light shade & very well-drained soil with minimal fertility; drought plerant; Japanese native [A. schmidtiana] Zones 5 - 9			
stilbe 'Bridal Veil'		2g	
Vhite Plume Flower ERENNIAL; white flowers in June & July; grows to 30" tall; resistant to deer & rabbit browse; locate			
n light to partial shade & consistently moist (but not waterlogged) rich organic soils; Asian native [A.			
rendsii] Zones 4 - 9			
stilbe 'Fanal'		1g	
Red Plume Flower ERENNIAL; blood red plumes; mid-season; 24" tall; resistant to deer & rabbit browse; locate in light		2g	
o partial shade & consistently moist (but not waterlogged) rich organic soils; Asian native [A. x rendsii] Zones 4 - 9			
Astilbe 'Henny Graafland'		2g	
rink Plume Flower			
ERENNIAL; shell-pink plumes in mid to late summer; dark green finely cut foliage; 15" tall by 12" /ide; improved 'Sprite'; resists deer & rabbit browse; locate in mostly sunny to mostly shady locations	R		
ich organic neutral to acidic moisture retentive soil with adequate drainage; Asian native [A.	۵		
implicifolia] Zones 4 - 9			
Astilbe 'Lilliput'		2g	
Owarf Pink Plume Flower ERENNIAL; large pale pink flowers on dark stems in mid to late summer above the foliage; compact			
nound to 8" tall by 6" wide; crinkly dark green foliage emerges reddish-bronze in late spring; resists			
eer & rabbit browse; locate in light to mostly shady locations & rich organic neutral to acidic moisture	è		
etentive soil with adequate drainage; Asian native [A. x crispa] Zones 4 - 9			
Astilbe 'Perkeo'		2g	
Owarf Pink Plume Flower ERENNIAL; small dark pink flowers in mid to late summer above the foliage; compact mound to 8" ta	all		
y 12" wide; crinkly dark green foliage emerges reddish-bronze in late spring; resists deer & rabbit			
rowse; locate in light to mostly shady locations & rich organic neutral to acidic moisture retentive soil			
vith adequate drainage; Asian native [A. x crispa] Zones 4 - 9			
Astilbe 'Visions in Pink' Pink Chinese Astilbe		2g	
THK CHINESE ASTIDE ERENNIAL; pink flowers in early summer; bushy habit to 18" high & wide; resistant to deer & rabbit			
rowse & Black Walnuts; locate in light to moderate shade & consistently moist (but not waterlogged)			
ich organic soils; more sun & drought tolerant than other Astilbes; Asian native [A. chinensis] Zones 9	4		
		2~	
Astilbe 'Visions In Red' Red Chinese Astilbe		2g	
ERENNIAL; purplish-red flowers in early summer; bushy habit to 2' high by 18" wide; resistant to de	er		
rabbit browse & Black Walnuts; locate in light to moderate shade & consistently moist (but not			
vaterlogged) rich organic soils; more sun & drought tolerant than other Astilbes; Asian native [A. hinensis] Zones 4 - 9			
monsis, Lance 1			
3 Decision Way West represented by:		phone: (88	2) 221 1

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Astilbe Younique Salmon ('Verssalmon') Pink Hybrid Astilbe PERENNIAL; floriferous fluffy salmon-pink flowers from early to mid-summer on study stems; grows to 2' high & wide; glossy deep green fernlike foliage that turns orange-tan in late fall; improved disease resistance; attracts butterflies; deer & rabbit browse resistant; locate in light to partial shade & moisture retentive (but not waterlogged) rich organic soils; increased drought tolerance but not drought resistant (Ball / Darwin) Zones 3 - 8			2g	
Athyrium filix-femina var. angustum 'Lady In Red' Lady Fern; Common Lady Fern FERN; grows to 30" tall in full to partially shady areas with rich loamy humus-rich soils; light green deciduous fronds appear on dark reddish-violet stipes (stems); compact spreading clumps; grows in boggy soils; more tolerant of sun & drought than most other ferns, although not considered a drought folerant plant; native of eastern & Midwestern US; deer browse resistant; from the New England Wildflower Society; Zones 4 - 8			1g 2g	
Athyrium 'Ghost' Variegated Lady Fern FERN; new fronds appear throughout the summer & are silver-white, which fades to green; decidedly upright habit to 3' tall; deer browse resistant; locate in full to partial shade & moist organic well-drained acidic soil (Swell) Zones 4 - 8			1g	
Athyrium nipponicum 'Pictum' Japanese Painted Fern FERN; lacey fronds are silver on the edges with green shades & maroon to purple centers; grows to 18" high by 24" wide; resistant to deer & rabbits; locate in shade with high organic well-drained soil that's neutral to slightly acidic; Asian native; Zones (3) 4 - 8			1g 2g	
Aucuba japonica 'Hosoba Hoshifu' Variegated Japanese Aucuba BROADLEAF EVERGREEN SHRUB; inconspicuous flowers in spring; long narrow glossy foliage generously speckled with bright yellow spots; female cultivar produces large persistent bright red drupes in fall which remain effective through winter; most variegated Aucubas are male; a male cultivar needs to be close by to produce fruit; grows to about 5' high by 4' wide; locate in full to moderate shade with moist highly organic well-drained soils; protect from winter winds; native of Japan; Zones (6) 7 -			3g	
Aucuba japonica 'Variegata' Gold Dust Plant; Variegated Japanese Aucuba BROADLEAF EVERGREEN SHRUB; dark green foliage with generous specks of gold throughout; locate in shade with moist highly organic well-drained soils; protect from winter winds; native of Japan; Zones (6) 7 - 10			3g 7g	
Azalea 'Conversation Piece' Pink Robin Hill Azalea EVERGREEN FLOWERING SHRUB; 4" single pink, white and bicolor flowers in late season; low spreading habit; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soils; Robin Hill Hybrid; Zones (5) 6 - 9			3g	
Azalea 'Delaware Valley' White Evergreen Azalea EVERGREEN FLOWERING SHRUB; 2 1/4" single pure white flowers in early midseason; compact Expreading mound to 4' high & wide; attracts butterflies; resists rabbit browse; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to Emoderate shade & deep organic well-drained moisture retentive acidic soils; Glenn Dale Hybrid; - 20° F			3g	
13 Decision Way West represented by:			phone: (88	9) 221 41

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

OTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Azalea 'Girard's Crimson' Red Girard Azalea			3g	
VERGREEN FLOWERING SHRUB; 2 1/2" single bright rosy crimson flowers in midseason; large clossy foliage color retained in winter; compact spreading mound to 2' tall by 3' wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; cocate in light to moderate shade & deep organic well-drained moisture retentive acidic soils (Girard N) ones 5 - 8				
Azalea Girard's Fuchsia'			3g	
Purple Girard Azalea VERGREEN FLOWERING SHRUB; 2.5-3" single ruffled reddish-purple flowers in midseason; broadly				
ompact habit to 3' in 10 yrs.; dark, glossy olive green foliage turns reddish in winter; must be planted igh, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light o moderate shade & deep organic well-drained moisture retentive acidic soils; ROY 2008 (Girard N) - 15° F) - 10° F				
Azalea 'Gumpo Pink'			3g	
Pink Satsuki Azalea EVERGREEN FLOWERING SHRUB; 2 1/2" single pink flower with varying shades in early June; dwarf preading mound to 12" tall by 18" wide in 10 years; must be planted high, with the top of the root mass t least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic vell-drained moisture retentive acidic soils; Satsuki Hybrid; Zones (6) 7 - 9				
Azalea 'Gumpo White' White Satsuki Azalea VERGREEN FLOWERING SHRUB; 2 1/2" single white flower in early June; dwarf spreading mound to 12" tall by 18" wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' teight above the adjacent soil level; locate in light to moderate shade & deep organic well-drained the indisture retentive acidic soils; Satsuki Hybrid; Zones (6) 7 - 9			3g	
Azalea 'Herbert'			3g	
Purple Evergreen Azalea EVERGREEN FLOWERING SHRUB; 1 3/4" hose-in-hose mauve-purple flowers in mid season; medium prower; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent poil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soils; soils of 5 - 8				
Azalea 'Hershey's Red'			3g	
Red Hershey Azalea EVERGREEN FLOWERING SHRUB; 2" hose-in-hose bright red flowers early to mid season; medium abit; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent oil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soils; Eurume Hybrid; - 20° F				
Azalea 'Hino Crimson'			3g	
Red Kurume Azalea EVERGREEN FLOWERING SHRUB; 1" single scarlet-red flowers in early mid-season; compact & sun colorant; glossy green foliage turns dark red in fall; must be planted high, with the top of the root mass t least 10% of its' height above the adjacent soil level; locate in full sun to moderate shade & deep rganic well-drained moisture retentive acidic soils; Kurume Hybrid (Vermeulen) Zones 5 - 8				
Azalea 'Karen'			3g	
avender Evergreen Azalea EVERGREEN FLOWERING SHRUB; single lavender 1 3/4" flower early; compact spreading habit; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil evel; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soils; lones 5 - 8				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Azalea 'Mother's Day'			3g	
Red Kurume Azalea				
EVERGREEN FLOWERING SHRUB; 2" dark red mid to late bloom; compact spreading habit; must be				
planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate				
n light to moderate shade & deep organic well-drained moisture retentive acidic soils; Kurume Hybrid;				
5° F				
Azalea 'Nancy of Robin Hill'			3g	
Pink Robin Hill Azalea				
EVERGREEN FLOWERING SHRUB; 3 1/2" double & hose-in-hose soft pink flowers in late mid season;				
dark olive green foliage; broadly compact habit; must be planted high, with the top of the root mass at				
least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic				
well-drained moisture retentive acidic soils; Robin Hill Hybrid (Gartrell) - 10° F				
Azalea 'Pleasant White'			3g	
White Evergreen Azalea				
EVERGREEN FLOWERING SHRUB; 3" single white flower in mid to late season; medium habit; must				
be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soils; - 20° F				
Azalea 'Poukhanense Compact'			3g	
Compact Korean Azalea				
EVERGREEN FLOWERING SHRUB; 2" single lightly fragrant rose to lilac-purple flowers with a				
reddish blotch in May; large dark green summer foliage turns orange to reddish purple in fall; grows to about 3' tall & twice as wide in 10 years - ultimately not getting as large as the species; must be planted				
high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light				
to moderate shade & deep organic well-drained moisture retentive acidic soils; Korean native; Zones 4 -				
8				
Azalea 'Renee Michelle'			3g	
Pink Evergreen Azalea				
EVERGREEN FLOWERING SHRUB; bright pink 2 1/2" single flower in mid-late season; rounded				
mounding habit; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive				
acidic soils; - 10° F				
Azalea 'Rosebud'			3g	
Pink Gable Azalea EVERGREEN FLOWERING SHRUB; double & hose-in-hose 1 3/4" rosy-pink flowers in late mid-season;				
dense upright grower to 3' tall in 10 yrs.; must be planted high, with the top of the root mass at least 10%				
of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained				
moisture retentive acidic soils (Gable) Zones 5 - 8				
<u> </u>			2	
Azalea 'Silver Sword'			3g	
Variegated Red Evergreen Azalea EVERGREEN FLOWERING SHRUB; 2" hot pink to purplish-red flowers in midseason; dark foliage with				
thin creamy white edge gets reddish hews in fall through winter; broadly upright bushy habit to 2' tall in				
10 yrs.; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent				
soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soils;	1			
5°F) 0°F				
Azalea 'Stewartstonian'			3g	
Orange Gable Azalea			Jy	
EVERGREEN FLOWERING SHRUB; 2" single reddish-orange flowers in early season; upright habit to				
5'; foliage turns wine-red in winter; must be planted high, with the top of the root mass at least 10% of				
ts' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained				
moisture retentive acidic soils; ROY 2008 (Gable) (- 20° F) - 15° F				
3 Decision Way West represented by:			phone: (88	0) 204 -
A DOGGIOTI VVAV VVEGI. IEDIEGETILEU DV.				UI UZ 1-4

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Azalea 'Tradition' Pink Kurume Azalea			3g	
EVERGREEN FLOWERING SHRUB; 1 1/2" hose-in-hose bright clear pink flowers in mid season; compact; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soils; Kurume Hybrid; -5° F				
Berberis x gladwynensis 'William Penn' Hybrid Evergreen Barberry EVERGREEN SHRUB; low spreading habit; dark green foliage with silvery indumentum; showy yellow flowers in spring; very prominent thorns; deer browse resistant; locate in full sun or light shade & well drained soil (Henry Foundation) Zones 6 - 9			3g	
Berberis thunbergii Gold Pillar [Sunjoy] ('Maria') Golden Upright Japanese Barberry DECIDUOUS ORNAMENTAL SHRUB; deciduous; reddish new foliage turns bright gold (and doesn't burn) before turning orange-red in fall; upright to vase-shaped habit to 4' tall; best in full sun (for maximum gold color) and moist, but well-drained soil; Japan native (Kurowski) Zones 4 - 8			3g	
Berberis thunbergii 'Golden Rocket' Fastigiate Golden Japanese Barberry DECIDUOUS ORNAMENTAL SHRUB; compact columnar habit to 5' tall by 2' wide at maturity; bright yellow deciduous summer foliage; coral stems; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5 - 8			2g	
Berberis thunbergii 'Orange Rocket' Fastigiate Red Japanese Barberry DECIDUOUS ORNAMENTAL SHRUB; compact columnar habit to 4' tall by 2' wide at maturity; scarlet deciduous spring foliage matures to orange-red in summer foliage & becomes scarlet in the fall; pale wellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5			3g	
Berberis thunbergii 'Tiny Gold' Dwarf Golden Japanese Barberry DECIDUOUS ORNAMENTAL SHRUB; FLOWERING SHRUB; dwarf upright mound of deciduous golden foliage from spring through fall; grows to 18" tall by 15" wide; late spring flowers don't bear viable seed; may not flower in the northern range; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native; Zones 5 - 8			2g	
Berberis thunbergii var. atropurpurea 'Bagatelle' Dwarf Red Japanese Barberry DECIDUOUS ORNAMENTAL SHRUB; dwarf spreading mound; dark red foliage; more dwarf than Crimson Pygmy'; minimal fruit; locate in full sun or light shade & well drained soil; Japan native; Zones 4 - 8			2g	
Berberis thunbergii var. atropurpurea 'Crimson Pygmy' Dwarf Red Japanese Barberry DECIDUOUS ORNAMENTAL SHRUB; dwarf spreading mound; dark red foliage; locate in full sun or light shade & well drained soil; Japan native; Zones 4 - 8			1g 2g 3g	
3 Decision Way West represented by:			phone: (88	0) 004 45

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	Ί
Berberis thunbergii var. atropurpurea 'Rose Glow' Variegated Red Japanese Barberry DECIDUOUS ORNAMENTAL SHRUB; compact upright habit; creamy variegation on red foliage; locate in full sun or light shade & well drained soil; Japan native; Zones 4 - 8)		2g 3g		_
Berberis thunbergii var. atropurpurea Royal Burgundy ('Gentry') Dwarf Red Japanese Barberry DECIDUOUS ORNAMENTAL SHRUB; very compact spreading mound to 2' tall by 3' wide in 10 years; small dark burgundy-purple deciduous foliage summer foliage turns darker in the fall; small yellow flowers in spring aren't especially notable; best foliage color in full sun; needs moist organic well drained soil; Japan native (Gentry) Zones 4 - 8			2g 3g		1
Brunerra 'Jack Frost' Variegated Siberian Bugloss; Variegated False Forget-Me-Not PERENNIAL; baby-blue Forget-Me-Not like flowers in clusters above the foliage in mid/late spring; silvery-white foliage except where the venation appears; grows to 15" x 15"; good shade groundcover; rabbit browse resistant; locate in partial shade & consistently moist organic well-drained soil; 2012 PPA [B. macrophylla] Zones 3 - 8			2g		- 1
Buddleia 'Bicolor' Pink & Yellow Butterfly Bush DECIDUOUS FLOWERING SHRUB; lavender buds open to pink & yellow flowers on new wood from mid summer through fall; bushy upright habit to 6' tall; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny areas & moisture retentive organic garden soils; seedling selection of 'Honeycomb'; native of China [x weyeriana] (Dirr) Zones 5 - 9 (10)			3g		
Buddleia 'Black Knight' Purple Butterfly Bush DECIDUOUS FLOWERING SHRUB; dark violet flowers on new wood all summer; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny areas & moisture retentive organic garden soils; native of China [B. davidii] Zones 5 - 9			3g		
Buddleia 'Blue Chip Jr.' (Lo & Behold) Dwarf Blue Butterfly Bush DECIDUOUS FLOWERING SHRUB; lightly fragrant lavender-blue flowers on new wood from early summer into mid-fall without deadheading; silvery-green foliage; non-invasive; low mounding habit to 24" tall; good for hedges or a high groundcover; attracts butterflies & hummingbirds; resistant to deer browse; drought tolerant; locate in full to mostly sunny areas in most garden soils; native of China (PW) Zones 5 - 9			3g		
Buddleia 'Blue Chip' (Lo & Behold) Dwarf Blue Butterfly Bush DECIDUOUS FLOWERING SHRUB; lavender-blue flowers on new wood start early in the season and keep coming without deadheading; non-invasive; low mounding habit to 30" tall; good for hedges or a high groundcover; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny areas in most garden soils; native of China (PW) (Werner) Zones 5 - 9			3g		
Buddleia Flutterby Grande Peach Cobbler ('Podaras # 5') Pink Hybrid Butterfly Bush DECIDUOUS FLOWERING SHRUB; fragrant sterile pink flowers with a darker eye on new wood starting in late spring & continuing all summer; broadly upright to about 6' tall & wide; cut back in late fall or early spring; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny areas & moisture retentive organic garden soils; native of China (Ball) Zones 5 - 9 (10)			3g		

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Buddleia Flutterby Petite Blue Heaven ('Podaras # 8')			3g	
Compact Blue Hybrid Butterfly Bush				
DECIDUOUS FLOWERING SHRUB; fragrant sterile blue flowers with orange eye on new wood starting	1			
n late spring & continuing all summer; dwarf upright mound to about 30" tall & wide; cut back in late				
fall or early spring; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to				
mostly sunny areas & moisture retentive organic garden soils; native of China (Ball) Zones 5 - 9 (10)				
Buddleia Flutterby Petite Tutti Fruitti Pink ('Podaras # 13')			3g	
Compact Pink Hybrid Butterfly Bush				
DECIDUOUS FLOWERING SHRUB; fragrant sterile pink flowers on new wood starting in late spring &				
continuing all summer; dwarf upright mound to about 30" tall & wide; cut back in late fall or early				
spring; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny				
areas & moisture retentive organic garden soils; native of China (Ball) Zones 5 - 9 (10)				
Buddleia 'Honeycomb'			3g	
YellowButterfly Bush				
DECIDUOUS FLOWERING SHRUB; creamy yellow flowers on new wood in summer; attracts				
butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny areas & moisture				
retentive organic garden soils; native of China [x weyeriana] Zones 5 - 9 (10)				
Buddleia 'Ice Chip' (Low & Behold)			3g	
Owarf White Butterfly Bush			-9	
DECIDUOUS FLOWERING SHRUB; fragrant white flowers on new wood don't need deadheading; low				
compact spreading habit; non-invasive; attracts butterflies & hummingbirds; resistant to deer browse;				
ocate in full to mostly sunny areas & moisture retentive organic garden soils; native of China [B.				
davidii] (PW) Zones 5 - 9				
Buddleia 'Lilac Chip' (Low & Behold)			3g	
Dwarf Lavender Butterfly Bush			Jy	
DECIDUOUS FLOWERING SHRUB; soft lavender-pink flowers on new wood start early in the season				
and keep coming without deadheading; low mounding habit to 30" tall; good for hedges or a high				
groundcover; non-invasive; attracts butterflies & hummingbirds; resistant to deer browse; locate in full				
o mostly sunny areas & moisture retentive organic garden soils; native of China [B. davidii] (PW)				
Zones 5 - 9				
Buddleia 'Lockinch'			3g	
Lavender Butterfly Bush			- Og	
DECIDUOUS FLOWERING SHRUB; lavender-blue flowers on new wood all summer; attracts butterflies	S			
& hummingbirds; resistant to deer browse; locate in full to mostly sunny areas & moisture retentive				
organic garden soils; native of China [B. fallowiana x B. davidii] Zones 5 - 9				
Buddleia 'Miss Molly'			2~	
Compact Red Butterfly Bush			3g	
DECIDUOUS FLOWERING SHRUB; bright wine-red flowers on new wood from mid-summer to fall;				
compact habit to 4' tall & wide; cut back in late fall or early spring; attracts butterflies & hummingbirds;				
resistant to deer browse; locate in full to mostly sunny areas & moisture retentive organic garden soils;				
native of China [B. davidii] (PW) (Werner) Zones 5 - 9				
Buddleia 'Miss Pearl'			3g	
Compact White Butterfly Bush			Jy	
DECIDUOUS FLOWERING SHRUB; small fragrant white flower spikes on new wood from mid-summer	-			
o fall; compact habit to 5' tall & wide; cut back in late fall or early spring; attracts butterflies &				
nummingbirds; resistant to deer browse; locate in full to mostly sunny areas & well-drained moisture				
retentive organic garden soils; native of China [B. davidii] (PW) (Werner) Zones 5 - 9				
3 Decision Way West represented by:			phone: (88	8) 321-45

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Buddleia 'Miss Ruby'			3g	
Compact Pink Butterfly Bush				
DECIDUOUS FLOWERING SHRUB; fragrant fuchsia-pink flowers on new wood from mid-summer to				
all; compact habit to 4' tall & wide; gray-green foliage; cut back in late fall or early spring; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny areas & moisture				
retentive organic garden soils; native of China (Werner) Zones 5 - 9				
Buddleia 'Nanho Blue'			3g	
Owarf Blue Butterfly Bush DECIDUOUS FLOWERING SHRUB; blue flowers on new wood all summer; compact habit; attracts				
outterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny areas & moisture				
retentive organic garden soils; native of China [B. davidii v. nanhoensis] Zones 5 - 9				
Puddicia Manha Dunnia!			2~	
Buddleia 'Nanho Purple' Dwarf Purple Butterfly Bush			3g	
DECIDUOUS FLOWERING SHRUB; small purple flowers on new wood all summer; compact habit;				
attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &				
noisture retentive organic garden soils; native of China [B. davidii v. nanhoensis] Zones 5 - 9				
Buddleia 'Pink Delight'			3g	
Pink Butterfly Bush			Jy	
DECIDUOUS FLOWERING SHRUB; pink flowers on new wood all summer; cut back in late fall or early				
pring; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny				
areas & moisture retentive organic garden soils; native of China; Zones 5 - 9				
Buddleia 'Pink Micro Chip' (Lo & Behold)			3g	
Owarf Pink Butterfly Bush				
DECIDUOUS FLOWERING SHRUB; sterile orchid-pink flower spikes on new wood start earlier in the				
reason than others, keep coming without deadheading & don't produce seeds; low mounding habit to 24				
all; good as a high groundcover; non-invasive; cut back in late fall or early spring; attracts butterflies				
& hummingbirds; resistant to deer browse; locate in full to mostly sunny areas & well-drained moisture retentive organic garden soils; native of China [B. davidii] (PW) (Werner) Zones 5 - 9				
Buddleia 'Royal Red'			3g	
Red Butterfly Bush DECIDUOUS FLOWERING SHRUB; fragrant purple-red flowers on new wood start early in the season				
and keep coming without deadheading & don't produce seeds; all summer; cut back in late fall or early				
spring; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny				
areas & moisture retentive organic garden soils; native of China [B. davidii] Zones 5 - 9				
Buddleia 'White Profusion'			3g	
White Butterfly Bush				
DECIDUOUS FLOWERING SHRUB; white flowers on new wood all summer; full sun; deer browse				
resistant; cut back in late fall or early spring; attracts butterflies & hummingbirds; resistant to deer				
prowse; locate in full to mostly sunny areas & moisture retentive organic garden soils; native of China				
B. davidii] Zones 5 - 9				
Buxus x 'Green Gem'			3g	
Owarf Hybrid Boxwood				
EVERGREEN SHRUB; dense globe with dark evergreen foliage; 2' x 2' when mature; locate in full sun to				
noderate shade & moisture retentive well-drained organic soil that's neutral to alkaline [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8				
ai. Kui eana X D. Seinpei vii ensj. (Sheriuan ivs). Zunes 3 - 0				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Buxus x 'Green Mountain' BUSH		18 - 24"	3g B&B	
Pyramidal Hybrid Boxwood	•	24 - 30"	B&B	
EVERGREEN SHRUB; dark evergreen foliage all winter; upright somewhat pyramidal habit, but not		30 - 36"	B&B	
sheared into formal pyramids; locate in full sun to moderate shade & moisture retentive well-drained				
organic soil that's neutral to alkaline [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns)				
Zones 5 - 8				
Buxus x 'Green Velvet'			2g	
BUSH	I		3g	
Hybrid Boxwood EVERGREEN SHRUB; compact globular habit to 4' high and wide; slow grower, but faster than 'Green		15 - 18"	B&B	
Gem'; dark evergreen foliage all year; locate in full sun to moderate shade & moisture retentive		18 - 24"	B&B	
well-drained organic soil that's neutral to alkaline; PHS Gold Metal. [B. microphylla var. koreana x B.				
sempervirens] (Sheridan Ns) Zones 5 - 8				
Buxus microphylla v. japonica Baby Gem ('Gregem')			3g	
Dwarf Japanese Littleleaf Boxwood			Jy	
EVERGREEN SHRUB; dwarf mounding habit to about 4' tall by 5' wide at maturity; dark green				
summer foliage; minimal winter bronzing; suitable in all sun exposures; locate in full sun to moderate				
shade & moisture retentive well-drained organic soil that's neutral to alkaline; Japan native; Zones (5) o	5			
8 (9)				
Buxus microphylla var. koreana Wedding Ring ('Eseles')			3g	
Variegated Korean Littleleaf Boxwood				
EVERGREEN SHRUB; compact spreading habit to 3' by 3' at maturity; variable lime green margins on				
newer foliage turn gold on mature foliage which is retained through winter; locate in full sun to				
moderate shade & moisture retentive well-drained organic soil that's neutral to alkaline; Korean native				
(PW) Zones (5) 6 - 9				
Buxus microphylla 'Winter Gem'			2g	
Korean Littleleaf Boxwood			3g	
EVERGREEN SHRUB; compact spreading evergreen staying under 3' tall; good for low hedges; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's neutral to alkaline;		15 - 18"	B&B	
Japan native; Zones 5 - 9		18 - 24" 24 - 30"	B&B B&B	
Buxus sempervirens 'Artic Emerald'		21 00	3g	
Jpright Common Boxwood			9	
EVERGREEN SHRUB; upright habit reaching 8' tall by 3' wide; new growth is chartreuse; winter				
foliage retains the dark green summer color; locate in full sun to moderate shade & moisture retentive				
well-drained organic soil that's neutral to alkaline; native to Europe, Asia & Africa (Krasinsky) Zones 4	!			
8 (9)				
Buxus sempervirens 'Aureo-variegata'			3g	
BUSH	I			
Variegated Common Boxwood EVERGREEN SHRUB; creamy edges around dark green foliage; compact upright habit; locate in full				
sun to moderate shade & moisture retentive well-drained organic soil that's neutral to alkaline; native to				
Europe, Asia & Africa; Zones 5 - 7				
Buxus sinica var. insularis 'Franklin's Gem'			2g	
Spreading Korean Boxwood			3g	
EVERGREEN SHRUB; slow growing broadly spreading habit that won't exceed 18" tall; highly deer			3	
browse resistant; locate in full sun to moderate shade & moisture retentive well-drained organic soil				
that's neutral to alkaline [B. sempervirens x B. sinica var. insularis] Zones (5) 6 - 9				
3 Decision Way West represented by:			phone: (88	8) 321-4

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Buxus sinica var. insularis 'Sunburst' Golden Variegated Korean Littleleaf Boxwood EVERGREEN SHRUB; variable golden margins on foliage is retained through winter; compact upright to conical habit can reach 4' tall by 3' wide at maturity; highly deer browse resistant; locate in full sun to			3g	
moderate shade & moisture retentive well-drained organic soil that's neutral to alkaline; Korean native (PW) Zones (5) 6 - 9				
Calamagrostis x acutiflora 'Avalanche' Variegated Feather Reed Grass ORNAMENTAL GRASS; arching longitudinal white center stripped foliage reaches about 30" tall; creamy mid-summer flowers reach about 4' tall & are effective in June & July; similar to 'Overdam' with marrower white edges & shorter foliage; deer browse resistant; salt tolerant; locate in full sun to light shade & moisture retentive soils; performs best in areas with coolish nights (Schmidt) Zones (4) 5 - 9			1g 2g	
Calamagrostis x acutiflora 'Karl Foerster' Feather Reed Grass ORNAMENTAL GRASS; upright foliage to 4' tall; pinkish to golden inflorescence from June to September which are sterile reach as much as 6' tall; deer browse resistant; salt tolerant; locate in full sun to light shade & moisture retentive soils; performs well in dry & boggy situations; & areas with coolish nights; Zones (3) 4 - 9			1g 3g	
Callicarpa dichotoma 'Early Amethyst' Beautyberry DECIDUOUS FLOWERING SHRUB; small pinkish-lavender flowers in summer yield to profuse lilac-violet fruit in Sept.; arching habit to 4' tall & wide; locate in full sun to light shade & well-drained soil; PHS Gold Metal; native of China; Zones 5 - 8			3g	
Calycanthus floridus Sweetshrub DECIDUOUS FLOWERING SHRUB; very fragrant burgundy-red flowers in May; bushy-upright habit to about 8' by 8'; locate in sun or shade; very pH adaptable; prefers rich moist organic soils; native to southeastern US; Zones 4 - 9			3g	
Campsis radicans TRELLIS Orange Trumpet Vine; Orange Common Trumpetcreeper DECIDUOUS VINE; orange-scarlet blooms summer on new wood in July & August; non-descript yellowish fall foliage; vigorous grower adhering to vertical structures by root-like holdfasts; attracts hummingbirds; tolerant of deer browse; locate full sun to light shade & in any soil not remaining wet; drought tolerant when established; southeastern US native; Zones 4 - 9			3g	
Campsis radicans 'Flava' TRELLIS Yellow Trumpet Vine; Yellow Common Trumpetcreeper DECIDUOUS VINE; yellow flowers in July & August on new wood; non-descript yellowish fall foliage; vigorous grower to 40' tall adhering to vertical structures by root-like holdfasts; attracts hummingbirds; tolerant of deer browse; locate full sun to light shade & in any soil not remaining wet; drought tolerant when established; southeastern US native; Zones 4 - 9			3g	
Carex 'Everest' Variegated Oshima Sedge ORNAMENTAL GRASS; narrow green arching foliage with thin white edges; compact clumping habit to 12" high & wide; good groundcover or in containers; deer browse resistant; locate is partial to filtered shade & moisture retentive soils that don't stay wet; Japanese native [C. oshimensis] (Tesselaar) Zones (5) 6 - 9			1g 2g	
				8) 321-45

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

Carex Evergold' Variegated Oshima Sedge ORNAMENTAL GRASS: creamy-white new foliage with green margins matures to creamy-yellow: densely clumping with arching leaves reaches 12" tail by 18" wide: good groundcover or in containers; dene browse resistant: locate is partial to filtered shade & moisture retentive soils that don't stay wet; Japanese native [C. oshimensis] Zones (3) 6 - 8 (9) Carex 'Everlime' 1g QRNAMENTAL GRASS: dark green foliage with lime-green margins; densely clumping with arching leaves reaches it? "tail & wide: good groundcover or in containers; deer browse resistant: locate is partial to filtered shade & moisture retentive soils that don't stay wet; Japanese native [C. oshimensis] Zones (3) 6 - 8 (9) Carex 'Ice Dance' Variegated Japanese Sedge ORNAMENTAL GRASS: evergreen or semi-evergreen foliage: thin creamy margins edge dark green centers on narrow blades: grows to about 12" tall by 18" wide; rhizomatous clumping habit, not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil: Japanese native [C. morrowil] Zones 5 - 9 1g QRNAMENTAL GRASS: engrow bright green arching foliage forming clumps to 10" tall: flowers in spancely in late spering & is not sepecially ornamental; spreads by stolons (runners above ground): resists deer browse; somewhat drought tolerant; locate in partial to dappled shade & most well-drained soils; native to eastern US & Canada; Zones (3) 4 - 8 Carex YSIIver Sceptre' Variegated Japaneses Bedge CRAMAENTAL GRASS: forg nerrow arching evergreen to semi-evergreen leaves adged in while gives a bright accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide; moderate grower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil; Japanese native [C. morrowil] (Yoko) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' False Spirea; Bluebeard DeCiDIOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks beginning in Au
DRNAMENTAL GRASS: creamy-white new foliage with green margins matures to creamy-yellow: lessely clumping with arching leaves reaches 12 tail by 18" wide: good groundcover or in containers; lear browse resistant: locate is partial to filtered shade & moisture retentive soils that don't stay wet: apanese native [C. oshimensis] Zones (5) 6 - 8 (9) Arricgated Oshima Sedge BRNAMENTAL GRASS: dark green foliage with lime-green margins: densely clumping with arching eaves reaches 18" tail & wide: good groundcover or in containers; deer browse resistant: tocate is artist to filtered shade & moisture retentive soils that don't stay wet; Japanese native [C. oshimensis] fones (5) 6 - 8 (9) Carex 'Ice Dance' Arricgated Japanese Sedge BRNAMENTAL GRASS: evergreen or semi-evergreen foliage; thin creamy margins edge dark green enters on narrow blades; grows to about 12" fall by 18" wide: rhizomatous clumping habit: not waskive: deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil: apanese native [C. morrowil] Zones 5 - 9 Carex Pennsylvanica Dak Sedge; Pennsylvanica Dak Sedge; Pennsylvanica Sedge DRNAMENTAL GRASS: narrow bright green arching foliage forming clumps to 10" tail: flowers in parcely in late spring & is not especially ornamental: spreads by stolons (runners above ground); essists deer browse: somewhat drought tolerant: locate in partial to dappled shade & most well-drained oils: native to eastern US & Canada: Zones (3) 4 - 8 Carex 'Silver Sceptre' 10g Parkamental Grass; in a green arching evergreen to semi-evergreen leaves edged in white gives a right accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide: moderate roovers in oth massive: deer browse resistant: locate in full on tails shade & rich organic moisture etentive soil: Japanese native [C. morrowii] (Yokoi) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' Talse Spirea; Bluebeard ECIDIOUS FLOWERIKG SHRUB: fragrant dark blue flowers on new wood for about 8 weeks egipning in laugu
ensely clumping with arching leaves reaches 12" tall by 18" wide: good groundcover or in containers; were browse resistant: locate is partial to filtered shade & moisture retentive soils that don't stay wet; appaness native (C. oshimensis) Zones (6) 6 - 8 (9) Garex 'Everlime' 1g 4arlegated Oshima Sedge 8RNAMENTAL GRASS: dark green foliage with lime-green margins: densely clumping with arching awas reaches 18" tall & wide: good groundcover or in containers; deer browse resistant: locate is artial to filtered shade & moisture retentive soils that don't stay wet; Japanese native (C. oshimensis) ones (5) 6 - 8 (9) 2arex 'Ice Dance' 1g 2g 2g 2g 2g 2g 2g 2g 2g 2g
lever browse resistant: locate is partial to fillered shade & moisture retentive soils that don't stay wet; apaneses native (C. oshimensis]. Zones (S) 6 - 8 (9) Carex 'Everlime' 29
Papanese native C. oshimensis Zones (5) 6 - 8 (9)
Agricagated Oshima Sedge 2g 2g 2g 2g 2g 2g 2g
Agriegated Oshima Sedge 2g 2g 2g 2g 2g 2g 2g
DRNAMENTAL GRASS; dark green foliage with lime-green margins; densely clumping with arching eaves reaches 18" tall & wide; good groundcover or in containers; deer browse resistant; locate is sartial to filtered shade & moisture retentive soils that don't stay wet; Japanese native [C. oshimensis] fones (5) 6 - 8 (9) Carex 'Ice Dance' 19
Pares reaches 18" tall & wide; good groundcover or in containers; deer browse resistant; locate is artial to filtered shade & moisture retentive soils that don't stay wet; Japanese native {C. oshimensis} (Cones (5) 6 - 8 (9)) Carex 'Ice Dance' 19
Partial to filtered shade & moisture retentive soils that don't stay wet; Japanese native [C. oshimensis] Japanese Net (S. 6 - 8 (9)) Partial day Dance' Arriegated Japanese Sedge Partial Japanes
Carex 'Ice Dance' Arricgated Japanese Sedge BRNAMENTAL GRASs; evergreen or semi-evergreen foliage; thin creamy margins edge dark green enters on narrow blades; grows to about 12" tall by 18" wide; rhizomatous clumping habit; not mussive; deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil; apanese native [C. morrowii] Zones 5 - 9 Carex pensylvanica Dark Sedge; Pennsylvania Sedge BRNAMENTAL GRASs; narrow bright green arching foliage forming clumps to 10" tall; flowers in parcely in late spring & is not especially ornamental; spreads by stolons (runners above ground); esists deer browse; somewhat drought tolerant; locate in partial to dappled shade & most well-drained oils; native to eastern U.S. & Canada; Zones (3) 4 - 8 Carex 'Silver Sceptre' Variegated Japanese Sedge BRNAMENTAL GRASs; long narrow arching evergreen to semi-evergreen leaves edged in white gives a right accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide; moderate rower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture elentive soil; Japanese native (C. morrowil] (Yokol) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' alse Spirea; Bluebeard Eccipulous FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in laugust; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained eleutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' alse Spirea; Bluebeard Eccipulous FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks eginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts utterfles; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
Carex 'Ice Dance' Arriegated Japanese Sedge 2g 2g 2g 2g 2g 2g 2g
Dariegated Japanese Sedge 29 29 29 29 29 29 29 2
DRNAMENTAL GRASS; evergreen or semi-evergreen foliage; thin creamy margins edge dark green enters on narrow blades; grows to about 12" tall by 18" wide; rhizomatous clumping habit; not myasive; deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil; lapanese native [C. morrowii] Zones 5 - 9 Carex pensylvanica Dak Sedge; Pennsylvania Sedge DRNAMENTAL GRASS; narrow bright green arching foliage forming clumps to 10" tall; flowers in parcely in late spring & is not especially ornamental; spreads by stolons (runners above ground); resists deer browse; somewhat drought tolerant; locate in partial to dappled shade & most well-drained oils; native to eastern US & Canada; Zones (3) 4 - 8 Carex 'Silver Sceptre' Arriegated Japanese Sedge DRNAMENTAL GRASS; long narrow arching evergreen to semi-evergreen leaves edged in white gives a pright accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide; moderate urrower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture eletitive soil; Japanese native [C. morrowii] (Vokol) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' Talse Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in ductural soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' Talse Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks beginning in August; silvery-green foliage; mounding habit to 3"; deer browse resistant; attracts wutterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
renters on narrow blades; grows to about 12" tall by 18" wide; rhizomatous clumping habit; not nonative; deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil; lapanese native [C. morrowii] Zones 5 - 9 Carex pensylvanica Dak Sedge; Pennsylvania Sedge DRNAMENTAL GRASS; narrow bright green arching foliage forming clumps to 10" tall; flowers in parcely in late spring & is not especially ornamental; spreads by stolons (runners above ground); esists deer browse; somewhat drought tolerant; locate in partial to dappled shade & most well-drained soils; native to eastern US & Canada; Zones (3) 4 - 8 Carex 'Silver Sceptre' Variegated Japanese Sedge DRNAMENTAL GRASS; long narrow arching evergreen to semi-evergreen leaves edged in white gives a pright accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide; moderate grower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture eletentive soil; Japanese native [C. morrowiii] (Yokoi) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' Talse Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' Talse Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks beginning in August; silvery-green foliage; mounding habit to 3"; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
Invasive; deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil; lapanese native [C. morrowii] Zones 5 - 9 Carex pensylvanica
Carex pensylvanica Dak Sedge; Pennsylvania Sedge DRNAMENTAL GRASS: narrow bright green arching foliage forming clumps to 10" tall; flowers in sparcely in late spring & is not especially ornamental; spreads by stolons (runners above ground); spesists deer browse; somewhat drought tolerant; locate in partial to dappled shade & most well-drained soils; native to eastern US & Canada; Zones (3) 4 - 8 Carex 'Silver Sceptre' Variegated Japanese Sedge DRNAMENTAL GRASS: long narrow arching evergreen to semi-evergreen leaves edged in white gives a bright accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide; moderate grower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil; Japanese native [C. morrowii] (Yokol) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks beginning in August; silvery-green foliage; mounding habit to 3"; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
Carex pensylvania Sedge DRNAMENTAL GRASS; narrow bright green arching foliage forming clumps to 10" tall; flowers in paragracely in late spring & is not especially ornamental; spreads by stolons (runners above ground); esists deer browse; somewhat drought tolerant; locate in partial to dappled shade & most well-drained biolis; native to eastern US & Canada; Zones (3) 4 - 8 Carex 'Silver Sceptre' Variegated Japanese Sedge DRNAMENTAL GRASS; long narrow arching evergreen to semi-evergreen leaves edged in white gives a poright accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide; moderate grower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture electritive soil; Japanese native [C. morrowii] (Yokoi) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' Talse Spirea; Bluebeard Deciduous FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' Talse Spirea; Bluebeard Deciduous FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks beginning in August; silvery-green foliage; mounding habit to 3"; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
Dak Sedge; Pennsylvania Sedge DRNAMENTAL GRASS; narrow bright green arching foliage forming clumps to 10" tall; flowers in a paracely in late spring & is not especially ornamental; spreads by stolons (runners above ground); pesists deer browse; somewhat drought tolerant; locate in partial to dappled shade & most well-drained polis; native to eastern US & Canada; Zones (3) 4 - 8 Carex 'Silver Sceptre' Variegated Japanese Sedge DRNAMENTAL GRASS; long narrow arching evergreen to semi-evergreen leaves edged in white gives a poright accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide; moderate grower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil; Japanese native [C. morrowii] (Yokol) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' False Spirea; Bluebeard Deciduous FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard Deciduous FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks beginning in August; silvery-green foliage; mounding habit to 3"; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
DRNAMENTAL GRASS; narrow bright green arching foliage forming clumps to 10" tall; flowers in parcely in late spring & is not especially ornamental; spreads by stolons (runners above ground); esists deer browse; somewhat drought tolerant; locate in partial to dappled shade & most well-drained oils; native to eastern US & Canada; Zones (3) 4 - 8 Carex 'Silver Sceptre' 1g 2g 2g 2g 2 2g 2 2g 2 2g 2g 2g 2g 2g 2g
parcely in late spring & is not especially ornamental; spreads by stolons (runners above ground); resists deer browse; somewhat drought tolerant; locate in partial to dappled shade & most well-drained rolls; native to eastern US & Canada; Zones (3) 4 - 8 Carex 'Silver Sceptre' Variegated Japanese Sedge DRNAMENTAL GRASS; long narrow arching evergreen to semi-evergreen leaves edged in white gives a pright accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide; moderate grower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil; Japanese native [C. morrowii] (Yokoi) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks peginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
resists deer browse; somewhat drought tolerant; locate in partial to dappled shade & most well-drained oils; native to eastern US & Canada; Zones (3) 4 - 8 Carex 'Silver Sceptre' Variegated Japanese Sedge DRNAMENTAL GRASS; long narrow arching evergreen to semi-evergreen leaves edged in white gives a pright accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide; moderate parower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture eletentive soil; Japanese native [C. morrowii] (Yokoi) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' Talse Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' Talse Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks beginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
Carex 'Silver Sceptre' Variegated Japanese Sedge Variegated Japanese Sedge Japanese Sedged in white gives a Variegate Sederate Se
Carex 'Silver Sceptre' //ariegated Japanese Sedge In white gives a strict or semi-evergreen leaves edged i
Arriegated Japanese Sedge ORNAMENTAL GRASS; long narrow arching evergreen to semi-evergreen leaves edged in white gives a pright accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide; moderate grower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil; Japanese native [C. morrowii] (Yokoi) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks beginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
DRNAMENTAL GRASS; long narrow arching evergreen to semi-evergreen leaves edged in white gives a bright accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide; moderate arower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture betentive soil; Japanese native [C. morrowii] (Yokoi) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in hugust; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks beginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
pright accent to the shade garden; rhizomatous mounding clumps to 12" tall by 18" wide; moderate grower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil; Japanese native [C. morrowii] (Yokoi) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks peginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts putterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
grower is not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture getentive soil; Japanese native [C. morrowii] (Yokoi) Zones 5 - 9 Caryopteris x clandonensis 'Blue Mist' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks neginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts nutterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
Caryopteris x clandonensis 'Blue Mist' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks Deginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Description of the full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
Caryopteris x clandonensis 'Blue Mist' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks neginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts neutterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks Deginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Dutterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks beginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
August; silver-gray foliage; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9 Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks beginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts butterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks Deginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designation of the silvery of
Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Designing in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts
False Spirea; Bluebeard DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks Deginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts Deutterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks neginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts nutterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
neginning in August; silvery-green foliage; mounding habit to 3'; deer browse resistant; attracts outterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
outterflies; locate in full sun & well-drained neutral soil; native Asian cross; Zones 6 - 9
Caryopteris x clandonensis Petite Bleu ('Minibleu')
False Spirea; Bluebeard
DECIDUOUS FLOWERING SHRUB; fragrant deep blue flowers on new wood for about 8 weeks
peginning in August; dark green foliage; tight compact habit to 3'; deer browse resistant; attracts
outterflies; locate in full sun & well-drained neutral soil; native Asian cross (PW) Zones 6 - 9

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Ceanothus americana New Jersey Tea DECODUOUS FLOWERING SHRUB; clusters of tiny fragrant white flowers in late spring; yellow twigs are prominent in winter; compact spreading habit to 3' tall by 4' wide; leaves were used to make tea in colonial times, however without caffeine; locate in full sun to partial shade & most well-drained soils; drought tolerant; eastern US native; Zones 4 - 8			2g		- N
Ceanothus x pallidus Marie Bleu ('Minmari') New Jersey Tea DECIDUOUS FLOWERING SHRUB; masses of misty blue flowers from June to Oct. followed by red seed heads; compact upright shrub to 3' tall; plant in full sun or light shade with well drained soil (PW) Zones 6 - 9			3g		
Cedrus atlantica 'Glauca Pendula'			10g		Γ
SERPENTINE Weeping Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; blue-green needles; trunks are staked in an undulating shape to resemble a multi-curved S; ultimate shape and undulation will vary with staking; locate in full to mostly sunny locations with good organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; north African native; Zones (5) 6 - 9					
Cercis canadensis			10g		Γ
Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; wide spreading heads; yellowish fall foliage; branching starts about 3' to 6' above the ground from a single stem; locate in sun or part shade with any well-drained soil; US native; Zones 4 - 9			15g		N
Cercis canadensis 'Forest Pansy' Redleaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE; purple leaf in spring & early summer; typical rosy flowers in April; grows to about 25' tall & wide; branching starts about 3' to 6' above the ground from a single stem; locate in sun or part shade with any well-drained soil; US native; Zones (4) 5 - 9			15g		
Chamaecyparis obtusa 'Aurea' see: Chamaecyparis obtusa 'Gracilia Aurea'					Γ
Chamaecyparis obtusa 'Fernspray Gold' Golden Fernspray Hinoki Cypress EVERGREEN ORNAMENTAL CONIFER; golden fern-like foliage; bushy upright habit; locate in full to mostly sunny location with organic moisture retentive soil that drains well; have seen listed as 'Filicoides Gold' which is probably the same plant; native to Japan; Zones 5 - 8			3g		_
Chamaecyparis obtusa 'Gracilis Compacta'			3g		+
Compact Hinoki Cypress			5g]
EVERGREEN ORNAMENTAL CONIFER; very compact upright habit, but not dwarf; dark green foliage; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8			7g 10g		-
Chamaecyparis obtusa 'Kosteri' Dwarf Hinoki Cypress EVERGREEN ORNAMENTAL CONIFER; very slow bushy mounding habit; medium green horizontal foliage with lighter green highlights; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8			3g 5g 7g		-
2 Decicion Way West represented by:				9) 221 <i>1</i>	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
hamaecyparis obtusa 'Lutea Compacta'			3g	
ompact Golden Hinoki Cypress				
VERGREEN ORNAMENTAL CONIFER; slow compact broadly upright habit; bright gold foliage tends				
not to burn in full hot sun with adequate moisture; locate in full to mostly sunny location with organic				
noisture retentive soil that drains well; NOTE: this is not shown as a valid name on the American Conifer Society web site; native to Japan; Zones 5				
Chamaecyparis obtusa 'Nana Lutea'			2g	
Owarf Golden Hinoki Cypress				
EVERGREEN ORNAMENTAL CONIFER; this is a very tight golden form when placed in full sun; the golden version of 'Nana Gracilis', but perhaps even slower growing; locate in full to mostly sunny				
ocation with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8				
Chamaecyparis obtusa 'Templehof'			3g	
Compact Hinoki Cypress EVERGREEN ORNAMENTAL CONIFER; more broad than upright; quite compact; dark green				
indulating evergreen foliage; locate in full to mostly sunny location with organic moisture retentive soil				
that drains well; native to Japan; Zones 5 - 8				
Chamaecyparis obtusa 'Verdon'			3g	
Compact Golden Hinoki Cypress			5g	
EVERGREEN ORNAMENTAL CONIFER; very slow compact broadly upright habit; bright gold				
evergreen foliage tends not to burn in full hot sun with adequate moisture; locate in full to mostly sunny				
ocation with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8				
Chamaecyparis pisifera 'Filifera Aurea'			2g	
Gold Thread Cypress			3g	
EVERGREEN ORNAMENTAL CONIFER; compact gold thread-like foliage; turns green in shade;				
proadly pyramidal habit that can get tall if not pruned; locate in full to mostly sunny location with				
neutral to acidic organic moisture retentive soil that drains well; Japanese native; Zones 4 - 8				
Chasmanthium latifolium			3g	
Northern Sea Oats				
ORNAMENTAL GRASS; flat drooping seed heads appear green before becoming purplish by late				
summer; arching upright habit from 2' to 5' tall; green summer foliage turns coppery in fall then brown by winter; does well in containers; resistant to deer browse & Black Walnut; locate in full sun to partial				
shade & moderate to moist soils; native to eastern & central US; Zones 3 - 8 (9)				
Chrysanthemum				
ee: Leucanthemum superbum, Nipponanthemum nipponicum				
Clethra alnifolia			3g	
Summersweet				
FLOWERING SHRUB; fragrant white flowers in summer; upright habit to about 10' & almost as wide; ocate in full sun to partial shade; likes moist to wet acidic soils & coastal conditions; coastal US native;				
Zones 4 - 9				
Clethra alnifolia 'Hummingbird'			3g	
Compact Summersweet			Jy	
FLOWERING SHRUB; fragrant white flowers in July; compact upright form; locate in full sun to partial	/			
hade; likes moist to wet acidic soils & coastal conditions; PHS Gold Metal; coastal US native; Zones 4 -				
Clethra alnifolia 'Ruby Spice'			3g	
Pink Summersweet				
FLOWERING SHRUB; fragrant non-fading pink flower in July; yellow fall foliage; locate in full sun to				
partial shade; likes moist to wet acidic soils & coastal conditions; PHS Gold Metal; coastal US native;				
Zones 4 - 9				
3 Decision Way West represented by:		-	phone: (88	8) 321-4

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Clethra alnifolia 'Sixteen Candles' Summersweet DECIDUOUS FLOWERING SHRUB; fragrant white flowers for 4 to 6 weeks in early summer; compact upright to 5' tall by 3' wide; attracts butterflies; locate in full sun to full shade; likes moist to wet acidic to soils & coastal conditions; eastern US native; Zones 4 - 9			3g	
Coreopsis 'Daybreak' (Li'l Bang Series) Fickseed PERENNIAL; sterile bicolor petals of golden yellow edges & orange-red centers surround golden centers from early summer into fall without deadheading; dark green foliage; compact spreading habit to 12" tall by 18" wide; attracts butterflies & hummingbirds; locate in full sun & good neutral to slightly acidic well draining garden soil (Probst) Zones 5 - 9			1g 2g	
Coreopsis Li'l Bang 'Starlight' Tickseed PERENNIAL; flower petals are white on the outside & burgundy on the inside with yellow centers from early summer into fall; medium green mildew resistant foliage; compact spreader to 12" tall by 18" wide; attracts butterflies; deer browse resistant; locate in full or mostly sunny location & well-drained soils; very drought tolerant once established; native US cultivar (Probst) Zones 5 - 9			1g	
Coreopsis verticillata 'Electric Avenue' Yellow Threadleaf Tickseed PERENNIAL; large pale yellow flower from early summer through mid-fall; lacy foliage; mounding habit to about 18" tall & wide; mildew resistant foliage; attract butterflies; tolerant of drought, deer & rabbit browse; locate in full sun or minimal shade & dry to moist well-drained soil; eastern US native (ItSaul) Zones (4) 5 - 8 (9)			1g	
Coreopsis verticillata 'Moonbeam' (ellow Tickseed PERENNIAL; pale yellow flower June to frost; lacy foliage; 24" tall; mildew resistant foliage; attract butterflies; tolerant of drought, deer & rabbit browse; locate in full sun or minimal shade & dry to moist well-drained soil; eastern US native; Zones (4) 5 - 8			1g 2g	
Coreopsis verticillata 'Zagreb' ('ellow Tickseed PERENNIAL; golden yellow flower June to frost; lacy foliage; 12" tall; mildew resistant foliage; attract outterflies; tolerant of drought, deer & rabbit browse; locate in full sun or minimal shade & dry to moist well-drained soil; eastern US native; Zones (4) 5 - 8			1g 2g	
Cornus alba 'Bud's Yellow' Yellow-twig Dogwood DECIDUOUS FLOWERING SHRUB; yellow stems become more brilliant in winter; green summer foliage turns yellow in fall; improved canker resistance; grows to about 6' tall in 10 yrs.; cut out older stems to retain best winter color; locate in full sun to partial shade; prefers moist well-drained soil; northeastern Asian native; Zones 2 - 7			3g	
Cornus alba Ivory Halo ('Bailhalo') Variegated Red-twig Dogwood DECIDUOUS FLOWERING SHRUB; narrow white edges surround medium green leaves; fall color is ourplish; young winter twigs are bright red; creamy flowers in late spring aren't significant, but produce white fruit that matures to blue & is favored by birds; bushy habit to 6' x 6'; locate in full to partial sun & moist well-drained soils; Zones 3 - 7			3g	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	_
Cornus alba Little Rebel ('Jefreb') Dwarf Tartarian Dogwood DECIDUOUS FLOWERING SHRUB; compact bushy habit to 4' tall & wide; green summer foliage turns ourple-red in fall; in winter stems turn bright red; locate in full sun to partial shade; prefers moist well-drained soil; northeastern Asian native (Jeffries Ns) Zones 2 - 7			3g		- 1
Cornus amomum Silky Dogwood DECIDUOUS FLOWERING SHRUB; yellowish-white cymes appear in June; white fruit appears in late summer which turns blue with maturity; birds like the fruit; broadly upright habit to about 9' tall & wide; dark green summer foliage turns reddish-purple in fall; locate in full sun to moderate shade & neutral to acidic moist to wet soil; US native; Zones 5 - 8			3g		
Cornus racemosa Gray Dogwood DECIDUOUS FLOWERING SHRUB; whitish flower clusters in late spring aren't especially ornamental, nor are the subsequent whitish fruit in late summer; the reddish-pink pedicels appear after the fruit, & are the most ornamental quality; broadly upright suckering shrub to 15' by 15'; tolerant of full sun or shade & most soil types & moisture conditions; US native; Zones (3) 4 - 8			3g		
Cornus sericea Artic Fire ('Farrow') Compact Redtwig Dogwood; Compact Redosier Dogwood DECIDUOUS FLOWERING SHRUB; white flowers from late May into early June; white fruit in late summer; compact bushy habit to 5' tall & wide; reddish-purple fall foliage; bright red young stems in winter; not stoloniferous; locate in full sun to partial shade & any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native; (PW) Zones 3 - 7			3g		
Cornus sericea 'Baileyi' Bailey's Red-twig Dogwood DECIDUOUS FLOWERING SHRUB; white flowers in late May; white fruit in late summer; bushy habit to 9' tall & wide; reddish-purple fall foliage; locate in full sun to partial shade & any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native; Zones 2 7	2		3g 5g		- 1
Cornus sericea Pucker Up ('Neil Z') Compact Redtwig Dogwood; Compact Redosier Dogwood DECIDUOUS FLOWERING SHRUB; lightly fragrant semi-showy white flowers from late May into early June; clusters of white fruit in summer are favored by birds; thick glossy rugose puckered foliage that Furns orange to purplish-red in fall; bright red twigs in winter on youngest stems; compact upright The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property of the seminary organic boggy to moderately draining The property organic boggy to moderately draining	,		3g		- 1
Cotinus coggygria Golden Spirit ('Ancot') Golden Smoketree DECIDUOUS FLOWERING SHRUB; translucent, non burning, golden foliage, turns shades of red, orange, yellow & coral in fall; pinkish-white flowers appear from late spring into summer; broadly supright to 10' tall and almost as wide; locate in full to mostly sunny locations & virtually any soil with good to moderate drainage; native to southern Europe & Asia; Zones 4 - 8			3g		
Cotoneaster apiculatus Cranberry Cotoneaster EVERGREEN GROUND COVER; light pink flowers in late May; small bright red fruit from August into November; small glossy deciduous green summer foliage turns dark red in fall; wide spreading mounding habit staying under 3' tall; locate in sun to moderate shade & most well-drained soils; native to western China; Zones 4 - 7			2g 3g		
13 Decision Way West represented by:				8) 321-4	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cotoneaster dammeri 'Coral Beauty'			2g	
Bearberry Cotoneaster			3g	
VERGREEN GROUND COVER; low evergreen spreader; white spring flowers followed by persistent				
red fruit in late summer; locate in sun to moderate shade & most well-drained soils; native to China;				
Zones 5 - 8				
Cotoneaster horizontalis			2g	
Rockspray Cotoneaster			3g	
DECIDUOUS GROUND COVER; small pink flowers in late May; bright red fruit appears in September;				
oliage turns purple-red in fall; broadly spreading habit that builds on itself & can reach 6' or more in				
ime; locate in full sun to partial shade & well-drained organic moisture retentive soil; somewhat				
drought tolerant when established; native to northern Asia; Zones 5 - 7				
Cotoneaster salicifolius 'Scarlet Leader'			2g	
Villowleaf Cotoneaster			3g	
EVERGREEN GROUND COVER; low evergreen ground cover to 2' tall by 6' wide; small white flowers in				
ate May; persistent small red fruit; locate in full sun to partial shade & well-drained organic moisture retentive acidic to neutral soil; native to western China; Zones 6 - 7				
eterritve actuic to fleutrar son; flative to western crima; zones 6 - 7				
Crocosmia 'Lucifer'			2g	
Montbretia (Control of Control of				
PERENNIAL; small scarlet-red flower reach 4' from late June into Aug; dark green sword-like foliage to				
8' tall by 2' wide; good cut flower; be aware of spider mites; locate in full sun to partial shade & most				
organic moisture retentive soils; native to South Africa (Bloom) Zones (6) 7 - 9				
Cryptomeria japonica 'Black Dragon'			5g	
Compact Plume Japanese Cedar			7g	
EVERGREEN ORNAMENTAL CONIFER; slow upright grower; dark evergreen foliage; protect from				
winter winds; deer browse resistant; locate in full sun to partial shade & moist well-drained soil of any				
acidity; native to China & Japan; Zones (5) 6 - 8				
Cryptomeria japonica 'Globosa Nana'			3g	
Dwarf Globe Plume Japanese Cedar				
EVERGREEN ORNAMENTAL CONIFER; small dark green foliage in summer, which bronzes in winter;				
pendulous branch tips; dense shrub to 3-4' tall & wide; protect from winter winds; deer browse				
resistant; locate in full sun to partial shade & moist well-drained soil of any acidity; native to China &				
Japan; Zones 6 - 9				
Cupressocyparis leylandii			2g	
Leyland Cypress			5g	
EVERGREEN ORNAMENTAL CONIFER; fast-growing dark evergreen pyramid; can wind-burn in			7g	
exposed locations in winter; locate in full sun or minimal shade & any well-drained soil; tolerant of			10g	
aline soils; native US cross; Zones 6 - 10			15g	
Delosperma cooperi			1g	
Hardy Ice Plant PERENNIAL; purplish-pink daisy-like flowers from late spring through summer; spreading fleshy			2g	
ground hugging evergreen foliage to 6" tall turns burgundy over winter; resists deer browse; locate in				
full sun & well-drained soils that don't retain much if any moisture & is minimally fertile; drought				
olerant; native to South Africa; Zones 6 - 9				
Delegnorme aganori II ayandar lasi			2-	
Delosperma cooperi 'Lavender Ice'			2g	
Hardy Ice Plant PERENNIAL; light lavender daisy-like flowers with darker eyes from late spring through summer;				
spreading fleshy ground hugging evergreen foliage to 6" tall turns burgundy over winter; attracts				
butterflies; resists deer browse; locate in full sun & well-drained soils that don't retain much if any				
noisture & is minimally fertile; drought tolerant; native to South Africa; Zones 6 - 9				
3 Decision Way West represented by:			phone: (88	0) 204 4
S CHROSENE WAY WAS TO THE TOTAL THE TOTAL TO THE TOTAL TOTAL TO THE TO				a + 4/1-/14

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Delosperma Fire Spinner ('P001S')			1g		-
Hardy Ice Plant					
PERENNIAL; bicolor flowers of purple & orange in late spring to early summer; apple-green succulent					
oliage; vigorous low spreading grower to 24" in 2 years; resists deer browse; locate in full sun &					
well-drained soils that don't retain much if any moisture & is minimally fertile; drought tolerant; native to South Africa; Zones (5) 6 - 9					
					Ļ
Dennstaedtia punctilobula			1g		1
Hayscented Fern FERN; doubly to triply pinnate foliage reaches 2' to 3' tall; locate in partial shade & well-drained soil					
with good organic content; prefers acidic soil but is adaptable; Zones 3 - 8					
Deschampsia caespitosa 'Goldtau'			2g		N
Tufted Hairgrass			3g]"
ORNAMENTAL GRASS; dark semi-green foliage; golden flowers appear in June (later than the species)					
& last through August; seed heads are effective through winter; compact habit to 24" tall by 30" spread;					
locate in medium to partial shade & well-drained moisture retentive soil that's slightly acidic; can					
tolerate heat with ample soil moisture; US native; Zones 4 - 9					
Deutzia gracilis Chardonnay Pearls ('Steward')			3g		T
Golden Slender Deutzia					
DECIDUOUS FLOWERING SHRUB; white pearl-like flowers in spring; chartreuse summer foliage;					
compact upright mounding habit to 3' tall by 2' wide; locate in full sun to light shade (to prevent foliage					
burn) & any moist well-drained soil; Japanese native (PW) (Wood) Zones (4) 5 - 8					
Deutzia gracilis Crème Fraiche ('Mincreme')			3g		-
Variegated Slender Deutzia DECIDUOUS FLOWERING SHRUB; white star-like flowers in mid to late spring on old wood; medium					
green foliage with narrow white band on margin; cut out occasional reversions; mounding habit to 24"					
tall & wide; deer browse resistant; locate in full sun & well-drained moisture retentive soil; Japanese					
native (PW) Zones 5 - 8					
Deutzia gracilis 'Nikko'			20		+
Deutzia graciiis ivikko Dwarf Deutzia			3g		
DECIDUOUS FLOWERING SHRUB; white flower in May; low compact spreader; locate in full sun to					
light shade & any moist well-drained soil; Japanese native; PHS Gold Metal; Zones 4 - 8					
Deutzia Yuki Cherry Blossom ('NCDX2')			3g		H
Pink Hybrid Deutzia					
DECIDUOUS FLOWERING SHRUB; soft pink flowers with white edge in June; dark green foliage;					
mounding habit to 18" tall & wide; locate in full sun to light shade & any moist well-drained soil (PW)					
Zones (5) 6 - 7					
Dianthus Firewitch' / 'Feuerhexe'			1g		Γ
Cheddar Pink			2g		-
PERENNIAL; fragrant lacey magenta-pink flowers in May & June; grassy silver-blue evergreen foliage,					
compact spreading mound to 6" tall and slightly wider; deer browse resistant; locate in full sun &					
well-drained neutral to slightly alkaline soil; heat & somewhat drought tolerant; 2006 PPA; native to Europe & Asia [D. gratianopolitanus] Zones 5 - 9					
					L
Dianthus Raspberry Swirl ('Devon Siskin') Cheddar Pink			2g		- N
Cheddal Pilik PERENNIAL; very pale flowers fade to white with deep maroon edges; will bloom all summer if					
deadheaded; gray-green grass-like foliage; evergreen in southern range; low spreading habit to 7" tall					
by 9" wide; deer browse resistant; locate in full sun to minimal shade & well-drained neutral to alkaline					
soils; native to Europe & Asia (Whetman / Plant Haven) Zones 5 - 9					
13 Decision Way West represented by:			phone: (88	0) 204 4	
TO DOGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG			DITUITE, 100	U1 U4 174	J+

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Dicentra 'Gold Heart' Golden Bleeding Heart PERENNIAL; bright pink flowers with white tips on arching racemes in early spring; vivid golden foliage; interplant with later developing plants such as Hosta & Ferns; attracts hummingbirds; resists deer browse; locate in full to partial shade & well-drained organic moisture retentive soil; Asian native; Genus recently renamed Lamprocapnos (Pope / Terra Nova) Zones 5 - 9			2g	
Dicentra 'Luxuriant' Pink Cutleaf Bleeding Heart PERENNIAL; deep pink to light red flowers in May; doubly cut gray-green foliage which persists into early fall; compact mound to 15" tall & wide; locate un partial shade & rich organic well-drained moisture retentive soil; Genus recently renamed Lamprocapnos; US native cross [suspected parentage: D. eximia x D. formosa] Zones (4) 5 - 9			2g	
Dryopteris erythrosora Autumn Fern; Japanese Shield Fern FERN; new deeply serrated foliage emerges coppery before turning glossy green by summer; evergreen in frost-free areas; upright habit to 2' tall & wide; tolerant of rabbit browse; locate in full to partial shade & rich organic slightly acidic moisture retentive soil; native of Japan & China; Zones (5) 6 - 7 (8)			1g 2g	
Dryopteris erythrosora 'Brilliance' Brilliant Autumn Fern FERN; fiddleheads emerge pinkish before new deeply serrated lustrous orange fronds unfurl; summer foliage is glossy green; plants reach up to 24" tall and wide; tolerant of rabbit browse; locate in full to partial shade & rich organic slightly acidic moisture retentive soil; species is native of Japan & China; Zones (5) 6 - 7 (8)			2g	
Dryopteris labordei 'Golden Mist' Golden Wood Fern FERN; emerging fiddleheads are golden to orange; evergreen to semi-evergreen foliage matures to medium to dark glossy green; grows to 2' tall; resistant to most critter browsing; locate in partial to bright shade & rich organic acidic to neutral moisture retentive soil; Asian native; Zones 5 - 8			2g	
Dryopteris marginalis Eastern Wood Fern; Marginal Wood Fern FERN; leathery finely-dissected foliage grows to about 18" tall & wide; forms non spreading clumps; deer browse resistant; locate in bright shade & deep organic soils; tolerates moist and dry soils when established; eastern US native; Zones 3 - 8			1g 2g	
Echinacea 'Cheyenne Spirit' Multi-color Hybrid Coneflower PERENNIAL; a wide range of flower colors (red, orange, purple, scarlet, cream, yellow & white) appear atop bushy plants of varying heights - usually about 2' tall - from mid summer into early fall; seed heads are prized by goldfinches in winter; good cut flower; no major pest problems; attracts butterflies; resists deer browse; locate in full sun to light shade; tolerant of poor & dry soils; US native hybrid; Zones 5 - 7	5		1g / 4 Qt 1g 2g	
Echinacea 'Magnus' Pink Eastern Coneflower PERENNIAL; rose-pink flowers June to Sept; 2-3' tall; seed heads are prized by goldfinches in winter; good cut flower; no major pest problems; attracts butterflies; resists deer browse; locate in full sun to light shade; tolerant of poor & dry soils; US native hybrid [E. purpurea] Zones 3 - 9			1g 2g	
Echinacea 'PowWow White' White Eastern Coneflower PERENNIAL; 1" pure white petals around a golden center from June through August on 30" stems; densely branched upright habit to 30" tall by 18" wide; seed heads are prized by goldfinches in winter; good cut flower; no major pest problems; attracts butterflies; resists deer browse; locate in full sun to light shade; tolerant of poor & dry soils; US native hybrid [E. purpurea] Zones 3 - 9			1g 2g	
13 Decision Way West represented by:				8) 321-45

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	Ι
Echinacea 'PowWow Wildberry'			1g		-
Pink Eastern Coneflower			2g		+
PERENNIAL; dark rosy-pink to magenta flowers in profusion on stems up to 36" tall from early summer					
o frost; densely upright habit to 30" tall by 18" wide; seed heads are prized by goldfinches in winter;					
good cut flower; no major pest problems; attracts butterflies; resists deer browse; locate in full sun to					
light shade; tolerant of poor & dry soils; US native hybrid [E. purpurea] Zones 3 - 9					
Elaeagnus umbellata			3g		Ţ
Autumn Olive			10g		1
DECIDUOUS ORNAMENTAL SHRUB; fragrant white flowers in late May aren't particularly showy;					
silvery to red fruit in early fall; gray foliage; broad upright habit to 15' by 15' or more; withstands salty					
& other harsh conditions; can become invasive; Zones 4 - 8					
Elymus glauca 'Blue Dune'					Γ
see: Leymus arenarius 'Blue Dune'					
Eragrostis spectabilis			3g		+
Purple Lovegrass					
DRNAMENTAL GRASS; reddish-bronze inflorescence from late summer into fall on 2' stems; light green					
summer foliage turns bronze in fall; locate in full sun & well-drained soil; very drought tolerant; US					
native; Zones 5 - 8					
Erica x darleyensis 'Mediteranean Pink'			1g		+
Pink Heath			'9		
GROUND COVER; pink flower November through April; broadly spreading mounds to 24" tall; locate in	,				
ull sun & acidic sandy to loamy well drained soils; don't fertilize; tolerant of coastal conditions;					
European native; Zones (5) 6 - 7					
Tuise v deulevensie IN/le ditensusen \N/leitel			4 ==		+
Erica x darleyensis 'Mediteranean White' White Heath			1g		1
Writte meath GROUND COVER; white flower November through April; broadly spreading mounds to 24" tall; locate					
in full sun & acidic sandy to loamy well drained soils; don't fertilize; tolerant of coastal conditions;					
European native; Zones (5) 6 - 7					
			0 ==		+
Euonymus alatus 'Compacta'		24 20"	3g B&B		1
Compact Burning Bush DECIDUOUS ORNAMENTAL SHRUB; upright habit when young; wider than tall with maturity; bright		24 - 30"	B&B		1
red fall foliage; red seeds in fall; locate in sun or shade; tolerant of any soil that drains; not very drough		30 - 36"	D&D		1
tolerant; native to Asia; Zones 4 - 8					
			-		+
Euonymus fortunei 'Emerald Gaiety'			2g		†
Variegated Wintercreeper Euonymus EVERGREEN GROUND COVER; green foliage with irregular white margins; spreading to mounding			3g		1
nabit that can climb up walls; locate in sun or shade & any soil that drains; tolerant of coastal locations;					
native to China: Zones 5 - 8					
			_		+
Euonymus fortunei 'Emerald 'n Gold'			3g		1
Variegated Wintercreeper Euonymus EVERGREEN GROUND COVER; gold mottled foliage; low spreader that can climb up walls; locate in					
sun or shade & any soil that drains; tolerant of coastal locations; native to China; Zones 5 - 8					
			_		+
Euonymus fortunei 'Moonshadow'			2g		+
Variegated Wintercreeper Euonymus BROADLEAF EVERGREEN SHRUB; low spreading evergreen to 2' tall; narrow dark green edged leaves			3g		1
or spread LEAF EVERGREEN SHROB; low spreading evergreen to 2 tail; harrow dark green edged leaves with prominent golden centers; can climb walls; locate in sun or shade & any soil that drains; tolerant of					
coastal locations; native to China (Dugan N) Zones 5 - 8					
oustai locations, flative to chilla (Dugari N) 2011es 3 - 0					
2 Decision Way West represented by:			nhono: (99	0\004.4	- 4

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	1
Euonymus fortunei var. coloratus Purpleleaf Wintercreeper EVERGREEN GROUND COVER; green summer foliage turns purple in winter; locate in sun or shade & any soil that drains; tolerant of coastal locations; native to China; Zones 5 - 8		50 / flat 100/flat	2.25" pot cuttings		
Euonymus japonicus 'Aureo Marginata' / 'Aureomarginatus' Variegated Japanese Euonymus BROADLEAF EVERGREEN SHRUB; yellow margins on medium green foliage; compact upright habit to as much as 10' tall; locate in sun or shade & any soil that drains; tolerant of coastal locations; Asian native; Zones (6) 7 - 9			2g 3g		
Euonymus japonicus 'Green Spire' Japanese Euonymus BROADLEAF EVERGREEN SHRUB; columnar to 14' tall by 6' wide in 20 years; very dark glossy green foliage; small insignificant flowers in June; no fruit; rarely affected by Euonymus scale; tolerant of salt spray; locate in sun or shade & most any soil that drains; Japanese native (USNA) Zones (6) 7 - 9			3g		1
Euonymus japonicus 'Silver King' Variegated Japanese Euonymus BROADLEAF EVERGREEN SHRUB; green foliage with creamy edges; compact upright habit to as much as 10' tall; locate in sun or shade & any soil that drains; tolerant of coastal locations; Asian native; Zones (6) 7 - 9			2g 3g		
Euonymus kiautschovicus 'Manhattan' Spreading Euonymus BROADLEAF EVERGREEN SHRUB; bushy evergreen with dark glossy foliage; fragrant flowers in mid summer aren't ornamental; good hedging plant to 8' tall & wide; needs protection from winter winds in northern areas; locate in sun or shade & any soil that drains; Asian native; Zones 5 - 8			3g		
Euphorbia martinii 'Ascot Rainbow' Spurge PERENNIAL; cream, lime & green flower bracts in spring; summer foliage is green with narrow yellow edges which evolve to red, pink & orange in fall; grows to 20" tall & wide; resistant to deer & rabbit browse; locate in full sun to partial shade & well-drained minimally fertile soil; drought tolerant (Plant Haven) Zones 5 - 9			1g / 4 Qt		
Euphorbia polychroma 'Bonfire' Spurge PERENNIAL; yellow to chartreuse flowers from late spring into early summer; foliage opens green but turns red by summer; spreading mound to 10" tall by 18" wide; resistant to deer & rabbit browse; locate in full sun to partial shade & well-drained soil; drought tolerant; native to Europe & Asia Minor (Faria / Blooms of B) Zones 5 - 9	,		2g		- 1
Festuca glauca 'Elijah Blue' Blue Fescue ORNAMENTAL GRASS; low clumping grass with deep blue foliage & inflorescence; locate in full sun & well-drained soil; drought tolerant; will not tolerate soils that don't dry out; Zones 5 - 9			1g		
Forsythia x intermedia 'Lynwood' / 'Lynwood Gold' Border Forsythia DECIDUOUS FLOWERING SHRUB; profuse bright yellow flowers in early spring; upright arching habit to 5' tall & wide; locate in full sun (for maximum flower effect) to medium shade & any soil with reasonable drainage; tolerant of urban conditions; Chinese hybrid [F. suspensa x F. viridissima] Zones 5 - 8		4'	3g B&B		

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Fothergilla major 'Mount Airy' Large Fothergilla DECIDUOUS FLOWERING SHRUB; large fragrant white flower in May; orange-red fall foliage; locate			3g	
in full sun to 1/2 shade & well-drained acidic soil; US native; Zones (4) 5 - 7				
Gaillardia Mesa Bright Bicolor Blanketflower PERENNIAL; bright yellow petals surround reddish centers in early to mid-spring on sturdy stems; broad mound to 18" tall by 24" wide; deer browse resistant; attracts butterflies; good cut flower; locate in full sun to partial shade & well-drained soil; drought tolerant [G. x grandiflora] Zones 6 - 10			2g	
Gaillardia Mesa Peach Blanketflower PERENNIAL; bright golden petals surround orange centers in early to mid-spring on sturdy stems; broad mound to 18" tall by 24" wide; deer browse resistant; attracts butterflies; good cut flower; locate in full sun to partial shade & well-drained soil; drought tolerant [G. x grandiflora] Zones (5) 6 - 10			2g	
Gaylussacia brachycera Box Huckleberry; Little Big Plant SEMI-EVERGREEN GROUND COVER; white to light pink flowers in late May; edible dark blue berries in July & August; low spreading ericaceous shrub to about 12" high; spreads by rhizomes; small leathery green summer foliage turns bright red from late fall into or through winter; native to shady woodlands with moist well-drained highly organic acidic soil; North American native; Zones 3 - 7	,		1g	
Genista lydia Bangle ('Select') Lydia Broom; Dyers Greenwood; Woadwaxen DECIDUOUS FLOWERING SHRUB; profuse bright dark yellow flowers in mid to late spring; narrow arching green stems with very small leaves that are almost not noticeable reaches 2' tall & wide; deer browse resistant; locate in full sun & most well-drained soils; drought tolerant (PW) Zones 4 - 9			3g	
Geranium 'Karmina' Cambridge Geranium PERENNIAL; reddish-violet flowers in late spring; low spreading habit stays under 1' high; foliage turns reddish-orange in fall; attracts butterflies; resists deer & rabbit browse; locate in full sun to part shade & any soil that doesn't stay wet [x cantabrigiense] Zones 5 - 7	5		2g	
Geranium 'Max Frie' Pink Cranesbill; Pink Hardy Geranium PERENNIAL; large purple-pink blooms; spreading habbit to 10" tall by 24" wide; foliage turns reddish in fall; resists deer & rabbit browse; locate in full sun to partial shade & average well-drained moisture retentive soil; European native; Zones 5 - 8			1g 2g	
Geranium 'Rozanne' Blue Cranesbill; Blue Hardy Geranium PERENNIAL; violet-blue flowers with lighter centers from late spring to fall frost; deeply cut deep green foliage; clumping mound to 18" tall by 30" wide; attracts butterflies; deer & rabbit browse resistant; locate in full sun or afternoon shade & organic well-drained moist retentive soil; 2008 PPA; Zones 5 - 8			1g	
Geranium sanguineum 'Album' White Cranesbill; White Hardy Geranium PERENNIAL; white flowers from late May into June; spreading mound to 18" tall by 24" spread; dark green summer foliage turns reddish in fall; resists deer & rabbit browse; good disease resistance; locate in full sun to partial shade & average well-drained moisture retentive soil; European native; Zones (4) 5 - 8			1g	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	_
Geranium sanguineum var. striatum / 'Lancastriense' Dwarf Pink Cranesbill; Dwarf Pink Hardy Geranium PERENNIAL; pink flowers with crimson veins from late spring to early summer; foliage turns reddish in fall; low spreading habit to 9" tall by 24" wide; resists deer & rabbit browse; locate in full sun to partial shade & average well-drained moisture retentive soil; European native; Zones 5 - 8	7		2g		_ 1
Hakonechloa macra 'All Gold' Golden Hakone Grass; Golden Japanese Forest Grass ORNAMENTAL GRASS; golden to chartreuse foliage; clumping arching foliage to 12" tall by 18" wide; fairly slow grower; tolerates Black Walnut; locate in partial shade & organic well-drained moisture retentive soil; Japanese native; Zones (5) 6 - 8 (9)			1g		
Hakonechloa macra 'Aureola' Golden Variegated Hakone Grass; Golden Japanese Forest Grass ORNAMENTAL GRASS; golden foliage with narrow green longitudinal stripes; clumping habit to 18" tall & wide; fairly slow grower; tolerates Black Walnut; locate in partial shade & organic well-drained moisture retentive soil; Japanese native; 2009 PPA; Zones (5) 6 - 8 (9)			1g		
Hamamelis vernalis Vernal Witchhazel; Ozark Witchhazel DECIDUOUS FLOWERING SHRUB; variable fragrant yellow to red flowers from late January through February; dense shrubby habit to 8"; locate in full sun to significant shade & moist poorly drained soils; US native; Zones 4 - 8			3g		
Hedera helix English Ivy EVERGREEN VINE; dark foliage; climbing clinging vine; locate in sun or shade & any soil that's not consistently wet; some salt tolerance; native to China; Zones 4 - 9		100/flat	cuttings		
Hemerocallis 'Big Time Happy' Yellow Happy Ever Appster Daylily PERENNIAL; 4" yellow repeat bloomer; 18" tall; best located in full sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native (Apps) Zones 3 - 9			2g		
Hemerocallis 'Bridgeton Celebrity' Pink Trophytaker Daylily PERENNIAL; 4" dia; dark wine-red center surrounded by peach with a thin wine-red edge in July & August; 25" tall; best located in full sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native (Apps) Zones 3 - 9			2g		
Hemerocallis 'Court Troubadour' Red Daylily PERENNIAL; 6.5" diameter dark red petals with a white mid stripe & yellow center blooming in June & July; 26" tall; best located in full sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native; Zones 3 - 9			2g		
Hemerocallis Early Bird Cardinal ('Endless Heart') Jersey Earlybird ™ Red Daylily PERENNIAL; 4" watermelon red flowers with wavy edges & chartreuse throat appear in mid June & cal rebook as much as 4 times; it also produces 6 or more fans per season (2-3 is average) & usually more than one bloom per fan; evergreen foliage in most zones; best located in full sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils; somewhad rought tolerant; Asian native (Apps) Zones 4 - 9			2g		

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hemerocallis 'Happy Returns' 'ellow Happy Ever Appster Daylily 'ERENNIAL; 3" lemon yellow repeat bloomer; 16" tall; best located in full sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native (Apps) Zones 3 - 9			1g 2g	
Hemerocallis 'Jen Melon' (ellow Trophytaker Daylily PERENNIAL; late fragrant 7" yellow bloomer; 26" tall; best located in full sun or minimal shade & progranic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian mative (Apps) Zones 3 - 9			2g	
Hemerocallis 'Jungle Beauty' Purple Trophytaker Daylily PERENNIAL; 5.5" diameter dark, non-fading, purple-red flowers with chartreuse centers in July; 30" fall; best located in full sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native (Apps) Zones 3 - 9			2g	
Hemerocallis 'Just Plum Happy' Pink Happy Ever Appster Daylily PERENNIAL; 6" rose-pink w/ purple eye; repeat bloomer; best located in full sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native (Apps) Zones 3 - 9			2g	
Hemerocallis 'Pardon Me' Red Repeat-blooming Daylily PERENNIAL; repeat red bloomer; dwarf habit; best located in full sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native; Zones 3 - 9			1g 2g	
Hemerocallis 'Pure and Simple' Peach Trophytaker Daylily PERENNIAL; large peachy-apricot rebloomer in early to mid-summer; grows to 28" tall; best located in full sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native (Apps) Zones 3 - 9	,		2g	
Hemerocallis 'Red Hot Returns' Red Happy Ever Appster Daylily PERENNIAL; cherry-red re-bloomer with yellow throat to fall; best located in full sun or minimal shade a organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian mative (Apps) Zones 3 - 9			2g	
Hemerocallis 'Rosy Returns' Pink Happy Ever Appster Daylily PERENNIAL; 4" rose-pink re-bloomer to frost; 14" tall; best located in full sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian mative (Apps) Zones 3 - 9			1g 2g	
Hemerocallis 'Royal Frosting' White Trophytaker Daylily PERENNIAL; fragrant, 6" diameter ruffled creamy white flower with a greenish-yellow center in June & July; 33" tall; best located in full sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native (Apps) Zones 3 - 9	è		2g	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

		SIZE	ROOTS	QNTY
Hemerocallis 'Siloam Amazing Grace'			2g	
'ellow Trophytaker Daylily				
PERENNIAL; large creamy-yellow diploid flowers with a faint white rays in early to mid-summer; Prows to 26" tall; best located in full sun or minimal shade & organic well-drained moisture retentive				
oils, however adapts well to most well-drained soils; Asian native (Apps) Zones 3 - 9				
			4-	
Hemerocallis 'Stella 'd Oro' 'ellow Day Lily			1g 2g	
enow Day Enry PERENNIAL; repeat blooming golden blooms; dwarf habit; best located in full sun or minimal shade	&		29	
rganic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian				
native; Zones 3 - 9				
Hemerocallis 'Stephanie Returns'			2g	
Pink Happy Ever Appster Daylily				
PERENNIAL; 4" diameter, pink & rose bicolored flower with a plum eyezone and bright lime-green				
hroat on 18" scapes beginning early and reblooming into October; best located in full sun or minima				
hade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils Isian native (Apps) Zones 4 - 8	S;			
Hemerocallis 'Sunset Returns' 'ellow Happy Ever Appster Daylily			2g	
enow нарру Ever Appster Daynry PERENNIAL; 4" apricot, yellow & gold re-bloomer to frost; 15" tall; best located in full sun or minima	a/			
hade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils				
Isian native (Apps) Zones 3 - 9				
Hemerocallis 'Tuscawilla Tigress'			2g	
Orange Trophytaker Daylily				
PERENNIAL; 7" bright orange; early to mid-season; best located in full sun or minimal shade & orga	nic			
vell-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native				
Apps) Zones 3 - 9				
Hemerocallis 'Woodside Romance'			2g	
Pink Trophytaker Daylily	-1			
PERENNIAL; profuse lightly fragrant 5" rosy-pink diploid flowers with yellowish-green throat in mic eason & occasionally a smaller repeat show in late season; plants reach about 27" tall; best located i				
eason & occasionally a smaller repeat show in late season, plants reach about 27 tall, best located li ull sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to mo				
vell-drained soils; Asian native (Apps) Zones 3 - 9				
Heuchera 'Black Sea'			2g	
Purple Coral Bells			-9	
PERENNIAL; large fragrant creamy flowers over large very dark purple foliage in June & early July	;			
ompact spreading habit to about 24" high & wide; variable deer browse resistance; locate in dapple				
artial shade & rich organic well-drained neutral to slightly acidic soil; North American native; Zone 9	es 4			
Heuchera 'Caramel'			1g	
Pink Coral Bells PERENNIAL; light pink flowers on 18" stems over compact ruffled, apricot foliage in early summer;			2g	
ariable deer browse resistance; locate in dappled to partial shade & rich organic well-drained neutr	al			
o slightly acidic soil; North American native; more tolerant of heat and humidity than other Heuchei				
H. villosa] Zones (4) 5 - 8				
Heuchera 'Carnival Watermelon'			1g	
Coral Bells				
PERENNIAL; white flowers on 15" stems in spring; peachy-pink new foliage matures to silvery-green	7			
vith prominent dark green venation; peachy-pink returns with cooler temperatures; low compact	0			
preader to 12" high by 16" wide; variable deer browse resistance; locate in dappled to partial shade of the present of the property of the pro	X.			
ich organic well-drained neutral to slightly acidic soil; North American native; Zones 3 - 8				
				8) 321-45

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Heuchera 'Circus' Pink Coral Bells PERENNIAL; magenta flowers on 18" stems in late spring; chartreuse to medium green foliage with maroon veins become shades of green, yellow & pink in fall; variable deer browse resistance; locate in dappled to partial shade & rich organic well-drained neutral to slightly acidic soil; North American mative (Delabroye) Zones (4) 5 - 8			2g	
Heuchera 'Encore' Fancy-leafed Coral Bells PERENNIAL; new foliage is dark purple with a silver sheen which matures to rosy-purple by summer with enhanced silvery sheen; ivory-white flowers appear in late summer; upright mound to 18" tall by 12" wide; variable deer browse resistance; locate in full sun to partial shade & rich organic well-drained neutral to slightly acidic soil; North American native (Delabroye) Zones 4 - 8 (9)			2g	
Heuchera 'Miracle' Variegated Coral Bells PERENNIAL; small pink flowers in late spring rising above the foliage; new foliage emerges chartreuse and matures to deep red with a chartreuse edge; grows to 18" tall by 24" wide; variable deer browse resistance; locate in dappled to partial shade & rich organic well-drained neutral to slightly acidic soil; North American native; Zones 4 - 9			2g	
Heuchera 'Palace Purple' Purple Coral Bells PERENNIAL; burgundy mounds to 15"; needs shade; variable deer browse resistance; locate in dappled to partial shade & rich organic well-drained neutral to slightly acidic soil; North American native [H. micrantha] Zones 6 - 8			1g 2g	
Heuchera 'Plum Pudding' Purple Coral Bells PERENNIAL; shiny deep burgundy to plum-purple foliage; compact; creamy flowers; variable deer browse resistance; locate in dappled to partial shade & rich organic well-drained neutral to slightly acidic soil; North American native; Zones 5 - 9			1g 2g	
Hibiscus syriacus Blue Chiffon ('Notwoodthree') Blue Rose-of-Sharon; Blue Althea DECIDUOUS FLOWERING SHRUB; semi-double lavender blue flower; blooms well in hot weather; yellowish fall foliage; upright habit to about 6' tall & wide; locate in full sun to light shade & rich organic well drained soils; not fussy about pH; Asian native (PW / Woods) Zones 5 - 8 (9)			5g	
Hibiscus syriacus Lavender Chiffon ('Notwoodone') Lavender Rose-of-Sharon; Lavender Althea DECIDUOUS FLOWERING SHRUB; large single lavender bloom with lacy center; blooms all summer; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall & almost as wide; locate in full sun to light shade & rich organic well drained soils; not fussy about pH; Asian native (PW) Zones 5 - 8 (9)			5g	
Hosta 'Blue Angel' Platan Lily PERENNIAL; large blue heart-shaped foliage with wavy edges; heavy blooming white flowers; large grower; attracts hummingbirds; tolerates Black Walnuts & urban conditions; locate in light to heavy shade & organic well-drained moisture retentive soil; Asian native; Zones 3 - 9			2g	
Hosta 'Francee' Plantan Lily PERENNIAL; dark green foliage with narrow white edge; pale lavender flowers on 18" scapes; mounding habit to 21" tall by 36" wide; tolerates Black Walnuts & urban conditions; sport of H. Fortunei Albomarginata'; attracts hummingbirds; tolerates Black Walnuts; locate in light to heavy shade & organic well-drained moisture retentive soil; Asian native; Zones 3 - 9			1g 2g	
13 Decision Way West represented by:			phone: (88	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Plantan Lily PERENNIAL; thick slug resistant blue-green foliage with soft yellow to chartreuse edge which widens with age; white flowers in mid-summer on 30" scapes; mounding habit to 2' tall by 4' wide; attracts nummingbirds; tolerates Black Walnuts & urban conditions; locate in light to heavy shade & organic well-drained moisture retentive soil; Asian native (Williams) Zones 3 - 9			2g	
Hosta 'Guacamole' Plantan Lily PERENNIAL; fragrant white flowers in late summer on 36" scapes; glossy veined light green foliage with darker edges; spreading clumps up to 2' tall by 3' wide; attracts hummingbirds; tolerates Black Walnuts & urban conditions; locate in light to heavy shade & organic well-drained moisture retentive soil; Asian native (Solberg) Zones 3 - 9			2g	
Hosta 'Halcyon' Plantan Lily PERENNIAL; thick pointed blue-green foliage resists slugs; lavender flowers on 28" scapes; compact habit to 18" tall by 3' wide; attracts hummingbirds; tolerates Black Walnuts & urban conditions; locate in light to heavy shade & organic well-drained moisture retentive soil; Asian native (Smith) Zones 3 - 9			1g	
Hosta 'June' Platan Lily PERENNIAL; foliage has creamy gold centers surrounded by irregular bluish-green edges; light lavender flowers on 20" spikes in July & August; grows to 12" tall by 30" spread; tolerant of heavy shade; attracts hummingbirds; tolerates Black Walnuts & urban conditions; locate in light to heavy shade & organic well-drained moisture retentive soil; Asian native; Tardiana Group; Zones 3 - 9			1g 2g	
Hosta 'Krossa Regal' Plantan Lily PERENNIAL; large thick vase-shaped gray-blue foliage on clumps to 40" tall by as much as 6' wide; slug resistant; lavender flowers on 5' scapes; attracts hummingbirds; tolerates Black Walnuts & urban conditions; locate in light to heavy shade & organic well-drained moisture retentive soil; Asian native (Krossa) Zones 3 - 9			2g	
Hosta 'Patriot' Plantan Lily PERENNIAL; 5-7" dark green leaves with narrow bright white border; lavender flowers on 30" scapes in mid-summer; mounding habit to 20" tall by 30" wide; sport of 'Francee'; attracts hummingbirds; tolerates Black Walnuts & urban conditions; locate in light to heavy shade & organic well-drained moisture retentive soil; Asian native; 1997 Hosta of the Year (Machen) Zones 3 - 9			1g 2g	
Hosta sieboldiana 'Elegans' Plantan Lily PERENNIAL; huge gray-blue foliage; very pale (almost white) lavender flowers in June; large mounding habit to 3' tall by 4' wide; tolerant of Black Walnut; more sun tolerant than most cultivars; attracts hummingbirds; tolerates Black Walnuts & urban conditions; locate in light to heavy shade & organic well-drained moisture retentive soil; Asian native; Zones 3 - 9			2g	
Hosta 'Wide Brim' Plantan Lily PERENNIAL; irregular creamy yellow margin surrounds dark green centers; lavender flowers on 24" scapes; mounding habit to 15" tall by 36" wide; attracts hummingbirds; tolerates Black Walnuts & urban conditions; not very sun tolerant; locate in light to heavy shade & organic well-drained moisture retentive soil; Asian native (Aden) Zones 3 - 9			2g	
13 Decision Way West represented by:				8) 321-4!

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hydrangea anomala subsp. petiolaris			3g	
TRELLIS				
Climbing Hydrangea				
DECIDUOUS VINE; dull white fragrant flowers in late June; variable yellow fall foliage; exfoliating tan				
bark; locate in light to moderate shade & well-drained organic moisture retentive soil; native of Asia;				
Zones 4 - 7 (8)				
Hydrangea arborescens 'Annabelle'			3g	
Smooth Hydrangea				
DECIDUOUS FLOWERING SHRUB; very showy flowers from the new wood beginning in late June;				
bushy grower to 5' high & wide; dark green serrated summer foliage turns a variable yellowish to				
brown in fall; locate in morning sun or partial shade & well-drained organic moisture retentive soil of				
any pH; supplemental moisture during hot dry spells in summer is recommended; PHS Gold Metal; US				
native; Zones (3) 4 - 9				
Hydrangea arborescens Incrediball ('Abetwo')			3g	
White Smooth Hydrangea			3	
DECIDUOUS FLOWERING SHRUB; 12" flowers on sturdy stems that open lime green, turn pure white,				
then fade to pale green from mid-summer into fall; bushy grower to 5' high & wide; dark green summer				
foliage turns a variable yellowish to brown in fall; locate in morning sun or partial shade & well-drained	,			
organic moisture retentive soil of any pH; supplemental moisture during hot dry spells in summer is				
recommended; US native (Spring Meadow) Zones (3) 4 - 9				
Hydrongoo maaranbylla 'All Cummar Paguty'			20	
Hydrangea macrophylla 'All Summer Beauty'			3g 7g	
Bigleaf Hydrangea DECIDUOUS FLOWERING SHRUB; bright blue (acidic soils) or light pink (alkaline) mophead flowers			79	
from mid-summer into fall; blooms from new as well as old wood; matures to about 5' by 5'; locate in				
full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but				
with good moisture retention; good salt tolerance for coastal areas; Japanese native; Zones (5) 6 - 9				
Hydrangea macrophylla BloomStruck (Endless Summer / 'PIIHM-II')			5g	
Blue Mophead Bigleaf Hydrangea			7g	
DECIDUOUS FLOWERING SHRUB; pink or blue mop-like summer flowers on old & new wood; flower				
color varies with soil acidity (low pH yields blue); dark green summer foliage turns reddish-purple in				
fall; matures to about 4' tall by 5' wide; locate in full sun to partial or afternoon shade (especially in				
southern range); soil needs to be well-drained, but with good moisture retention; good salt tolerance for				
coastal areas; Japanese native (Bailey) Zones (5) 6 - 9				
Hydrangea macrophylla 'Blushing Bride'			5g	
White Bigleaf Hydrangea				
DECIDUOUS FLOWERING SHRUB; white blooms turn a soft blue in acidic soils and soft pink on neutral				
or alkaline soils; blooms on new & old wood; extended bloom period from late spring through frost;				
matures to about 5' by 5'; locate in full sun to partial or afternoon shade (especially in southern range);				
soil needs to be well-drained, but with good moisture retention; good salt tolerance for coastal areas;				
Japanese native; Zones (5) 6 - 9				
Hydrangea macrophylla Cityline Rio ('Ragra')			3g	
Blue Mophead Bigleaf Hydrangea			-9	
DECIDUOUS FLOWERING SHRUB; blue to purple mop-like summer flowers on old wood; flower color				
varies with soil acidity (low pH yields blue); compact habit to about 3' tall & wide; locate in full sun to				
partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good				
moisture retention; good salt tolerance for coastal areas; Japanese native (PW) Zones (5) 6 - 9				
13 Decision Way West represented by:			phone: (88	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
lydrangea macrophylla Double Delights 'Freedom'			3g	
ouble Pink Lacecap Bigleaf Hydrangea				
DECIDUOUS FLOWERING SHRUB; reblooming double to semi-double pink flowers with white edges				
rom late spring to fall on old wood & new wood if spent flowers are removed; dark green summer				
oliage; compact spreading habit to about 3' tall by 5' wide; locate in full sun to partial or afternoon hade (especially in southern range); soil needs to be well-drained, but with good moisture retention;				
nade (especially in southern ange), son needs to be wen-drained, but with good moisture retention, good salt tolerance for coastal areas; Japanese native (Ball) Zones (5) 6 - 9				
<u> </u>			2	
Hydrangea macrophylla Double Delights 'Peace' ('H18-12') Double White Bigleaf Hydrangea			3g	
DECIDUOUS FLOWERING SHRUB; double flowers open greenish-white in spring on old wood which				
nature to bright white; more flowers open on new wood throughout the summer if spent flowers are				
emoved; dark green summer foliage; compact spreading mound to about 3' tall & wide; good salt				
olerance for coastal areas; locate in full sun to partial or afternoon shade (especially in southern				
range); soil needs to be well-drained, but with good moisture retention; Japanese native (Ball) Zones				
(5) 6 - 9				
Hydrangea macrophylla Double Delights Wedding Gown ('Dancing			3g	
Snow')				
Bigleaf Hydrangea				
DECIDUOUS FLOWERING SHRUB; buds open as large double white flowers on old wood before				
ecoming lacecaps; matures to about 3' tall by 5' wide; locate in full sun to partial or afternoon shade				
especially in southern range); soil needs to be well-drained, but with good moisture retention; good salt				
olerance for coastal areas; Japanese native (Ball) Zones (5) 6 - 9				
lydrangea macrophylla Edgy Orbits (™Harbits')			3g	
Double Pink Lacecap Hydrangea				
DECIDUOUS FLOWERING SHRUB; pink & white lace-cap flowers in mid-summer on old wood; flower				
olor varies with soil acidity (low pH yields blue); matures to about 4' tall by 4' wide; locate in full sun to)			
vartial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good noisture retention; good salt tolerance for coastal areas; Japanese native (PW) (Wood) Zones (5) 6 - 9				
Hydrangea macrophylla Endless Summer ('Bailmer')			5g	
Bigleaf Hydrangea			7g sqt	
DECIDUOUS FLOWERING SHRUB; blue blooms in acidic soils on new & old wood; flower color varies with soil acidity (low pH yields blue); matures to about 3' tall by 3' wide; locate in full sun to partial or				
fternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture				
etention; good salt tolerance for coastal areas; Japanese native (Bailey) Zones (5) 6 - 9				
Hydrangea macrophylla Everlasting Ocean ('Hortmoc')			3g	
Bicolor Mophead Bigleaf Hydrangea			- Og	
DECIDUOUS FLOWERING SHRUB; masses of light pink cup-shaped florets emerge on sturdy stems				
which slowly transition to darker pink with creamy edges & finally to lime-green with darker pink				
nargins; color varies with soil acidity (low pH inserts blue shades); blooms May to June; matures to				
bout 4' tall & wide; the Everlasting Series were bred for the cut flower market; characteristics of which				
re large persistent blooms on very sturdy stems; locate in full sun to partial or afternoon shade				
especially in southern range); soil needs to be well-drained, but with good moisture retention; Japanese	è			
ative (Kolster / Plants Noveau) Zones (5) 6 - 9				
lydrangea macrophylla 'Masja'			3g	
Pink Bigleaf Hydrangea				
DECIDUOUS FLOWERING SHRUB; bright pink to red mophead flowers in summer on old wood; flower				
olor varies with soil acidity (low pH yields purple); dark green summer foliage; matures to about 4' tal.				
by 4' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be				
vell-drained, but with good moisture retention; good salt tolerance for coastal areas; Japanese native;				
ones (5) 6 - 9				
2 Decision Way West represented by:		-	nhono: /999	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Hydrangea macrophylla 'Nikko Blue'			3g		-
Bigleaf Hydrangea					
DECIDUOUS FLOWERING SHRUB; prolific large blue flowers all summer on old wood; flower color					
varies with soil acidity (low pH yields blue); dark green summer foliage; matures to about 6' tall by 6'					
wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; good salt tolerance for coastal areas; Japanese native;					
Zones (5) 6 - 9					
			_		H
Hydrangea macrophylla Twist-n-Shout (Endless Summer / 'PIIHM-I')			5g		
Reblooming Bigleaf Hydrangea DECIDUOUS FLOWERING SHRUB; reblooming pink or blue flowers from old & new wood; flower coloi					
varies with soil acidity (low pH yields blue); dark green summer foliage on red stems; compact					
spreading habit to about 5' tall by 5' wide; locate in full sun to partial or afternoon shade (especially in					
southern range); soil needs to be well-drained, but with good moisture retention; good salt tolerance for					
coastal areas; Japanese native (Dirr) Zones 4 - 9					
Hydrangea paniculata Bobo ('ILVOBO')			3g		
Dwarf Late Panicle Hydrangea					
DECIDUOUS FLOWERING SHRUB; large white cone-shaped flowers in late summer fade to pink with					
age on new wood; blooms on new wood from mid summer into fall; compact spreading habit to about 3'					
tall by 4' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs					
to be well-drained, but with good moisture retention; Asian native (PW) Zones 3 - 9					
Hydrangea paniculata 'Bombshell'			5g		N
BUSH					
Compact Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; profuse white flowers from early summer into fall on new wood;					
dark green foliage; compact spreading habit to about 3' tall by 3' wide; locate in full sun to partial or					
afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture					
retention; Asian native; Zones 4 - 9					
Hydrangea paniculata Fire & Ice ('Wim's Red')			7g		N
Late Panicle Hydrangea					'
DECIDUOUS FLOWERING SHRUB; creamy-white sterile flowers open in early summer on new wood					
then turn pink by mid-summer and ultimately burgundy in the fall on sturdy stems; medium green					
foliage; compact broadly upright habit to about 5' tall & wide in 8-10 years; locate in full sun to partial					
or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture					
retention; Asian native (Ball) Zones (3) 4 - 8					
Hydrangea paniculata 'Grandiflora'			7g		Γ
TREE FORM			10g		N
PeeGee Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; large white sterile flowers from mid-summer into fall on new					
wood; dark green foliage; spreading habit to about 20' tall by 15' wide at maturity; branching starts at					
about 3-4' above the ground on a single trunk; locate in full sun to partial or afternoon shade (especially					
in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones					
4 - 9					
Hydrangea paniculata 'Limelight'			3g		T
BUSH			7g		N
Late Panicle Hydrangea			10g		-
DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark					
green foliage; spreading habit to about 8' tall & wide at maturity; locate in full sun to partial or					
afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture					
retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9					
13 Decision Way West represented by:			phone: (88	8) 321-4	54

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hydrangea paniculata 'Limelight'			7g sqt	
TREE FORM Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark areen foliage; spreading habit to about 8' tall & wide at maturity; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to partial or afternoon shade (especially in southern trange); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native PW) Zones 4 - 9			7g	
lydrangea paniculata 'Little Lime'			3g	
BUSH Dwarf Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; bright lime green flowers in late summer on new wood; dark green foliage; spreading habit to about 5' tall & wide at maturity; locate in full sun to partial or afternoon thade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9				
Hydrangea paniculata Little Quick Fire ('SMHPLQF') Owarf Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata types on new wood, then turn rosy-pink; dark green foliage; compact rounded habit to about 4' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9			3g	
Hydrangea paniculata 'Phantom' BUSH			3g 7g	
Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; huge white ball-like panicle clusters on stiff branches in late summer on new wood; dark green foliage; spreading habit to about 10' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9				
Hydrangea paniculata 'Phantom'			7g sqt	
TREE FORM Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; huge white ball-like panicle clusters on stiff branches in late summer on new wood; dark green foliage; spreading habit to about 10' tall & wide at maturity; pranching starts at about 3-4' above the ground on a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9			7 g	
- Hydrangea paniculata 'Pink Diamond'			7g sqt	
TREE FORM Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; off-white to light pink flowers turn variable shades pink with age in late summer on new wood; dark green foliage; spreading habit to about 10' tall & wide at maturity; loranching starts at about 3-4' above the ground on a single trunk; locate in full sun to partial or lafternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture letention; Asian native; Zones 4 - 9			7g 10g	
Hydrangea paniculata Pinky Winky ('DVPPinky')			3g	
BUSH Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; profuse 12" white flowers turn pink as they age while pushing more white flowers at the tips, giving a two-tone effect in late summer on new wood; dark green foliage; spreading habit to about 8' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian mative (PW) Zones 4 - 9				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	1
Hydrangea paniculata Quick Fire ('Bulk')			3g		4
ink Late Panicle Hydrangea			7g		-
ECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata /pes on new wood, then turn rosy-pink; dark green foliage; spreading habit to about 8' tall & wide at			10g		-
naturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be					
vell-drained, but with good moisture retention; Asian native; Zones 4 - 9					
Hydrangea paniculata Quick Fire ('Bulk')			7g sqt		_
TREE FORM	I		7g		_
ate Panicle Hydrangea					
DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata					
ypes on new wood, then turn rosy-pink; dark green foliage; spreading habit to about 8' tall & wide at naturity; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to partial					
or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture					
retention; Asian native; Zones 4 - 9					
Hydrangea paniculata Sweet Summer ('Bokrathirteen')			3g		_
Compact Late Panicle Hydrangea			7g		╛
DECIDUOUS FLOWERING SHRUB; large greenish-white blooms on sturdy stems from early summer					
nto fall; mature flowers turn pink revealing green & pink flowers at the same time on new wood; dark					
green foliage; spreading habit to about 5' tall by 6' wide at maturity; branching starts at about 3-4'					
above the ground on a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (Ball)					
Zones 4 - 9					
Hydrangea quercifolia			7g		-
Dakleaf Hydrangea			10g		
DECIDUOUS FLOWERING SHRUB; pyramidal flowers in late June on old wood, turn pure white then					
oinkish in late summer; burgundy to scarlet fall foliage; tan exfoliating bark; broadly upright habit to 8	,				
or more tall & wide; locate in partial or filtered shade with rich organic well-drained soil; US native;					
Zones 5 - 9					
Hydrangea quercifolia 'Alice'			3g		4
Dakleaf Hydrangea					
DECIDUOUS FLOWERING SHRUB; large white pyramidal blooms in June & July on old wood; consistent burgundy-red fall foliage; tan exfoliating bark; vigorous broadly upright habit to 10'; locate					
s partial or filtered shade with rich organic well-drained soil; US native; Zones 5 - 9					
Hydrangea quercifolia Jetstream (First Editions - 'PIIHQ-I')			3g		
Dakleaf Hydrangea					
DECIDUOUS FLOWERING SHRUB; large white pyramidal blooms in June & July on old wood turn					
dark pink with age; dark green leaf-spot resistant summer foliage turns orange-red fall in fall; tan					
exfoliating bark; broadly upright habit to 6' tall by 5' wide; locate in full sun to partial or filtered shade & rich organic well-drained moisture retentive soil; US native (Plant Intro.) Zones 5 - 8					
Hydrangea quercifolia 'Munchkin'			3g		+
Dwarf Pink Oakleaf Hydrangea			3g		7
DECIDUOUS FLOWERING SHRUB; large white pyramidal blooms in June & July on old wood turn					
nedium pink then rose-pink by early summer on sturdy stems above the foliage; consistent					
ourgundy-red fall foliage; tan exfoliating bark; compact spreading habit to 4' tall by 5' wide; locate in					
partial or filtered shade with rich organic well-drained soil; US native (Reed) Zones 5 - 9					
Hydrangea quercifolia 'Queen of Hearts'			3g		_
Compact Oakleaf Hydrangea					
DECIDUOUS FLOWERING SHRUB; masses of 9" white pyramidal blooms appear in early summer on					
old wood which slowly age to a deep pink; flowers held above the foliage & appear a week or more before standard cultivars & remain effective longer; mahogany-red fall foliage; tan exfoliating bark;					
compact spreading habit to 6' tall by 9' wide when mature; locate in partial or filtered shade with rich					
organic well-drained soil; US native (USNA) Zones 5 - 9					

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Hydrangea quercifolia 'Ruby Slippers'			3g		I
Compact Pink Oakleaf Hydrangea			5g		- 1
DECIDUOUS FLOWERING SHRUB; flowers open white on old wood, but quickly age to pale pink then					
ose in mid summer; compact spreading habit to 3.5' tall by 5' wide in 7 years; dark green summer foliage turns mahogany-red in fall; tan exfoliating bark; vigorous broadly upright habit to 10'; locate in					
onage turns manogarly-red irrian, tarrexionating bark, vigorous broadly upright habit to 10-, locate irr partial or filtered shade with rich organic well-drained soil; US native (USNA) Zones 5 - 9					
					ļ
Hydrangea quercifolia 'Sikes Dwarf'			3g		
Compact Oakleaf Hydrangea DECIDUOUS FLOWERING SHRUB; 12" tall flowers open light green in late June on old wood, turn pure					
white then pinkish in late summer; burgundy to scarlet fall foliage; tan exfoliating bark; compact					
spreading habit to 3' tall by 4' wide; locate is partial or filtered shade with rich organic well-drained					
soil; US native (Sikes) Zones 5 - 9					
Hydrangea quercifolia Snow Queen ('Flemygea')			5g		1
Dakleaf Hydrangea					
DECIDUOUS FLOWERING SHRUB; masses of 6" to 8" pyramidal flowers in late June on old wood,					
turn pure white then pinkish in late summer; burgundy to scarlet fall foliage; tan exfoliating bark; broadly upright habit to 8' tall & wide; locate in partial or filtered shade with rich organic well-drained					
soil; US native; PHS Gold Metal (Flemer) Zones 5 - 9					
Hydrangea serratifolia Tuff Stuff - Red ('SMNMAKTSR')			3g		- 1
Red Japanese Lacecap Hydrangea			Jy		1
DECIDUOUS FLOWERING SHRUB; deep pinkish-red lace-cap flower on old & new wood from early					
hrough late summer; compact habit to about 3' high & wide; dark green foliage; locate in full sun to					
partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good					
moisture retention; Japanese native; Zones 5 - 9					
Hypericum Magical Sunshine ('Kolmasun')			3g		Ī
St. Johnswort					
DECIDUOUS FLOWERING SHRUB; small yellow flowers from May into June; rust-resistant fruit &					
foliage; very showy clusters of persistent soft yellow fruit; compact mounding habit to 3' tall & wide;					
attracts butterflies & hummingbirds; locate in full sun to light shade & well-drained moisture retentive soil (Plants Noveau) Zones 5 - 9					
					L
Hypericum Magical Universe ('Kolumni')			3g		1
St. Johnswort DECIDUOUS FLOWERING SHRUB; small yellow flowers from May into June; bluish-green					
rust-resistant summer foliage; very showy fruit appears red before turning purple in fall; compact					
mounding habit to 3' tall & wide; attracts butterflies & hummingbirds; locate in full sun to light shade &					
well-drained moisture retentive soil (Plants Noveau) Zones 5 - 9					
Hypericum patulum 'Hidcote'			3g		+
St. Johnswort					
DECIDUOUS FLOWERING SHRUB; fragrant golden yellow flowers on new growth from June through					
Sept; spreading groundcover that gets about 3' high & wide; blue-green summer foliage; locate in full					
sun to partial shade and any well drained soil; Japanese native; Zones (5) 6 - 8					
lex x aquipernyi Dragon Lady ('Meschick')			3g		1
Pyramidal Holly EVERGREEN TREE, parrow groop pyramid with spiny dark groop foliago that recists door browses.			5g		+
EVERGREEN TREE; narrow green pyramid with spiny dark green foliage that resists deer browse; somewhat self-fruitful; locate in well drained acidic organic soils & full sun to partial shade; Zones 6 - 9			7g		1
somewhat sen-n untur, locate in wen uranieu actuit of yantt sons & full sun to partial shaue; 20Nes 6 - 9					
13 Decision Way West represented by:			phone: (88	0) 004 4	<u>_</u>

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
lex x China Boy ('Mesdob')			3g	
Meserve Holly VERGREEN SHRUB; compact mound to 10' high & wide; glossy bright green foliage; locate in well Irained acidic organic soils & full sun to partial shade; Zones 6 - 9				
lex x China Girl ('Mesog') Meserve Holly EVERGREEN SHRUB; glossy bright green foliage; red fruit; vigorous bushy habit; locate in well Irained acidic organic soils & full sun to partial shade; Zones 6 - 9		24 - 30"	3g B&B	
lex cornuta 'Dwarf Burford' Dwarf Chinese Holly BROADLEAF EVERGREEN SHRUB; compact habit - especially when maintained; small glossy foliage; and fruit; locate in well drained acidic organic soils & full sun to partial shade; native to China & Korea; alones (6) 7 - 9			3g	
lex crenata 'Chesapeake' lapanese Holly EVERGREEN SHRUB; upright habit with glossy dark green convex foliage; needs acid soil and adequate drainage; locate in well drained acidic organic soils & full sun to partial shade; Asian native; Cones (5) 6 - 7 (8)			3g 7g	
lex crenata 'Compacta' Japanese Holly EVERGREEN SHRUB; small glossy convex green foliage; compact spreader; locate in well drained acidic organic soils & full sun to partial shade; Asian native; Zones (5) 6 - 7 (8)			3g	
lex crenata 'Golden Heller'			2g	
Golden Japanese Holly EVERGREEN SHRUB; low spreading mound to 2' tall x 4' wide; green foliage has significant amounts o gold overlaying the dark green; brightest gold in full sun; protection from winter winds in coldest regions advisable along with mulching; needs acid soil and adequate drainage; Asian native; Zones 6 - 8			3g	
llex crenata 'Green Lustre' Japanese Holly EVERGREEN SHRUB; glossy green foliage; compact spreading habit; locate in well drained acidic organic soils & full sun to partial shade; Asian native; Zones 5 - 7 (8)			3g	
lex crenata 'Helleri'			2g	
Japanese Holly EVERGREEN SHRUB; low spreading compact mounding habit; locate in well drained acidic organic soils & full sun to partial shade; Asian native; Zones (5) 6 - 7 (8)			3g	
llex crenata 'Hetzi' Japanese Holly EVERGREEN SHRUB; broadly spreading green mound to 10' with age; larger than 'Convexa' in form & Toliage; locate in well drained acidic organic soils & full sun to partial shade; Asian native; Zones (5) 6 - Toliage; locate in well drained acidic organic soils & full sun to partial shade; Asian native; Zones (5) 6 - Toliage; locate in well drained acidic organic soils & full sun to partial shade; Asian native; Zones (5) 6 -			3g	
Ilex crenata 'Hoogendorn' Japanese Holly EVERGREEN SHRUB; low spreading habit; gets a little bigger than 'Helleri; locate in well drained acidic organic soils & full sun to partial shade; Asian native; Zones 5 - 7 (8)			3g	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

lov energete [Ni:engl	AVAIL.	SIZE	ROOTS	QNTY
lex crenata 'Nigra'			3g	
Ipright Japanese Holly			7g	
VERGREEN SHRUB; upright; other cultivars may be hardier; locate in well drained acidic organic oils & full sun to partial shade; Asian native; Zones (5) 6 - 7 (8)				
uns & Tun sun to partial shade, Asian hative, Zones (3) 6 - 7 (6)				
lex crenata 'Sky Pencil'			3g	
astigiate Japanese Holly			5g	
VERGREEN SHRUB; very narrow upright habit; locate in well drained acidic organic soils & full sun				
o partial shade; Asian native; Zones (5) 6 - 7 (8)				
lex crenata 'Soft Touch'			3g	
apanese Holly				
VERGREEN SHRUB; dense compact mound; glossy; locate in well drained acidic organic soils & full				
un to partial shade; Asian native; Zones 5 - 7 (8)				
lex crenata 'Steeds'			3g	
Ipright Japanese Holly			7g sqt	
VERGREEN SHRUB; upright green; good hedging plant; locate in well drained acidic organic soils &			7g	
ıll sun to partial shade; Asian native; Zones 5 - 7 (8)				
ex glabra 'Shamrock'			3g	
ompact Inkberry			5g	
VERGREEN SHRUB; compact form with pointed foliage; more compact than most other forms;			7g	
ccellent in wet sites; deer browse resistant; Zones (4) 5 - 9		24 - 30"	3g	
ex x meserveae Blue Maid ('Mesid')			3g	
pright Blue Holly; Upright Meserve Holly			5g	
VERGREEN SHRUB; dark blue-green foliage; upright columnar habit to 15'; red fruit; excellent hedge			7g	
r specimen plant; sheared for hedging; locate in well drained acidic organic soils & full sun to partial			10g	
hade; PHS Gold Metal; Zones 5 - 8				
lex x meserveae Blue Prince ('Conablu')			3g	
Blue Holly; Meserve Holly				
VERGREEN SHRUB; broadly upright habit to 10'; male pollinator; dark blue-green foliage; locate in				
vell drained acidic organic soils & full sun to partial shade; Zones 5 - 9				
lex x meserveae Castle Spire ('Hachfee')			3g	
Compact Pyramidal Female Blue Holly; Compact Pyramidal Female M				
VERGREEN SHRUB; large glossy dark green foliage; bright red berries; locate in full sun to partial				
hade & neutral to acidic well-drained organic soil; Zones 5 - 9				
lex x meserveae Castle Wall ('Hachenstar')			3g	
Ipright Male Blue Holly; Upright Male Meserve Holly			7g	
VERGREEN SHRUB; large glossy dark green foliage; broadly columnar habit; pollinator of Castle				
pire; locate in full sun to partial shade & neutral to acidic well-drained organic soil; Zones 5 - 9				
ex x 'Nellie R. Stevens'			3g	
yramidal Holly			7g	
VERGREEN TREE; broadly pyramidal with glossy dark green foliage; red fruit; somewhat			10g	
elf-fruitful; locate in well drained acidic organic soils & full sun to partial shade; Zones 6 - 9			15g	
Loren De di Decembre (IDecembre)			3g	
iex x kea Beauty ('Rutzan')			7g	
ompact Pyramidal Hybrid Holly				
Compact Pyramidal Hybrid Holly EVERGREEN SHRUB; compact pyramidal habit; the original plant was 7' tall by 4' wide at the base in				
compact Pyramidal Hybrid Holly VERGREEN SHRUB; compact pyramidal habit; the original plant was 7' tall by 4' wide at the base in O years; small to medium spiny dark green foliage doesn't lighten from winter weather or fruit				
Compact Pyramidal Hybrid Holly IVERGREEN SHRUB; compact pyramidal habit; the original plant was 7' tall by 4' wide at the base in 0 years; small to medium spiny dark green foliage doesn't lighten from winter weather or fruit roduction; abundant bright red fruit lasts into winter when eaten by birds; resists deer browse; locate				
lex x Red Beauty ('Rutzan') compact Pyramidal Hybrid Holly EVERGREEN SHRUB; compact pyramidal habit; the original plant was 7' tall by 4' wide at the base in O years; small to medium spiny dark green foliage doesn't lighten from winter weather or fruit roduction; abundant bright red fruit lasts into winter when eaten by birds; resists deer browse; locate in full surface partial shade & well-drained acidic organic moisture retentive soil [I. x meserveae x I.				
compact Pyramidal Hybrid Holly VERGREEN SHRUB; compact pyramidal habit; the original plant was 7' tall by 4' wide at the base in D years; small to medium spiny dark green foliage doesn't lighten from winter weather or fruit roduction; abundant bright red fruit lasts into winter when eaten by birds; resists deer browse; locate in full sun to partial shade & well-drained acidic organic moisture retentive soil [I. x meserveae x I.				
compact Pyramidal Hybrid Holly VERGREEN SHRUB; compact pyramidal habit; the original plant was 7' tall by 4' wide at the base in D years; small to medium spiny dark green foliage doesn't lighten from winter weather or fruit roduction; abundant bright red fruit lasts into winter when eaten by birds; resists deer browse; locate				
compact Pyramidal Hybrid Holly VERGREEN SHRUB; compact pyramidal habit; the original plant was 7' tall by 4' wide at the base in D years; small to medium spiny dark green foliage doesn't lighten from winter weather or fruit roduction; abundant bright red fruit lasts into winter when eaten by birds; resists deer browse; locate in full sun to partial shade & well-drained acidic organic moisture retentive soil [I. x meserveae x I.				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

Ilex verticillata 'Jim Dandy' Male Winterberry Holly	OTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Part Stands Part				3g	
erry Heavy, 'Harvest Red' & Red Sprile', among others: formerly hamsed 'Owarf Male'; compact energy branched habit to about 5' talk; focate in full sun to partial shade & neutral to acidic moisture energy branched habit to a brain with persistently moist to wel soils; native to US & Canada; Zunes 3 - 9 lex verticillata 'Red Sprite' warf Female Winterberry Holly ECIDIOUS ORNAMENTAL SHRUB: compact bushy habit to 5'; persistent profuse bright red fruit; bilinated by 'Jim Dandy' & 'Apollo': best in full sun or part shade; does well in moist to wel soils; native US & Canada; Zones 3 - 9 lex verticillata 'Scarlet O'Hara' emale Winterberry Holly ECIDIOUS ORNAMENTAL SHRUB: moderate sets of bright red fruit in fall and early winter; bushy oright habit to 10' high & wide: best in full sun or part shade; does well in moist to wet soils; native to 10' & Canada (Froderick) Zones 3 - 9 lex verticillata 'Southern Gentleman' alse Winterberry Holly ECIDIOUS ORNAMENTAL SHRUB: male pollinator for 'Capapon', Shaver', 'Sparkleberry', 'Winter end & Winter Gold', and other late biloomers it planted within 30'; rapid upright grower; best in full sun or part shade; does well in moist to well suits. native to US & Canada; Zones 3 - 9 lex verticillata 'Winter Red' emale Winterberry Holly ECIDIOUS ORNAMENTAL SHRUB: upright rounded habit to 8'; large persistent profuse bright red with partial shade with partial shade. does well in moist to well soils; salive to US & Canada; Pols Gold Metal; Zones 3 - 9 lex verticillata 'Winter Red' emale Winterberry Holly ECIDIOUS ORNAMENTAL SHRUB: upright rounded habit to 8'; large persistent profuse bright red with partial shade & consistently moist to wet acidic or neutral soils; salive to US & Canada; Pols Gold Metal; Zones 3 - 9 ris ensata 'Variegata' ariegated Japanese Iris ERENNIAL: doep purple flower in early to mild-summer; narrow upright bladed foliage with narrow hite edges: locate in full or partial shade & only in the partial shade & ensist to wet neutral to slightly acidic soil; toleran					
eterthe soil: native to areas with persistently moist to wet soils: native to US & Canada: Zones 3 - 9 leav verticillata 'Red Sprite' lowarf Female Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: compact bushy habit to 5: persistent profuse bright red fruit: billinated by Jim Bandy' & 'Apolito' best in full sun or part shade: does well in moist to wet soils: native 10.5 & Canada: Zones 3 - 9 lex verticillata 'Scarlet O'Hara' male Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: moderate sets of bright red fruit in fall and early winter: bushy protiph tabit to 10 high & wide: best in full sun or part shade: does well in moist to wet soils: native to S & Canada: (Frederick) Zones 3 - 8 lex verticillata 'Southern Gentleman' falle Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: male pollinator for 'Capapon', 'Shaver', 'Sparkleberry', Winter and & Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: male pollinator for 'Capapon', 'Shaver', 'Sparkleberry', Winter and & Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: male pollinator for 'Capapon', 'Shaver', 'Sparkleberry', Winter and & Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: male pollinator for 'Capapon', 'Shaver', 'Sparkleberry', Winter and & Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: male pollinator for 'Capapon', 'Shaver', 'Sparkleberry', Winter and & Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: upright rounded habit to 8': large persistent profuse bright red unit; pollinated by 'Southern Gentleman', best in full sun or part shade: does well in moist to wet soils: artive to US & Canada: PHS Gold Metal: Zones 3 - 9 ris ensata 'Variegata' artegated Japanese Iris ERENNAL: deep purple flower in early to mid-summer; narrow upright bladed follage with narrow hite degies: locate in full son or partial shade & consistently moist to wet acidic or neutral soils: spanses native. Zones (4) 5 - 9 "It is siberica 'Buster & Sugar' bieratics Black Locust: locate in full or partial shade & moist to wet neutral to slightly acidic soil: sterant of dryer soils as well					
lex verticillata 'Red Sprite' Warf Female Winterberry Holly ECIDUUS ORNAMENTAL SHEUB: compact bushy habit to 5': persistent profuse bright red fruit: offinated by 'Jim Dandy' & 'Apollo'; best in full sun or part shade: does well in moist to wet soils; native US & Canada; Zones 3 - 9 Eav verticillata 'Scarlet O'Hara' emale Winterberry Holly ECIDUUS ORNAMENTAL SHEUB; moderate sets of bright red fruit in fall and early winter; bushy prolight habit to flyigh & wide; best in full sun or part shade; does well in moist to wet soils; native to S& Canada (Frederick) Zones 3 - 8 Lex verticillata 'Southern Gentleman' lade Winterberry Holly ECIDUUS ORNAMENTAL SHEUB; male politinator for 'Capapon', 'Shaver', 'Sparkleberry', Winter ed & Winter Cold', and other late bloomers if planted within 30'; rapid upright grower; best in full sun re part shade; does well in moist to wet soils; native to US & Canada; Zones 3 - 9 Lex verticillata 'Winter Red' emale Winterberry Holly ECIDUUS ORNAMENTAL SHEUB; upright rounded habit to 8'; large persistent profuse bright red util: politinated by 'Southern Gentleman'; best in full sun or part shade; does well in moist to wet soils; antive to US & Canada; PHIS Gold Metal; Zones 3 - 9 Lex verticillata 'Winter Red' emale Winterberry Holly ECIDUUS ORNAMENTAL SHEUB; upright rounded habit to 8'; large persistent profuse bright red util: politinated by 'Southern Gentleman'; best in full sun or part shade; does well in moist to wet soils; attive to US & Canada; PHIS Gold Metal; Zones 3 - 9 Lex verticillata 'Winter Red' emale Winterberry Holly ECIDUUS ORNAMENTAL SHEUB; upright rounded habit to 8'; large persistent profuse bright red util: politinated by 'Southern Gentleman'; best in full sun or part shade; does well in moist to wet soils; artive to US & Canada; PHIS Gold Metal; Zones (4) 5 - 9 Lex verticillata 'Southern Gentleman'; best in full sun or partial shade & consistently moist to wet acidic or neutral soils; artive to US & Canada; PHIS Gold Metal; Zones (4) 5 - 9 Lex verticillata 'Sout					
Discributions of the property Holly Econopact bushy habit to 5°: persistent profuse bright red fruit: collinated by "Jim Dandy" & "Apollo"; best in full sun or part shade; does well in moist to wet soils; native US & Canada: Zones 3 - 9 Lex verticililata "Scarlet O'Hara"	etentive soil; native to areas with persistently moist to wet soils; native to US & Canada; Zones 3 - 9				
Discributions of the property Holly Econopact bushy habit to 5°: persistent profuse bright red fruit: collinated by "Jim Dandy" & "Apollo"; best in full sun or part shade; does well in moist to wet soils; native US & Canada: Zones 3 - 9 Lex verticililata "Scarlet O'Hara"	lex verticillata 'Red Sprite'			3g	
ollinated by 'Jim Dandy' & 'Apollo': best in full sun or part shade: does well in moist to wet soils: native by & Costanda: Zones 3 - 9 lex verticillata 'Scarlet O'Hara' emale Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: moderate sets of bright red fruit in fall and early winter; bushy pright nabit to 'O' high & wide: best in full sun or part shade: does well in moist to wet soils; native to IS & Canada (Frederick) Zones 3 - 8 lex verticillata 'Southern Gentleman' Male Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: male pollinator for 'Capapon', 'Shaver', 'Sparkleberry', 'Winter Eed' & 'Winter Gold', and other late bloomers if planted within 30'; rapid upright grower; best in full sun r part shade: does well in moist to wet soils; native to US & Canada; Zones 3 - 9 lex verticillata 'Winter Red' emale Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: upright rounded habit to 8'; large persistent profuse bright red emale Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: upright rounded habit to 8'; large persistent profuse bright red emale Winterberry Holly ECIDUOUS CRAMENTAL SHRUB: upright rounded habit to 8'; large persistent profuse bright red emale Winterberry Holly ECIDUOUS CRAMENTAL SHRUB: upright rounded habit to 8'; large persistent profuse bright red emale Winterberry Holly ECIDUOUS CRAMENTAL SHRUB: upright rounded habit to 8'; large persistent profuse bright red emale Winterberry Holly ECIDUOUS CRAMENTAL SHRUB: upright rounded habit to 8'; large persistent profuse bright red emale Winterberry Holly ECIDUOUS CRAMENTAL SHRUB: upright foliage with narrow interplace bright red emale Winterberry Holly ECIDUOUS CRAMENTAL SHRUB: upright foliage with narrow interplace bright large persistent profuse bright large persistent profuse bright large large bright large persistent in full sun or partial shade & consistently moist to wet acidic or neutral soils; apaneses native. Zones 4 9 emale large larg	Owarf Female Winterberry Holly				
lex verticillata 'Scarlet O'Hara' 3g					
lex verticillata 'Scarlet O'Hara' emale Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: moderate sets of bright red fruit in fall and early winter; bushy pright habit to O'high & wide: best in full sun or part shade: does well in moist to wet soils; native to IS & Canada (Frederick) Zones 3 - 8 Lex verticillata 'Southern Gentleman' Alale Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: male pollinator for 'Capapon', 'Shaver', 'Sparkleberry', 'Winter act & Winter Gold', and other late bloomers if planted within 30'; rapid upright grower: best in full sun r part shade: does well in moist to wet soils; native to US & Canada; Zones 3 - 9 Lex verticillata 'Winter Red' emale Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB: upright rounded habit to 8'; targe persistent profuse bright red ruit; pollinated by 'Southern Gentleman'; best in full sun or part shade; does well in moist to wet soils; atlive to US & Canada; PHS Gold Metal; Zones 3 - 9 Tris ensata 'Variegata' Tariegated Japanese Iris EREENNIAL: deep purple flower in early to mid-summer; narrow upright bladed fallage with narrow white edges; locate in full sun or partial shade & consistently moist to wet acidic or neutral soils; apanese native; Zones (4) 5 - 9 Tris siberica 'Butter & Sugar' Iberian Iris EREENNIAL: flowers have white standards & yellow falls in May on spikes above the foliage; upright tumping habit to 30" tall & wide will choke out weeds: attracts butterflies; resists deer & rabbit browse; blerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil: blerated of dryer soils as well: native to Asia & Europe; Zones 4 - 9 Tris siberica 'Caesar's Brother' urple Siberian Iris EREENNIAL: 4" wine-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide: attracts utterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil: tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Tris siberica 'Ruffled Vel					
Permale Winterberry Holly Deciliption of the North Comment of the North					
pright habit to 10' high & wide: best in full sun or part shade; does well in moist to wet soils; native to S & Canada (Frederick) Zones 3 - 8 Lex verticillata 'Southern Gentleman'				3g	
Personal Comment of the Section of					
Ilex verticillata 'Southern Gentleman' 3g 2d					
Male Winterberry Holly DECIDUOUS ORNAMENTAL SHRUB; male pollinator for 'Capapon', 'Shaver', 'Sparkleberry', 'Winter Bed' & Winter Gold', and other late bloomers if planted within 30'; rapid upright grower; best in full sun Ir part shade; does well in moist to wet soils; native to US & Canada; Zones 3 - 9 Ilex verticillata 'Winter Red' Image: Winterberry Holly DECIDUOUS ORNAMENTAL SHRUB; upright rounded habit to 8'; large persistent profuse bright red Profull pollinated by 'Southern Gentleman'; best in full sun or part shade; does well in moist to wet soils; Pative to US & Canada; PHS Gold Metal; Zones 3 - 9 In sensata 'Variegata' Arriegated Japanese Iris ERERENIMAL; deep purple flower in early to mid-summer; narrow upright bladed foliage with narrow white edges; locate in full sun or partial shade & consistently moist to wet acidic or neutral soils; apanese native; Zones (4) 5 - 9 In siberica 'Butter & Sugar' Is siberia Iris ERERNIMAL; flowers have white standards & yellow falls in May on spikes above the foliage; upright lumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; oblerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; oblerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Is siberica 'Caesar's Brother' Purple Siberian Iris ERERNIMAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts utterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 In sisteria siberica 'Ruffled Velvet' Purple Siberian Iris ERERNIMAL; "wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; tttracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in f	IS & Canada (Frederick) Zones 3 - 8				
Male Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB; male pollinator for 'Capapon', 'Shaver', 'Sparkleberry', 'Winter Bet' & Winter Gold', and other late bloomers if planted within 30'; rapid upright grower; best in full sun r part shade; does well in moist to wet soils; native to US & Canada; Zones 3 - 9 Ilex verticillata 'Winter Red' emale Winterberry Holly ECIDUOUS ORNAMENTAL SHRUB; upright rounded habit to 8'; large persistent profuse bright red FULL; pollinated by 'Southern Gentleman'; best in full sun or part shade; does well in moist to wet soils; attive to US & Canada; PHS Gold Metal; Zones 3 - 9 ris ensata 'Variegata' rariegated Japanese Iris ERERNINIAL; deep purple flower in early to mid-summer; narrow upright bladed foliage with narrow white edges; locate in full sun or partial shade & consistently moist to wet acidic or neutral soils; apanese native; Zones (4) 5 - 9 ris siberica 'Butter & Sugar' iiberian Iris ERERNINIAL; flowers have white standards & yellow falls in May on spikes above the foliage; upright lumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; oberates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; oberant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 ris siberica 'Caesar's Brother' urple Siberian Iris ERERNINIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts utterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 ris siberica 'Ruffled Velvet' rurple Siberian Iris ERERNINIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; ttracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well;	lex verticillata 'Southern Gentleman'			3g	
lex Verticillata 'Winter Red' emale Winter Bold', and other late bloomers if planted within 30': rapid upright grower; best in full sun r part shade; does well in moist to wet soils; native to US & Canada; Zones 3 - 9 lex verticillata 'Winter Red' emale Winterberry Holly leciDIJOUS ORNAMENTAL SHRUB; upright rounded habit to 8'; large persistent profuse bright red ruit; pollinated by 'Southern Gentleman'; best in full sun or part shade; does well in moist to wet soils; attive to US & Canada; PHS Gold Metal; Zones 3 - 9 ris ensata 'Variegata' // ariegated Japanese Iris // ariegated					
Interpretation Inte					
lex verticillata 'Winter Red' emale Winterberry Holly DECIDUOUS ORNAMENTAL SHRUB; upright rounded habit to 8'; large persistent profuse bright red ruit; pollinated by 'Southern Gentleman'; best in full sun or part shade; does well in moist to wet soils; attive to US & Canada; PHS Gold Metal; Zones 3 - 9 Tris ensata 'Variegata' d'ariegated Japanese Iris EERENNIAL; deep purple flower in early to mid-summer; narrow upright bladed foliage with narrow white edges; locate in full sun or partial shade & consistently moist to wet acidic or neutral soils; apanese native; Zones (4) 5 - 9 Tris siberica 'Butter & Sugar' iliberian Iris EERENNIAL; flowers have white standards & yellow falls in May on spikes above the foliage; upright flumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; oblerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; oblerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Tris siberica 'Caesar's Brother' vert neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Tris siberica 'Ruffled Velvet' vert neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Tris siberica 'Ruffled Velvet' turple Siberian Iris EERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; ttracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & noist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones)			
remale Winterberry Holly DECIDUOUS ORNAMENTAL SHRUB; upright rounded habit to 8'; large persistent profuse bright red putit; pollinated by 'Southern Gentleman'; best in full sun or part shade; does well in moist to wet soils; attive to US & Canada; PHS Gold Metal; Zones 3 - 9 Pris ensata 'Variegata' Pariegated Japanese Iris DERENNIAL; deep purple flower in early to mid-summer; narrow upright bladed foliage with narrow white edges; locate in full sun or partial shade & consistently moist to wet acidic or neutral soils; apanese native; Zones (4) 5 - 9 Pris siberica 'Butter & Sugar' Disberian Iris Determine the summary of the sum	r part snade; does well in moist to wet solls; native to US & Canada; Zones 3 - 9				
PECIDUOUS ORNAMÉNTAL SHRUB; upright rounded habit to 8'; large persistent profuse bright red ruit; pollinated by 'Southern Gentileman'; best in full sun or part shade; does well in moist to wet soils; attive to US & Canada; PHS Gold Metal; Zones 3 - 9 Pris ensata 'Variegata' (ariegated Japanese Iris ERERNIAL; deep purple flower in early to mid-summer; narrow upright bladed foliage with narrow white edges; locate in full sun or partial shade & consistently moist to wet acidic or neutral soils; apanese native; Zones (4) 5 - 9 Pris siberica 'Butter & Sugar' iberian Iris ERENNIAL; flowers have white standards & yellow falls in May on spikes above the foliage; upright flumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; oblerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; oblerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Pris siberica 'Caesar's Brother' urple Siberian Iris ERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts utterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Pris siberica 'Ruffled Velvet' urple Siberian Iris ERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; thracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones				3g	
ruit; pollinated by 'Southern Gentleman'; best in full sun or part shade; does well in moist to wet soils; attive to US & Canada; PHS Gold Metal; Zones 3 - 9 ris ensata 'Variegata' 'ariegated Japanese Iris ERENNIAL; deep purple flower in early to mid-summer; narrow upright bladed foliage with narrow white edges; locate in full sun or partial shade & consistently moist to wet acidic or neutral soils; apanese native; Zones (4) 5 - 9 ris siberica 'Butter & Sugar' iberian Iris ERENNIAL; flowers have white standards & yellow falls in May on spikes above the foliage; upright tumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; olerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; olerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 ris siberica 'Caesar's Brother' urple Siberian Iris ERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts utterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 ris siberica 'Ruffled Velvet' urple Siberian Iris ERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; ttracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & noist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9	, ,				
ris ensata 'Variegata' /ariegated Japanese Iris /ariegated Japanese Iri					
Variegated Japanese Iris VERENNIAL; deep purple flower in early to mid-summer; narrow upright bladed foliage with narrow white edges; locate in full sun or partial shade & consistently moist to wet acidic or neutral soils; lapanese native; Zones (4) 5 - 9 Tris siberica 'Butter & Sugar' Siberian Iris VERENNIAL; flowers have white standards & yellow falls in May on spikes above the foliage; upright lumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; oberates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; oberated 'Caesar's Brother' Purple Siberian Iris VERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts utterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Tris siberica 'Ruffled Velvet' Purple Siberian Iris VERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; attracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones defined to well and the summary of the su	ative to US & Canada; PHS Gold Metal; Zones 3 - 9				
Variegated Japanese Iris VERENNIAL; deep purple flower in early to mid-summer; narrow upright bladed foliage with narrow white edges; locate in full sun or partial shade & consistently moist to wet acidic or neutral soils; lapanese native; Zones (4) 5 - 9 Tris siberica 'Butter & Sugar' Siberian Iris VERENNIAL; flowers have white standards & yellow falls in May on spikes above the foliage; upright lumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; oberates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; oberated 'Caesar's Brother' Purple Siberian Iris VERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts utterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Tris siberica 'Ruffled Velvet' Purple Siberian Iris VERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; attracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones defined to well and the summary of the su	ris ensata 'Variegata'			2g	
white edges; locate in full sun or partial shade & consistently moist to wet acidic or neutral soils; lapanese native; Zones (4) 5 - 9 2g ibberian Iris ibERENNIAL; flowers have white standards & yellow falls in May on spikes above the foliage; upright lumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; olerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; olerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 2g Purple Siberian Iris iberen a 'Caesar's Brother' Purple Siberian Iris iberen a 'Ruffled Velvet' ibe	ariegated Japanese Iris				
In its siberica 'Butter & Sugar' Siberian Iris PERENNIAL; flowers have white standards & yellow falls in May on spikes above the foliage; upright shumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; olerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Purple Siberian Iris PERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts outterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Purple Siberian Iris Perennial Velvet' Purple Siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; attracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones					
is siberica 'Butter & Sugar' Siberian Iris PERENNIAL; flowers have white standards & yellow falls in May on spikes above the foliage; upright shumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; olerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; olerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Purple Siberian Iris PERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts outterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to vet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Purple Siberica 'Ruffled Velvet' Purple Siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; attracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones					
Siberian Iris PERENNIAL; flowers have white standards & yellow falls in May on spikes above the foliage; upright Idumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; Iderates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; Iderated 'Caesar's Brother' Purple Siberian Iris PERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts Investmental to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 In the siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; Interacts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones Towns butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones					
PERENNIAL; flowers have white standards & yellow falls in May on spikes above the foliage; upright dumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; oblerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; oblerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Purple Siberica 'Caesar's Brother' Purple Siberian Iris PERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts utterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Purple Siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; ttracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones	<u> </u>			2g	
Jumping habit to 30" tall & wide will choke out weeds; attracts butterflies; resists deer & rabbit browse; oberates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; oberant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Purple Siberica 'Caesar's Brother' Purple Siberian Iris PERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts outterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Purple Siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; intracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones					
polerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 pris siberica 'Caesar's Brother' Purple Siberian Iris PERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts putterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to pet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Purple Siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; pettracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones					
ris siberica 'Caesar's Brother' Purple Siberian Iris PERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts Putterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to Put neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Purple Siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; Puttracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones	olerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil;				
Purple Siberian Iris PERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts putterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to possible rica 'Ruffled Velvet' Purple Siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; Puttracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & Perennicate to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones	olerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9				
PERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts utterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to vet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 Purple Siberica 'Ruffled Velvet' Purple Siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; ttracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones	ris siberica 'Caesar's Brother'			2g	
utterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to vet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9 ris siberica 'Ruffled Velvet' 2g Purple Siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; ttracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones					
ris siberica 'Ruffled Velvet' 2g Purple Siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; ttracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & noist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones					
ris siberica 'Ruffled Velvet' Purple Siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; ttracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & noist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones	·				
Purple Siberian Iris PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; PEREN				20	
PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; ttracts butterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial shade & noist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones				29	
noist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones					
	·				
- y					
	- y				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	1
ris siberica 'Snow Queen'			2g		4
Vhite Siberian Iris					
PERENNIAL; 3" white flowers in June on 30" spikes; attracts butterflies; resists deer & rabbit browse;					
olerates Black Locust; locate in full or partial shade & moist to wet neutral to slightly acidic soil;					
olerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9					
ris siberica 'Sparkling Rose'			2g		Ţ
iberian Iris					
PERENNIAL; rosy-pink petals with yellow centers in mid to late spring on 30" spikes; attracts					
outterflies; resists deer & rabbit browse; tolerates Black Locust; locate in full or partial sun & moist to					
vet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia & Europe; Zones 4 - 9					
ris versicolor			1g		4
Northern Blue Flag			2g		4
PERENNIAL; violet-blue flower from May into June; sword-shaped blue-green foliage to 24" long;					
upright habit to 30" tall; spreads to form colonies; tolerant of deer browse; locate is full sun to partial					
shade & moist to wet soil; survives in standing water to 4" deep; native to eastern US; Zones 3 - 9					
tea virginica 'Henry's Garnet'			3g		4
/irginia Sweetspire					
DECIDUOUS FLOWERING SHRUB; mildly fragrant white flowers in late May or early June; bushy					
ipright habit to 6'; persistent burgundy foliage in fall; locate in full sun or shade & moist or well-drained	d				
acidic moisture retentive soils; not drought tolerant; PHS Gold Metal plant; US native; Zones 5 - 9					
tea virginica Little Henry ('Sprich')			3g		4
Compact Virginia Sweetspire					
DECIDUOUS FLOWERING SHRUB; mildly fragrant white flowers in late May or early June; bushy					
upright habit to 4'; persistent burgundy foliage in fall; locate in full sun or shade & moist or well-drained	d				
acidic moisture retentive soils; not drought tolerant; US native; Zones 5 - 9					
tea virginica 'Merlot'			3g		4
Virginia Sweetspire					
DECIDUOUS FLOWERING SHRUB; fragrant white racemes in June; burgundy fall foliage; dense					
twiggy habit; locate in full sun or shade & moist or well-drained acidic moisture retentive soils; not					
drought tolerant; US native; Zones 5 - 9					
Juniperus chinensis 'Old Gold'			3g		4
Golden Chinese Juniper		24 - 30"	B&B		4
EVERGREEN ORNAMENTAL CONIFER; compact spreading habit to 3' high by 4' or more wide; golden					
tipped foliage; locate in full sun & most well-drained soils; drought tolerant when established; Asian					
native; Zones 4 - 9					
Juniperus chinensis 'Pfitzer Compacta'			3g		4
Nick's Compact Pfitzer Juniper					
EVERGREEN ORNAMENTAL CONIFER; medium green foliage; compact spreading habit to 2' tall by 4'					
wide; locate in full sun & most well-drained soils; drought tolerant when established; Asian native;					
Zones 4 - 9					
Juniperus chinensis sargentii			3g		Ţ
Sargent Juniper					
EVERGREEN ORNAMENTAL CONIFER; low compact spreader to 2' tall by 9' wide with medium green					
foliage; locate in full sun & most well-drained soils; drought tolerant when established; Asian native;					
Zones 6 - 9					
2 Decicion Way West represented by:			phono: (99		\perp

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
uniperus chinensis 'Sea Green'			3g	
Spreading Chinese Juniper		24 - 30"	B&B	
EVERGREEN ORNAMENTAL CONIFER; compact spreading habit; bright green evergreen arching foliage; grows to 6' high by 8' wide; easily trimmed to desired size; locate in full sun & most well-drained	4			
soils; drought tolerant when established; Asian native; Zones 4 - 9				
Juniperus communis 'Gold Cone'			5g	
Golden Common Juniper				
EVERGREEN ORNAMENTAL CONIFER; bright gold new spring foliage turns green upon maturing in				
summer; the narrow columnar to pyramidal habit is ideal for small spaces; locate in full sun & neutral				
to acidic well-drained soil; very salt tolerant; native to just about everywhere; Zones 2 - 6				
Juniperus conferta 'Blue Pacific'			1g	
Shore Juniper			2g	
EVERGREEN ORNAMENTAL CONIFER; blue-green needles; prostrate habit; locate in full sun & alkaline to acidic well-drained soil; very tolerant of coastal & sterile soils; native to just about			3g	
everywhere; Zones (5) 6 - 9				
Juniperus davurica 'Parsonii'			3g	
Dahurian Juniper				
EVERGREEN ORNAMENTAL CONIFER; adult & juvenile gray-green foliage; compact spreading habit				
to 3' tall by 5' wide, give or take; some consider this a cultivar of J. chinensis; may be the same as				
'Expansa'; good disease resistance; locate in full sun or light shade & most well-drained soils; more				
popularly known as J. squamata 'Parsonii'; native to Asia (Parsons N) Zones 4 - 7				
Juniperus horizontalis 'Bar Harbor'			2g	
Blue Creeping Juniper			3g	
EVERGREEN ORNAMENTAL CONIFER; low prostrate spreader; gray-blue foliage; plum winter foliage; locate in full sun & well-drained soil; tolerant of coastal locations; native to North America;				
Zones 4 - 9				
Juniperus horizontalis 'Wiltonii'			1g	
Blue Rug Juniper; Blue Creeping Juniper EVERGREEN ORNAMENTAL CONIFER; prostrate blue evergreen; stays under 3"; turns plum in			2g	
winter; locate in full sun & well-drained soil; tolerant of coastal locations; native to North America;			3g	
Zones 4 - 9				
Juniperus horizontalis 'Youngstown' / 'Plumosa Compacta Youngstown'			3g	
Andorra Juniper				
EVERGREEN ORNAMENTAL CONIFER; compact bushy spreader; burgundy winter foliage; locate in				
full sun & well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 9				
Juniperus procumbens 'Nana'			2g	
Dwarf Japanese Garden Juniper			3g	
EVERGREEN ORNAMENTAL CONIFER; low mounding spreader to 18" tall by 4' wide; medium green juvenile foliage; locate in full sun & any well-drained soil; native to Japan Zones 4 - 8				
Juniperus squamata 'Blue Star'			1g	
Dwarf Blue Singleseed Juniper			2g	
EVERGREEN ORNAMENTAL CONIFER; bright blue foliage; very compact mounding habit; can reach 3' tall by 3' or more wide in time; locate in full sun & most well-drained soils; does not perform well in			3g	
areas with high humidity & high evening temperatures; native to Asia; Zones 4 - 7				
Juniperus squamata 'Parsonii' see: Juniperus davurica 'Parsonii'				
13 Decision Way West represented by:			phone: (88	8) 321-4

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Calimeris 'Blue Star'			1g	
alse Aster			2g	
PERENNIAL; pale blue daisy-like flowers from June through October; compact habit to 18"; likes sun &				
vell drained soil; can tolerate light shade and dry, humid conditions once established [K. incisa] Zones				
5 - 9				
Cerria japonica			3g	
apanese Kerria				
DECIDUOUS FLOWERING SHRUB; 1.25" bright yellow flowers in spring; bushy arching habit to 5' tall				
y 4' wide; bright green stems are retained all winter & are quite showy during this period; locate in ful	/			
un to partial shade & any well-drained organic soil; native to Asia; Zones 4 - 9				
.agerstroemia 'Catawba'			3g	
Purple Crape-myrtle			7g	
DECIDUOUS FLOWERING TREE; purple flower with orange center; 10 - 12' tall; locate in full sun to				
ight or partial shade & well-drained moisture retentive soil that's moderately fertile; too much fertility				
encourages foliage growth instead of flowers; locate in full sun to light or partial shade & well-drained				
noisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of lowers [L. indica] Zones 7 - 9				
lowers [L. maica] 20nes / - 9				
Lagerstroemia Dynamite ('Whit II')			3g	
Red Crape-myrtle			10g	
DECIDUOUS FLOWERING TREE; 12" cherry-red summer flower with white flecks on new wood; rapid				
ıpright grower to 20'; new foliage is crimson, turns dark green through summer & orange-red in fall; ocate in full sun to light or partial shade & well-drained moisture retentive soil that's moderately fertile;				
ocate in fun sun to right of partial shade & wen-drained moisture retentive son that's moderatery fertile, oo much fertility encourages foliage growth instead of flowers [L. indica] (Whitcomb) Zones 7 - 9				
_agerstroemia 'Muskogee'			3g	
Hardy Lavender Crape-myrtle			7g	
DECIDUOUS FLOWERING TREE; 10" light lavender-pink flowers all summer; light gray to brown			10g	
exfoliating bark; glossy dark green foliage turns orange-red in fall; tall grower to 30'; locate in full sun o light or partial shade & well-drained moisture retentive soil that's moderately fertile; too much				
ertility encourages foliage growth instead of flowers (US Nat'l Arboretum) [L. indica x L. faurei] Zone.	c			
5 - 9				
			2-	
Lagerstroemia 'Natchez'			3g	
Hardy White Crape-myrtle DECIDUOUS FLOWERING TREE; 10" white flowers all summer; upright arching habit to 20' tall or			7g 10g	
more; very showy cinnamon-brown exfoliating bark all year; locate in full sun to light or partial shade			109	
Well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage				
rowth instead of flowers (US Nat'l Arboretum) [L. indica x L. faurei] Zones 6 - 9				
agarstroomia Dink Valour / Daval Valvat / Whit III'			20	
Lagerstroemia Pink Velour / Royal Velvet ('Whit III') Pink Crape-myrtle			3g 7g	
DECIDUOUS FLOWERING TREE; crimson buds open to bright pink flowers on new wood from July to			10g	
rost; broadly upright habit to 10' tall by 12' or more wide; new burgundy foliage fades to thick			109	
ourplish-green in summer and orange-brown in fall; drought tolerant; resistant to powdery mildew;				
ocate in full sun to light or partial shade & well-drained moisture retentive soil that's moderately fertile;				
oo much fertility encourages foliage growth instead of flowers (Whitcomb) [L. indica] Zones (6) 7 - 9				
_agerstroemia x 'Pocomoke'			3g	
Dwarf Hardy Pink Crape-myrtle			5g 5g	
DECIDUOUS FLOWERING SHRUB; rosy pink flowers from mid-summer to frost; dwarf habit to 2' tall			99	
R wide; small glossy green mildew-resistant summer foliage turns bronze-red in fall; locate in full sun to				
ight or partial shade & well-drained moisture retentive soil that's moderately fertile; too much fertility				
encourages foliage growth instead of flowers (US Nat'l Arboretum) [L. indica x L. faurei] Zones (6) 7 -				
3 Decision Way West represented by:			phone: (88	Q) 224 A
represented by.			Priorie. (00	U) UZ 174

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

OTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
agerstroemia 'Powhatan'			3g	
urple Crape-myrtle			7g	
DECIDUOUS FLOWERING TREE; medium purple flowers on new wood from late July to frost; broadly	'y		10g	
pright habit to 15' tall x 12' wide; mildew resistant; locate in full sun to light or partial shade &				
vell-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage rowth instead of flowers [L. indica] Zones 7 - 9				
With Instead of Hower's [L. Indica] Zones 7 - 9				
agerstroemia Rhapsody In Pink ('Whit VIII")			3g	
rink Crape-myrtle			7g	
DECIDUOUS FLOWERING TREE; soft pink flowers on new wood in summer; new foliage opens urgundy which becomes purplish-green through the summer; drought tolerant when established;			10g	
ocate in full sun to light or partial shade & well-drained moisture retentive soil that's moderately fertile	۵.			
no much fertility encourages foliage growth instead of flowers (Whitcomb) [L. indica x L. faurei]				
iones (6) 7 - 9				
agerstroomia v 'Tonto'			20	
.agerstroemia x 'Tonto' Hardy Red Crape-myrtle			3g 7g	
DECIDUOUS FLOWERING TREE; 6" fuchsia-red flowers on new wood from July into fall; semi-dwarf	F		10g	
abit to 10' tall; bronzy spring foliage turns bright green all summer then bright red in fall; creamy to			15g	
ray-brown branches; slight mildew susceptibility; locate in full sun to light or partial shade &				
vell-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage				
rowth instead of flowers (US Nat'l Arboretum) [L. indica x L. faurei] Zones 6 - 9				
agerstroemia x 'Tuscarora'			3g	
Hardy Pink Crape-myrtle			7g	
ECIDUOUS FLOWERING TREE; dark coral pink summer flowers on new wood; vase-shaped habit to	0		10g	
0' tall & nearly as wide; mottled light gray and tan bark; reddish new foliage turns dark red by			15g	
ummer then orange-red in fall; locate in full sun to light or partial shade & well-drained moisture				
etentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers US Nat'l Arboretum) [L. indica x L. faurei] Zones 6 - 9				
agerstroemia x 'Tuskegee'			3g	
Hardy Pink Crape-myrtle DECIDUOUS FLOWERING TREE; 8" dark rose-pink flowers on new wood from July through Sept;			7g	
pring foliage has a reddish cast before turning dark green in summer and orange-red in fall;			10g	
nildew-resistant foliage; tan & gray exfoliating bark; grows to about 20' tall & wide; locate in full sun				
o light or partial shade & well-drained moisture retentive soil that's moderately fertile; too much				
ertility encourages foliage growth instead of flowers (US Nat'l Arboretum) [L. indica x L. faurei] Zon	es			
- 10				
amium 'Purple Dragon'			2g	
lettle; Spotted Deadnettle				
ERENNIAL; large light purple flowers from mid spring into early summer; silvery foliage with green				
dges; deer & rabbit browse resistant; locate in full to partial shade & loamy well-drained soil of neutra	al			
cidity; may need supplemental moisture in mostly sunny areas [L. maculatum] (VanSanden /				
Hortech) Zones (3) 4 - 8				
avandula x intermedia 'Phemomenal'			1g	
avander			2g	
ERENNIAL; very fragrant lavender-purple flower from late spring to early summer; bushy habit to 4" tall & wide; fragrant gray-green evergreen or semi-evergreen foliage; good for cutting; attracts				
utterflies; deer & rabbit browse resistant; locate in full sun & deep organic well-drained soil; more				
plerant of high humidity & heat (Peace Tree F) Zones (4) 5 - (8) 9				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	Ĺ
Leucanthemum 'Becky'			1g		1
Shasta Daisy			2g		+
PERENNIAL; white petals radiate from yellow centers all summer; upright grower to 4' tall by 3' wide; attracts butterflies; locate in full sun or light shade & well-drained neutral to acidic soil; PPA's 2003					
Plant of the Year; genus changed from: Chrysanthemum [L. superbum] (Burbank) Zones 5 - 9					
					L
Leucanthemum 'Snowcap'			1g		1
Shasta Daisy PERENNIAL; white petals radiate from yellow centers all summer; compact habit to 12" tall by 18"			2g		1
wide; dark green foliage; attracts butterflies; locate in full sun or light shade & well-drained neutral to					
acidic soil; genus changed from: Chrysanthemum [L. superbum] Zones 5 - 9					
Leucothoe axillaris			3g		H
Coast Leucothoe			- Og		
EVERGREEN FLOWERING SHRUB; drooping white flowers in late April & early May; compact					
spreading mound to 3' tall by 5' wide; locate in partial to full shade & well-drained moisture retentive					
acidic soil; US native; Zones (4) 5 - 7					
Leucothoe axillaris Squirt ('Squzam')			3g		T
Compact Coast Leucothoe; Compact Dog-hobble					
EVERGREEN FLOWERING SHRUB; drooping white flowers in late April & early May; new foliage					
opens a rich mahogany before turning dark glossy green; fall & winter foliage displaying burgundy					
tones; compact spreading mound to 2' tall by 3' wide; resists deer browse; locate in partial to full shade					
& well-drained moisture retentive acidic soil; US native; Zones (4) 5 - 7					
Leucothoe fontanesiana 'Girard's Rainbow' / 'Rainbow'			3g		Γ
Variegated Drooping Leucothoe					
EVERGREEN FLOWERING SHRUB; red, white & green evergreen foliage; spreading mound to 6' or					
taller; locate in full to partial shade & well-drained moisture retentive acidic soil; eastern US native;					
Zones (4) 5 - 8					L
Leymus arenarius 'Blue Dune'			3g		-
Blue Lyme Grass; Blue Wild Rye					
ORNAMENTAL GRASS; bright powder-blue arching leaves reaching 30" tall by 24" wide; beige flower					
spikes to 3'; agressive grower that's good for erosion control; can be invasive; locate in full sun to light shade & wet or dry soils; tolerant of salty & calcareous soils; native to northern North America &					
northern Europe; Zones 4 - 8					
					L
Liatris 'Kobold'			2g		+
Gay Feather; Blazing Star PERENNIAL; bright pinkish-purple flower spikes to 24" in June & July; urpight habit to 30" tall by 15"					
wide; good cut flower; attracts butterflies; locate in full sun & well drained soil [L. spicata] Zones (3) 4					
9 (10)					
			0		<u> </u>
Ligularia dentata 'Desdemona' Leopard Plant			2g		- N
PERENNIAL; 2-4" diameter yellowish-orange daisy-like flower appears on 3-4' spikes in June & July;					
new foliage emerges purplish-red before maturing to a large think dark green with brownish cast;					
shaded foliage retains more purplish colors; broadly upright habit to 3' tall by 30" wide; slightly larger					
than 'Othello'; locate in full to partial shade & any moisture retentive soil; Zones 4 - 8					
Ligularia 'Little Rocket' / 'Lanternchen'			2g		
Dwarf Senecio			-9		
PERENNIAL; bright yellow flower spikes on 3' stems in June & July; large round dark green foliage;					
good cut flower; resists deer browse; locate in filtered or partial shade & any moisture retentive soil [L.					
stenocephala] (Fransen / Future Plants) Zones 4 - 8					
13 Decision Way West represented by:			phone: (88	0) 224 4	F 4

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
enecio ERENNIAL; bright yellow flower spikes on 5' stems in June & July; large round dark green foliage; ood cut flower; resists deer browse; locate in filtered or partial shade & any moisture retentive soil [L. tenocephala] Zones 4 - 8			2g	
Ligustrum ovalifolium California Privet DECIDUOUS FLOWERING SHRUB; very fragrant white flowers in June & early July; glossy semi-evergreen foliage; may be evergreen in southern range; rapid growing bushy shrub to 20' tall & wide, however, can be pruned to almost any size & shape; locate in sun or shade & any soil that doesn't remain wet; fairly tolerant of coastal conditions & salt spray; Japanese native; Zones (4) 5 - 8			3g	
Lindera benzoin Spicebush DECIDUOUS FLOWERING SHRUB; small fragrant yellow flower clusters appear in mass before the foliage emerges; fruit appears on female plants in fall as a bright red 1/2" drupe that's favored by birds; oright green leaves are lighter on the bottom and turn golden yellow in fall; small tree or large shrub to 15' tall & wide; locate in full sun or shade & organic well-drained moisture retentive acidic soils; native to eastern US along waterways or bottom lands; Zones 4 - 9			1g 2g 3g	
Liriope muscari 'Big Blue' Blue Lily-turf; Mondo Grass EVERGREEN GROUND COVER; lavender-blue flower spikes above the foliage in late summer; broad lark green blades broad dark green foliage to about 12" tall; locate in full sun or full shade & average well-drained soil; tolerant of a wider range of soils & drought; Asian native; Zones (5) 6 - 10			4" pot 1g	
Liriope muscari Purple Explosion (EXC 051') Purple Lily-turf; Mondo Grass EVERGREEN GROUND COVER; profuse lavender-purple flower spikes above the foliage from late nummer into fall - after most others; broad arching blades of dark green foliage to about 18" tall & wide; notate in full sun to moderate shade & average well-drained soil that's slightly acidic; tolerant of a wider lange of soils & drought; Asian native; Zones (5) 6 - 10			1g	
Liriope muscari 'Silvery Sunproof' Variegated Blue Lily-turf VERGREEN GROUND COVER; lilac-purple flower spikes above the foliage in late summer; gold & white stripped leaves to 12" tall; locate in full sun or full shade & average well-drained soil; tolerant of a wider range of soils & drought; Asian native; Zones (5) 6 - 10			4" pot 1g	
Liriope spicata Creeping Lily-turf EVERGREEN GROUND COVER; light violet flower in late summer on short spikes which ca be omewhat hidden by the foliage; narrow green foliage to about 12" tall; locate in full sun or full shade & overage well-drained soil; tolerant of a wider range of soils & drought; Asian native; Zones (4) 5 - 10			1g	
TRELLIS Goldflame Honeysuckle DECIDUOUS VINE; red buds open to fragrant rose-pink flowers with yellow centers which persist all summer while attracting butterflies & hummingbirds; oval blue-green foliage from reddish stems add interest; may be evergreen or semi-evergreen in southern hardiness range; twining habit to a structure of up to 15' but can be pruned as a bush; locate in full sun to partial shade & soils with good to moderate drainage [L. sempervirens x L. americana] Zones 5 - 9			3g	
3 Decision Way West represented by:			phone: (888	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Lythrum silicaria 'Morden's Pink'			2g	
Pink Loosestrife				
PERENNIAL; rosy-pink flowers on upright stems to 4' all summer; upright habit to 48" tall by 18" wide;				
locate in full sun to partial shade & moisture retentive soils but will handle well-drained soils with				
adequate moisture; not invasive; native to Eastern Hemisphere; Zones 3 - 7				
Magnolia glauca see: Magnolia virginiana				
Magnolia stellata 'Royal Star'			5g	
Star Magnolia DECIDUOUS ORNAMENTAL TREE; fragrant white star-like flowers in late March; broad bushy habit				
o 15' tall & slightly wider; locate in full sun to light or dappled shade & deep well-drained acidic soil with	,			
good moisture retention; Japanese native (Vermeulen N) Zones 5 - 8				
Mahonia bealei			3g	
Leatherleaf Oregon Grape; Leatherleaf Mahonia			Jy	
EVERGREEN ORNAMENTAL SHRUB; very fragrant yellow flowers in late March or early April; fruit				
has varying shades of blue as it matures; spiny bluish-green foliage; coarse upright habit to 6'; deer				
prowse resistant; locate in full to partial shade & organic acidic moist well-drained moisture retentive				
soil; protect from desiccating winter winds; PHS Gold Metal; Chinese native; Zones (6) 7 - 9				
Vahonia x media 'Winter Sun'			3g	
Hybrid Mahonia			7g	
EVERGREEN ORNAMENTAL SHRUB; very fragrant yellow flowers in late fall through winter resist				
reeze damage; blue-black fruit is effective in late summer &/or fall; spiny foliage emerges with reddish				
inge before maturing to bluish-green; upright habit to 10' tall by 5' wide; deer browse resistant; locate				
n full sun to partial shade & organic well-drained neutral to acidic soil; somewhat drought tolerant				
when established; protect from desiccating winter winds (Donard N) Zones (6) 7 - 9				
Matteuccia struthiopteris			1g	
Ostrich Fern			2g	
DECIDUOUS FERN; erect finely dissected green fronds reaching 2-6' tall by 3-8' wide depending on soil				
moisture and other conditions; stipes (stems) are dark brown at the base and green at the top; tolerant				
of rabbits; mostly seen along streams & rivers in large thickets; locate in partial to full shade & moist to wet soils; native to the Northern Hemisphere; Zones 4 - 7				
Matteuccia struthiopteris 'The King'			10	
Ostrich Fern			1g	
DECIDUOUS FERN; erect finely dissected green fronds to about 7' tall by 3-8' wide depending on soil				
moisture and other conditions; stipes (stems) are dark brown at the base and green at the top; tolerant				
of rabbits & more heat than the species; mostly seen along streams & rivers in large thickets; locate in				
partial to full shade & moist to wet soils; native to the Northern Hemisphere; Zones 4 - 7				
Microbiota decussata			2g	
Siberian Cypress; Russian Arborvitae			3g	
EVERGREEN GROUNDCOVER; wide spreading prostrate habit to 12" tall by as wide as you have time				
o watch; bright green summer foliage turns plum in late fall through winter; locate in afternoon or				
filtered shade & loamy soils well-drained soils that don't totally dry out; will not tolerate wet soils;				
Russian native; Zones 3 - 8				
Microbiota decussata Celtic Pride ('Prides')			2g	
Siberian Cypress; Russian Arborvitae				
EVERGREEN GROUNDCOVER; compact spreading mound to 15" tall by 5' or more wide; bright green				
summer foliage turns plum in late fall through winter; improved disease resistance; resists deer browse; ocate in full sun or filtered shade & loamy well-drained soils that don't totally dry out; will not tolerate				
vet soils; Russian native; Zones 3 - 8				
vet 30n3, Nassian Hative, 20n63 0 - 0				
3 Decision Way West represented by:			phone: (88	0) 224 45

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Miscanthus 'Purpurescens'			3g	
Purple Silver Grass				
ORNAMENTAL GRASS; gray-green foliage emerges in late spring before turning shades of orange &				
red in fall; seed heads appear in late summer with magenta hues before turning off-white by mid fall;				
upright arching habit to 6' tall by 3' wide; seeds provide food for birds in winter; deer browse resistant;				
locate in full sun or minimal shade & any neutral to slightly acidic well-drained soil; Zones 4 - 8 (9)				
Miscanthus sinensis 'Adagio'			2g	
Dwarf Miscanthus			3g	
ORNAMENTAL GRASS; silver-gray foliage; profuse inflorescence emerge pink in August & turns				
creamy-white shortly thereafter; grows to about 4' tall; deer browse resistant; locate in full sun or light				
to partial shade & most moist well-drained soils; tolerant of drought & high humidity; Asian native;				
Zones 6 - 9				
Miscanthus sinensis 'Gracillimus'			2g	
Slender Miscanthus			3g	
ORNAMENTAL GRASS; narrow arching foliage to 5'; silvery plumes extend to 7' in late summer; deer			7g	
browse resistant; deer browse resistant; locate in full sun or light to partial shade & most moist				
well-drained soils; tolerant of drought & high humidity; can be invasive in southern range; Asian				
native; Zones 4 - 7				
Miscanthus sinensis 'Graziella'			2g	
Maiden Grass			3g	
ORNAMENTAL GRASS; silvery inflorescence appear early in the season on 7' stems; foliage height gets				
to 6'; locate in full sun or light to partial shade & most moist well-drained soils; tolerant of drought &				
high humidity; can be invasive in southern range; Asian native; Zones 5 - 9				
Miscanthus sinensis 'Mini Strictus'			2g	
Dwarf Porcupine Grass; Dwarf Variegated Miscanthus			3g	
ORNAMENTAL GRASS; compact upright grower; bold horizontal gold stripe across medium green				
upright leaves; reddish-brown inflorescence in late summer; locate in full sun or light to partial shade &				
most moist well-drained soils; tolerant of drought & high humidity; can be invasive in southern range;				
Asian native; Zones 5 - 8				
Miscanthus sinensis 'Morning Light'			2g	
Silver Slender Miscanthus			3g	
ORNAMENTAL GRASS; narrow foliage with silver edged stripes that usually remains upright all				
winter; reaches about 5' tall; turns tan in fall; deer browse resistant; locate in full sun or light to partial				
shade & most moist well-drained soils; tolerant of drought & high humidity; Asian native; Zones 5 - 9				
Miscanthus sinensis 'Strictus'			2g	
Porcupine Grass			3g	
ORNAMENTAL GRASS; upright grower to as tall as 9'; bold horizontal gold stripe across medium green	,			
upright leaves; reddish-brown inflorescence in late summer; locate in full sun or light to partial shade &				
most moist well-drained soils; tolerant of drought & high humidity; can be invasive in southern range;				
Asian native; Zones 5 - 8				
Miscanthus sinensis 'Variegatus'			2g	
Variegated Miscanthus			3g	
ORNAMENTAL GRASS; green & white vertical striped foliage grows to 6'; reddish-brown flowers in				
mid to late summer extend to 9'; locate in full sun or light to partial shade & most moist well-drained				
soils; tolerant of drought & high humidity; can be invasive in southern range; Asian native; Zones 5 - 8				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Monarda 'Claire Grace'			2g	
.avender Bee Balm; Lavender Wild Bargamot				
PERENNIAL; mildly fragrant lavender flowers from July into Sept; attracts butterflies &				
nummingbirds; grows to 3' tall by 2' wide; best with good air circulation for best performance;				
ncreased mildew resistance; locate in full to partial sun & well-drained moisture retentive soil;				
somewhat drought tolerant [M. fistulosa] Zones 3 - 8				
Monarda Grand Parade ('ACrade')			2g	
_avender Bee Balm				
PERENNIAL; profuse lavender-purple flowers from mid to late summer; compact bushy habit to 18" tali	'			
by 24" wide; dark green mildew resistant foliage; attracts butterflies, hummingbirds & bees; deer				
prowse resistant; locate in full sun & moist soils; mildew can occur in dry soil; eastern US native				
[M.didyma] Zones 3 - 8				
Monarda 'Raspberry Wine'			1g	
Red Bee Balm				
PERENNIAL; raspberry-red buds open to fragrant wine-red flowers from June through August; uprigh	t			
habit to 4' tall by 2' wide; mildew resistant; good cut flower; attracts hummingbirds & butterflies;				
resists limited drought & deer browse; locate in full sun to partial shade & rich organic moisture				
retentive soil; native to N. America (White FF) Zones 4 - 9				
Morella pensylvanica				
see: Myrica pensylvanica				
Myrica pensylvanica			3g	
Northern Bayberry			7g	
EVERGREEN ORNAMENTAL SHRUB; non-ornamental male or female flowers in early spring; female		24 - 30"	3g	
plants have profuse amounts of grayish-white fruit; bushy suckering habit to 10' tall & wide; very useful		24 - 30"	B&B	
in coastal landscapes for it extreme salt tolerance; can be semi-evergreen to evergreen in southern				
hardiness range; fruit used to make candles, etc.; locate in full to partial sun & just about any soil;				
performs very well in sterile sandy soils with high salinity; Genus recently renamed: Morella (from				
Myrica); eastern US native; Zones 3 - 7				
Nandina domestica			3g	
Heavenly Bamboo			7g	
BROADLEAF EVERGREEN SHRUB; white flowers in June; clusters of red fruit in fall; brilliant red fall				
& winter foliage; resistant to deer browse; locate in full sun or shade; prefers moist fertile soil, but is				
very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones (6) 7 - 9				
Nandina domestica Blush Pink ('AKA')			3g	
Compact Heavenly Bamboo BROADLEAF EVERGREEN SHRUB; new growth is bright rosy-red; summer foliage has pink color				
rhroughout the growing season; winter foliage is bright red; no flowers or fruit; compact mound to 2'				
high & wide; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from				
desiccating winter winds in northern hardiness range; Chinese native (Magnolia Gdns) Zones 6 - 9				
Non-dina demonstra (Finance)			2	
Nandina domestica 'Firepower' Compact Heavenly Bamboo			3g	
BROADLEAF EVERGREEN SHRUB; compact mounding habit to 3' high & wide; crimson fall & winter				
foliage; resistant to deer browse; locate in full sun or shade; prefers moist fertile soil, but is very				
adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6	_			
7				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Nandina domestica Flirt ('Murasaki') Dwarf Heavenly Bamboo BROADLEAF EVERGREEN SHRUB; very compact mound to 2' tall by 3' wide; vivid red new growth overlays the dark green mature foliage; all foliage turns bright red in the fall & winter; excellent for dging or ground cover; deer browse resistant; locate in full sun or shade; prefers moist fertile soil, but it is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native;			3g	
Zones 6 - 9				
Nandina domestica 'Gulf Stream'			3g	
Heavenly Bamboo BROADLEAF EVERGREEN SHRUB; compact upright evergreen shrub; dark green foliage turns bright ed in fall through spring; white spring flowers create red berry clusters in fall; somewhat drought polerant when established; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9			7g	
Heavenly Bamboo BROADLEAF EVERGREEN SHRUB; small white flowers in late spring; showy red fruit from fall through winter into spring; purple-red fall and winter foliage; upright mound to 30" tall by 24" wide; there browse resistant; locate in full sun or full shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9			3g	
lepeta 'Dropmore'			1g	
Lavender Catnip; Lavender Catmint PERENNIAL; lavender flowers on 3' stems over gray-green foliage from June to September; attracts butterflies; tolerant of deer browse & urban pollution; locate in full sun or light shade & well-drained oil; drought tolerant; native to southwestern Asia [N. faassenii] Zones 4 - 9			2g	
Nepeta Junior Walker ('Novanepjun') Blue Catnip; Blue Catmint PERENNIAL; lavender-blue flower from April to early summer; fragrant gray-green foliage; compact mounding habit to 18" tall by 3' spread; non-reseeding sport of 'Walker's Low'; attracts butterflies; olerant of deer browse & urban pollution; locate in full sun or light shade & well-drained soil; drought olerant; native to southwestern Asia [N. x faassenii] Zones 4 - 9			1g 2g	
Nepeta 'Walker's Low' Blue Catnip; Blue Catmint PERENNIAL; lavender-blue flower from April to October; fragrant gray-green foliage; compact mounding habit to 18" tall by 3' spread; aggressive grower; attracts butterflies; tolerant of deer browse a urban pollution; locate in full sun or light shade & well-drained soil; drought tolerant; native to outhwestern Asia [N. x faassenii] Zones 4 - 9			1g 2g	
Osmanthus heterophyllus 'Goshiki'			2g	
Compact Variegated False-holly BROADLEAF EVERGREEN SHRUB; new foliage emerges gold & cream with green flecks which mature o mostly gold with green; best foliage color in dappled or afternoon shade, but plant grows in full sun; ompact bushy grower to 6' tall & wide; deer browse resistant; locate in full sun to partial shade; prefers noist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9	3		3g 5g	
Osmanthus heterophyllus 'Gulftide' Hardy False-holly BROADLEAF EVERGREEN SHRUB; compact upright habit to 15'; spiny holly-like foliage; highly resistant to deer browse; locate in full sun to partial shade; prefers moist organic well-drained acidic roil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9			5g	
P. Docicion Way West				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

OTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Osmunda cinnamomea			1g	
innamon Fern			2g	
DECIDUOUS FERN; grows 2-3' tall & wide, occasionally taller; mature fronds are bluish-green & turn				
innamon-brown with age; resists rabbit & deer browse; locate in full to part shade & medium to moist				
ighly organic acidic soil; native to much of the world; Zones 3 - 9				
achysandra terminalis		50 / flat	2.25" pp	
apanese Spurge		100/flat	cuttings	
VERGREEN GROUND COVER; white flower spikes in early spring; spreading upright habit to 8" tall;				
toloniferous roots; resists deer & rabbit browse; locate in full to partial shade & organic well-drained eutral to acidic soil; tolerant of full sun with adequate moisture; Asian native; Zones 5 - 8				
aeonia 'Karl Rosenfield'			2g	
Red Garden Peony				
ERENNIAL; fragrant 5" double crimson-red flowers in early to mid-summer; good cut flower; bushy				
abit to 30" tall & wide; attracts butterflies; resists deer & rabbit browse; locate in full sun to partial				
hade & organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] (Rosenfield) iones 3 - 8				
aeonia 'Sarah Bernhardt'			2g	
ink Garden Peony			-9	
ERENNIAL; fragrant double apple blossom pink flowers in late spring; good cut flower; bushy habit t	0			
'tall & wide; attracts butterflies; resists deer & rabbit browse; locate in full sun to partial shade &				
rganic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] Zones 3 - 8				
aeonia 'Shirley Temple'			2g	
Oouble White Garden Peony				
ERENNIAL; double white flowers in mid to late spring; good cut flower; bushy habit to 30" tall & wide);			
ttracts butterflies; resists deer & rabbit browse; locate in full sun to partial shade & organic				
vell-drained moisture retentive soil; native to eastern Asia [P. lactiflora] Zones 3 - 8				
aeonia suffruticosa - dark red			2g	
apanese Tree Peony				
DECIDUOUS FLOWERING SHRUB; very showy dark red flowers with a yellow center in early to mid				
oring on old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for				
edges; attracts butterflies; resistant to deer & rabbit browse; locate in full sun to partial shade & moist				
rganic well-drained soil; Asian native; Zones (4) 5 - 9				
aeonia suffruticosa - light pink			2g	
apanese Tree Peony				
DECIDUOUS FLOWERING SHRUB; lightly fragrant light pink flowers on sturdy stems in mid to late				
oring on old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for edges; attracts butterflies; resistant to deer & rabbit browse; locate in full sun to partial shade & moist				
rganic well-drained soil; Asian native; Zones (4) 5 - 9				
Paeonia suffruticosa - lilac			2g	
apanese Tree Peony				
ECIDUOUS FLOWERING SHRUB; very showy lilac flowers with a yellow center in early to mid sprin	g			
n old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for hedges;				
ttracts butterflies; resistant to deer & rabbit browse; locate in full sun to partial shade & moist organic				
vell-drained soil; Asian native; Zones (4) 5 - 9				
aeonia suffruticosa - purple			2g	
apanese Tree Peony				
ECIDUOUS FLOWERING SHRUB; very showy purple flowers with a yellow center in early to mid				
pring on old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for				
edges; attracts butterflies; resistant to deer & rabbit browse; locate in full sun to partial shade & moist				
rganic well-drained soil; Asian native; Zones (4) 5 - 9				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Paeonia suffruticosa - rose Iapanese Tree Peony DECIDUOUS FLOWERING SHRUB; very showy rose flowers with a yellow center in early to mid spring on old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for hedges; attracts butterflies; resistant to deer & rabbit browse; locate in full sun to partial shade & moist organic well-drained soil; Asian native; Zones (4) 5 - 9			2g	
Paeonia suffruticosa - white Japanese Tree Peony DECIDUOUS FLOWERING SHRUB; very showy white flowers with a yellow center in early to mid spring on old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for nedges; attracts butterflies; resistant to deer & rabbit browse; locate in full sun to partial shade & moist organic well-drained soil; Asian native; Zones (4) 5 - 9			2g	
Paeonia suffruticosa - yellow Japanese Tree Peony DECIDUOUS FLOWERING SHRUB; lightly fragrant yellow flowers on sturdy stems in mid to late spring on old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for hedges; attracts butterflies; resistant to deer & rabbit browse; locate in full sun to partial shade & moist organic well-drained soil; Asian native; Zones (4) 5 - 9			2g	
Panicum 'Dewey Blue' Switch Grass; Beach Grass ORNAMENTAL GRASS; upright slightly arching gray-blue summer foliage turns beige in fall; lacy wheat-colored inflorescence appear in late summer & persist through winter; grows to 3' tall by 2' wide & spreads by rhizomes; tolerates drought, salt & deer browse; locate in full sun to partial shade & just about any well-drained soil; native to coastal eastern US {P. amarum] (Darke) Zones 2 - 9			2g 3g	
Panicum virgatum Switch Grass DRNAMENTAL GRASS; upright blue-green summer foliage turns yellow in the fall; lacey wheat-colored inflorescence appear in late summer; grows to 5' tall; locate in full sun or partial shade & just about any soil; tolerates drought, wet soils & Black Walnuts; North American native; Zones 2 - 9			3g	
Panicum virgatum 'Cape Breeze' Switch Grass DRNAMENTAL GRASS; compact upright green foliage through October before turning yellow; lacey wheat-colored inflorescence appear in late summer; grows to 30" tall; tolerates drought, salt, deer prowse & Black Walnuts; locate in full sun & just about any well-drained soil; North American native (North Creek N) Zones 2 - 9			2g 3g	
Panicum virgatum 'Heavy Metal' Blue Switch Grass DRNAMENTAL GRASS; metallic lavender-blue foliage; tight upright clumps to 4' tall; silvery flowers in late summer; locate in full sun or partial shade & just about any soil; tolerates drought, wet soils & Black Walnuts; North American native; Zones 5 - 8			2g 3g	
Panicum virgatum 'Northwind' Blue Switch Grass DRNAMENTAL GRASS; very vertical thick stems of olive to blue-green foliage; tight upright clumps to 6' tall with a 4' girth; fine textured yellow flower panicles in late summer; stands up well to winter, unless a lot of wet show & ice occurs; locate in full sun or partial shade & just about any soil; tolerates drought, wet soils & Black Walnuts; 2014 Perennial Plant / Year; North American native; Zones 5 - 8			1g 3g	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

Read Switch Crass ORNAMENTAL GRASS new foliage were go gray-green & slowly it ransitions to dark burgundy-red from late summer through falls arching habit to 4 fall by 30° wide-pinkish flowers & resulting seed plumes emerge in July and are effective through withor on 5' stoms: Orlerant of days for owne. Black Walmurts, draught is with bit that fall memors studing winter, locate in full sun or partial shade & just about any soil: North American native (Brand). Zones 5 - 9 Panicum virgatum" Shenandoah* Red Switch Grass ORNAMENTAL GRASS, deep green spring foliage gets red lips in summer then the whole plant turns burgardy in fall which is redained into winter: upright habit to 4' fall: locate in full sun or partial shade & just about any soil: loterates drought, wet soils & Black Walmus; North American native. Zones 5 - 8 Pennisetum alopecuroides Pennisetum alopecuroides ORNAMENTAL GRASS: narrow medium green arching foliage to 3.5' tall & wide: bottle-brush flowers open pinkish in law summer before turning tan & reaching to 14; locate in full sun & average to well drained organic soil that's neutral to addic: Asian native. Zones 5 - 8 Pennisetum alopecuroides 'Burgundy Bunny' Deart Real Fountain Grass ORNAMENTAL GRASS: purplish-rose be foliage in late summer: foliage turns bright red in fall until trost: locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native (Walla Walla No. 100 - 5 - 9 Pennisetum alopecuroides 'Foxtrot' Fountain Grass ORNAMENTAL GRASS: purplish-rose bottle-brush flowers in late summer atap 5' stems: clumps get to ORNAMENTAL GRASS: purplish-rose bottle-brush flowers in late summer atap 5' stems: clumps get to ORNAMENTAL GRASS: purplish-rose bottle-brush flowers in late summer atap 5' stems: clumps get to ORNAMENTAL GRASS: on the foliage to 12' late & wide: creamy-lan bottle-brush flowers and produced organic soil that's mental to acidic. Asian native: Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Deart Fountian Grass ORNAMENTAL GRASS:	BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	Ĺ
DRIAMENTIAL GRASS: nerv follage emerges gray green a State by 30 wide: pinks finewer a resulting seed thatms emerge in July and are effective through wither an 5's terms, tolerant of dear browne. Black Walkinuts, drough 3 suit: but seed films emerge in July and are effective through wither an 5's terms, tolerant of dear browne. Black Walkinuts, drough 3 suit: but seed flowers during wither: locate in full sun or partial shade & just about any soil: North American native (Brand). Zones 5 - 9 Panicum virgatum "Shenandoah" Red Switch Grass 2g RRAMENTAL GRASS: deep green spring follage gets red tips in summer then the whole plant turns be partial shade & just about any soil: tolerates drought, well soils & Black Walnuts: North American native: Zones 5 - 8 Pennisetum alopecuroides Conutatin Grass DRAMENTAL GRASS: narrow medium green arching follage to 3.5' tall & wide: bottle brush flowers pens pinks in late summer before burning tan & reaching to 4': locate in full sun & average to well drained arganic soil that's neutral to acidic: Asian native: Zones 5 - 8 Pennisetum alopecuroides "Burgundy Bunny" Dwarf Red Fountain Grass DRAMENTAL GRASS: person & red arching follage in summer to 15' tall & wide: small off-white bottle brush flowers appear above the follage in late summer: follage turns bright red in fall until frost: tocate in full sun & average to well drained organic sail that's neutral to acidic: Asian native: (Walla Walla Walla Nation) and acidic summer acide to tall until frost: tocate in full sun & average to well drained organic sail that's neutral to acide in full sun & average to well drained organic sail that's neutral to acide in full sun & average to well drained organic sail that's neutral to acide. Asian native: Zones 5 - 8 Pennisetum alopecuroides "Hamein" 1g Dwarf Fountain Grass DRAMENTAL GRASS: with the plane to 24' by tale summer: follage to native established: locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native: Zones 5 - 8 Pennisetum	Panicum virgatum Ruby Ribbons ('RR1')			3g		I
train tale summer through falls arching habit to 4 tall by 30° wide; pinksh flowers & resulting seed Humans emerge in July and are efficiented through widner on 5's terms; clorant of deue through Black Wahnus, Grought & south bids and flowers during winder; locate in full sun or partial shade & just about my soil; North American native (Brand) Zones 5 - 9 Panicum virgatum "Shenandoah" 2g						
turnes emerge in July and are effective through winter on 5' stems: tolerand of deer browne. Black Valuus, drough is settli brids at flowers during winter; locate in full sun or partial shade. 8 just about my solf. North American native (Brand) Zones 5 - 9 Panicum virgatum 'Shenandoah' Red Switch Grass BRAMARENTAL GRASS: deep green spring foliage gets red tips in summer them the whole plant turns urgundy in fail which is retained into winter: uprelph habit to 4' tall; focate in full sun or partial shade in Just about any solf; tolerates drought, wet solfs & Black Walnuts; North American native; Zones 5 - 8 Pennisetum alopecuroides Tog iountain Grass BRAMARENTAL GRASS: narrow medium green arching foliage to 3.5' tall & wide: bottle-brash flowers pen pinkish in tall summer before unting tan & reaching to 4'; locate in full sun & average to well trained organic solf that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Burgundy Bunny' Near Red Fountain Grass BRAMARENTAL GRASS: gene & red arching foliage in summer to 15' tall & wide: small oft-white of tolerands flowers appear above the foliage in late summer; rollage turns bright red in fall until trost: scale in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Walla kullah); Zones 5 - 9 Pennisetum alopecuroides 'Foutrot' 2g iountain Grass RRAMARENTAL GRASS: der will drained organic soil that's neutral to acidic; Asian native (Walla kullah); Zones 5 - 9 Pennisetum alopecuroides 'Hameln' by a service of the service of t						
Walnuts Graght & self. birds eat flowers during winter; locate in full sun or partial shade & just about mysalt. North American native (Brand) Zones 5 - 9 Panicum virgatum 'Shenandoah' Red Switch Grass RAMAMENTAL GRASs: deep green spring follage gets red tips in summer then the whole plant turns urgurdy in fall which is relatived into winter; puright habit to 4 tail; locate in full sun or partial shade plant turns urgurdy in fall which is relatived into winter; puright habit to 4 tail; locate in full sun or partial shade plant turns urgurdy in fall which is relatived for white plant turns urgurdy in fall which is relatived for white which is partial shade. Perinsisetum alopecuroides Tog lountain Grass RAMAMENTAL GRASS: narrow medium green arching follage to 3.5 tall & wide: bottle-brush flowers perinsish in late summer before turning tan & reaching to 4: locate in full sun & average to well relative and organic soil that's neutral to acidic. Asian native: Zones 5 - 8 Perinsisetum alopecuroides 'Burgundy Bunny' Warf Red Fountain Grass RRAMAMENTAL GRASS: gene it call arching fallage in summer to 15' tall & wide: small off-white organic soil that's neutral to acidic, Asian native (Walla Walla N) zones 5 - 9 Perinsisetum alopecuroides 'Foxtrot' Ountain Grass Perinsisetum alopecuroides 'Decembia flowers in late summer atop 5' stems: clumps get to wild drained organic soil that's neutral to acidic, asian native (Walla Walla N) zones 5 - 9 Perinsisetum alopecuroides 'Hameln' Ing warf Fountain Grass Perinsisetum alopecuroides 'Hameln' Ing warf Fountain Grass 20 RAMAMENTAL GRASS: off white plumes to 24' by late summer; follage is nerrower than the species & acades 18' deer browse resistant; seeds attracts song birds: drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; sisten native; zones 5 - 8 Perinsietum alopecuroides 'Hameln' 10 20 20 21 22 23 24 25 26 27 27 27 28 28 29 29 29 20 20 20 20 20 20 20						
Pennisetum alopecuroides 'Burgundy Bunny' Pennisetum alopecuroides 'Poutrot' Pennisetum alopecuroides 'Poutrot' Pennisetum alopecuroides 'Poutrot' Pennisetum alopecuroides 'Poutrot' Pennisetum alopecuroides 'Hameln' Pennisetum alopecuroides 'Pipen' Pennisetum alopecuroides 'Pipen' Pennisetum alopecuroides 'Pipen' Pennisetum alopecuroid						
Paniscum virgatum 'Shenandoah' Red Switch Grass RARMARMATA (CARSS: deep green spring foliage gets red tips in summer then the whole plant turns burgoudy in fall which is retained into winter: upright habit to 4' tail: locate in full sun or partial shade by fust about any soit: tolerates drought, wet soits & Black Walnuts: North American native: Zones 5 - 8 Pennisetum alopecuroides Ountain Grass RARMARMATA (CRASS: narrow medium green arching foliage to 3.5' tail & wide: bottle-brush flowers gets plaists in late summer before turning ran & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native: Zones 5 - 8 Pennisetum alopecuroides 'Burgundy Bunny' Dwarf Red Fountain Grass PANAMENTAL GRASS: green & red arching foliage in summer to 15' tail & wide: small off-white cottlebrush flowers appear above the foliage in late summer: foliage turns bright red in fail until firest: cocto in full sun & average to well drained organic soil that's neutral to acidic: Asian native (Walla Walla Walla Organic Soil that's neutral to acidic: Asian native (Walla Walla Walla Organic Soil that's neutral to acidic in fail until firest: cocto in full sun & average to well drained organic soil that shouted in fail until firest: cocto in full sun & average to well drained graphs soil that's neutral to acidic; Asian native (Blamen) Pennisetum alopecuroides 'Hamein' Dwarf Fountain Grass Pennisetum alopecuroides 'Hamein' Dwarf Fountain Grass In sun alopecuroides 'Hamein' Dwarf Fountain						
Red Switch Grass ARRAMENTAL GRASS deep green spring foliage gets red tips in summer: then the whole plant turns by a property in fall which is retained into winter; upright habit to 4 tail; locate in full sun or partial shade by just about any soil; tolerates drought, well soils & Black Walnuts; North American native; Zones 5 - 8 Pennisetum alopecuroides Ountain Grass ARRAMENTAL GRASS: narrow medium green arching foliage to 3.5' tail & wide: bottle-brush flowers pen pinkts in tails summer before turning tan & reaching to 4; locate in full sun & average to well trained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides "Burgundy Bunny" Dwarf Red Fountain Grass ARRAMENTAL GRASS: green & red arching foliage in summer to 15" tail & wide: small off-white orderlerush flowers appear above the foliage in late summer; foliage turns bright red in fall until frost: coate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Walla Walla N) Zones 5 - 9 Pennisetum alopecuroides "Foxtrot" Fountain Grass ARRAMENTAL GRASS; purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 8' wide as well: narrow green foliage turns golden in the fall; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemel) Zones 5 - 9 Pennisetum alopecuroides "Hameln" Dovarf Fountain Grass ARRAMENTAL GRASS; off while plumes to 24" by late summer; foliage is narrower than the species & 3g average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides "Little Bunny" Dovarf Fountain Grass ARRAMENTAL GRASS; very narrow green foliage to 12" fall & wide: creamy-tan bottle-brush flowers appear by late summer: locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides "Little Bunny" Dovarf Fountain Grass ARRAMENTAL GRASS: light plink bottle-brush plumes to 18" in late summ	any soil; North American native (Brand) Zones 5 - 9					
DRAMAENTAL GRASS. deep green spring foliage gets red tips in summer then the whole plant turns urgungly in fall which is retained into winter; urginth abit to 4 tails, locate in full sun or partial shade is just about any soil; tolerates drought, wet soils & Black Walnuts; North American native; Zones 5 - 8 Pennisetum alopecuroides **Countain Grass** DRNAMENTAL GRASS: narrow medium green arching foliage to 3.5' tall & wide: bottle-brush flowers pen priksis in late summer before turning ian & reaching to 4'; locate in full sun & average to well trained organic soil that's neutral to acidic. Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Burgundy Bunny' **Dwarf Red Fountain Grass** DRNAMENTAL GRASS: green & red arching foliage in summer to 15' tall & wide: small off-white ottlebrush flowers appear above the foliage in late summer: foliage turns bright red in fall until frost: coate in full us a & average to well drained organic soil that's neutral to acidic: Asian native (Walla Walla N). Zones 5 - 9 Pennisetum alopecuroides 'Foxtrot' **Ountain Grass* DRNAMENTAL GRASS: purplish-rose bottle-brush flowers in late summer atop 5' stems: clumps get to 'wide as well: narrow green foliage turns gotein in the fall: locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native (Bluemel) Zones 5 - 9 **Pennisetum alopecuroides 'Hameln'* Dwarf Fountain Grass DRNAMENTAL GRASS: off white plumes to 24' by late summer: foliage is narrower than the species & acides 18' deer browse resistant: seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native: Zones 5 - 8 **Pennisetum alopecuroides 'Little Burny'* Dwarf Fountain Grass DRNAMENTAL GRASS: very narrow green foliage to 12' tall & wide: creamy-tan bottle-brush flowers appear by late summer: social in full sun & average to well drained organic soil that's neutral to acidic: Asian native: Zones 5 - 8 **Pennisetum alopecuroides 'Red Head'*				2g		Г
Pennisetum alopecuroides 'Foxtrot' Fountain Grass Pennisetum alopecuroides 'Burgundy Bunny' Dwarf Fountain Grass Pennisetum alopecuroides 'Burgundy Bunny' Dwarf Fountain Grass Pennisetum alopecuroides 'Burgundy Bunny' Dwarf Red Fountain Grass Pennisetum alopecuroides 'Foxtrot' Fountain Grass Pennisetum alopecuroides 'Foxtrot' Fountain Grass Pennisetum alopecuroides 'Foxtrot' Fountain Grass Pennisetum alopecuroides 'Hamein' Dwarf Fountain Grass Pennisetum alopecuroides 'Hamein' 2g Pennisetum alopecuroides 'Hamein' Pennisetum				3g		-
Pennisetum alopecuroides Organisetum alopecuroides Organisetum alopecuroides Organisetum alopecuroides Organisetum alopecuroides Organisetum alopecuroides Pennisetum alopecuroides Organisetum alopecuroid						
Pennisetum alopecuroides Fountain Grass GRAMAENTAL GRASS: narrow medium green arching foliage to 3.5' tall & wide: bottle-brush flowers gopen pinksh in late summer before turning tan & reaching to 4' locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native: Zones 5 - 8 Pennisetum alopecuroides 'Burgundy Bunny' Dwarf Red Fountain Grass GRAMAENTAL GRASS: green & red arching foliage in summer: foliage turns bright red in fall until frost: tocate in full sun & average to well drained organic soil that's neutral to acidic: Asian native (Walla Walla N) Zones 5 - 9 Pennisetum alopecuroides 'Foxtrot' Fountain Grass GRAMAENTAL GRASS: purplish-rose bottle-brush flowers in late summer atop 5' stems: clumps get to 5' wide as well: narrow green foliage turns golden in the fall: locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native (Blueme) Zones 5 - 9 Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass OKNAMENTAL GRASS: purplish-rose bottle-brush flowers in late summer atop 5' stems: clumps get to 5' wide as well: narrow green foliage turns golden in the fall: locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native (Blueme) Zones 5 - 9 Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass OKNAMENTAL GRASS: very narrow green foliage to 12' tall & wide: creamy-tan bottle-brush flowers agained by the state of						
Fountain Grass ORNAMENTAL GRASS: narrow medium green arching follage to 3.5' tall & wide: bottle- brush flowers open pinkish in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native: Zones 5 - 8 Pennisetum alopecuroides 'Burgundy Bunny' Dwarf Red Fountain Grass ORNAMENTAL GRASS: green & red arching follage in summer to 15' tall & wide: small off-white bottle-brush flowers appear above the follage in late summer; follage turns bright red in fall until frost; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Walla Walla N) Zones 5 - 9 Pennisetum alopecuroides 'Foxtrot' Fountain Grass ORNAMENTAL GRASS: purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well: narrow green follage turns golden in the fall: locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemel) Zones 5 - 9 Pennisetum alopecuroides 'HameIn' Dwarf Fountain Grass ORNAMENTAL GRASS: off white plumes to 24' by late summer; follage is narrower than the species & reaches 18'; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic in that's neutral to acidic; Asian native: Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS: very narrow green fallage to 12' tall & wide: creamy-tan bottle-brush flowers agapear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native: Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS: light pink bottle-brush plumes to 18' in late summer; narrow arching follage to 8' fall deer browse resistant: seeds attracts song birds: drought tolerant when established: locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides '	& just about any soil; tolerates drought, wet soils & Black Walnuts; North American native; Zones 5 - 8					
DRMAMENTAL GRASS: narrow medium green arching foliage to 3.5 'tall & wide: bottle-brush flowers appear pinkish in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Burgundy Bunny' Dwarf Red Fountain Grass ORNAMENTAL GRASS: green & red arching foliage in summer to 15" tall & wide; small off-white bottle-brush flowers appear above the foliage in late summer; foliage turns bright red in fall until frost; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Walla Walla N) Zones 5 - 9 Pennisetum alopecuroides 'Foxtrot' Fountain Grass ORNAMENTAL GRASS: purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well: narrow green foliage turns golden in the fall; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemel) Zones 5 - 9 Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass ORNAMENTAL GRASS: off white plumes to 24" by late summer; foliage is narrower than the species & greaches 18"; deet browse resistant: seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS: very narrow green foliage to 12" tall & wide: creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS: light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall dee browse resistant: seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red	•			7g		N
pen pinksh in late summer before turning tan & reaching to 4"; locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native: Zones 5 - 8 Pennisetum alopecuroides "Burgundy Bunny" Dwarf Red Fountain Grass DRNAMENTAL GRASS; green & red arching foliage in summer to 15" tall & wide: small off-white bottletursh flowers appear above the foliage in late summer; foliage turns bright red in fall until frost: tocate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Walla Walla N) Zones 5 - 9 Pennisetum alopecuroides "Foxtrot" Pountain Grass DRNAMENTAL GRASS; purplish-rose bottle-brush flowers in late summer atop 5" stems; clumps get to 5" vivide as well: narrow green foliage turns polden in the fall: locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemel) Zones 5 - 9 Pennisetum alopecuroides "Hameln" 19 Dwarf Fountain Grass DRNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species & 39 "Reaches 18"; deer browse resistant: seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides "Little Bunny" 19 Dwarf Fountain Grass DRNAMENTAL GRASS: very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers agapear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides "Piglet" Dwarf Fountain Grass DRNAMENTAL GRASS: light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 5" fall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4" locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides "Red Head" Red Fountain Grass DRNAMENTAL GRASS; narrow medium green						
Pennisetum alopecuroides 'Burgundy Bunny' Dwarf Red Fountain Grass ORNAMENTAL GRASS: green & red arching foliage in summer to 15" tall & wide: small off-white bottlebrush flowers appear above the foliage in late summer: foliage turns bright red in fall until frost: locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Walla Walla N) Zones 5 - 9 Pennisetum alopecuroides 'Foxtrot' Fountain Grass ORNAMENTAL GRASS: purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well: narrow green foliage turns golden in the fall: locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemer) Zones 5 - 9 Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass ORNAMENTAL GRASS: off white plumes to 24" by late summer; foliage is narrower than the species & 3g ORNAMENTAL GRASS: off white plumes to 24" by late summer; foliage is narrower than the species & 3g ORNAMENTAL GRASS: off white plumes to 24" by late summer; toliage is narrower than the species & 3g ORNAMENTAL GRASS: off white plumes to 24" by late summer; toliage is narrower than the species & 3g ORNAMENTAL GRASS: very narrow green foliage to 12" tall & wide: creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native: Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS: light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall: deer browse resistant; seeds attracts song birds: drought tolerant when established: locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native: Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS: light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall: deer browse resistant; seeds attracts song birds: drought tolerant when established: locate in full sun						
Pennisetum alopecuroides 'Burgundy Bunny' Dwarf Red Fountain Grass ORNAMENTAL GRASS: green & red arching foliage in summer to 15" tall & wide: small off-white bottlebrush flowers appear above the foliage in late summer: foliage turns bright red in fall until frost; locate in full sun & average to well drained organic soll that's neutral to acidic: Asian native (Walla Walla N) Zones 5 - 9 Pennisetum alopecuroides 'Foxtrot' Fountain Grass ORNAMENTAL GRASS: purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well: narrow green foliage turns golden in the fall: locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native (Bluemel) Zones 5 - 9 Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass ORNAMENTAL GRASS: of white plumes to 24" by late summer; foliage is narrower than the species & age in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS: very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS: very narrow green foliage to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS: Inght pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8						
Dwarf Red Fountain Grass ORNAMENTAL GRASS: green & red arching foliage in summer to 15" tall & wide; small off-white obttlebrush flowers appear above the foliage in late summer; foliage turns bright red in fall until frost; locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native (Walla Walla N). Zones 5 - 9 Pennisetum alopecuroides 'Foxtrot' Fountain Grass ORNAMENTAL GRASS; purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well; narrow green foliage turns golden in the fall; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemel). Zones 5 - 9 Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass ORNAMENTAL GRASS: off white plumes to 24" by late summer; foliage is narrower than the species & 3g reaches 18"; deer browse resistant: seeds altracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native: Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native; Zone	drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8					
DRNAMENTAL GRASS; green & red arching foliage in summer to 15" tall & wide; small off-white bottlebrush flowers appear above the foliage in late summer; foliage turns bright red in fall until frost; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Walla Walla N). Zones 5 - 9 Pennisetum alopecuroides 'Foxtrot' Fountain Grass ORNAMENTAL GRASS; purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well; narrow green foliage turns golden in the fail; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemel). Zones 5 - 9 Pennisetum alopecuroides 'Hamein' Dwarf Fountain Grass ORNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species & reaches 18"; deer browse resistant; seeds attracts song birds: drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8				1g / 4 Qt		-
bottlebrush flowers appear above the foliage in late summer; foliage turns bright red in fall until frost; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Walla Walla N) Zones 5 - 9 Pennisetum alopecuroides 'Foxtrot' Fountain Grass ORNAMENTAL GRASS; purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well, narrow green foliage turns golden in the fall; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemel) Zones 5 - 9 Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass ORNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species & 3g Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4"; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8						
locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Walla Walla N) Zones 5 - 9 Pennisetum alopecuroides 'Foxtrot' Fountain Grass ORNAMENTAL GRASS; purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well; narrow green foliage turns golden in the fall; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemel) Zones 5 - 9 Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass ORNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species & reaches 18"; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8						
Pennisetum alopecuroides 'Foxtrot' Fountain Grass ORNAMENTAL GRASS: purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well; narrow green foliage turns golden in the fall; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemel) Zones 5 - 9 Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass ORNAMENTAL GRASS: off white plumes to 24" by late summer; foliage is narrower than the species & 3g Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4"; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8						
Pennisetum alopecuroides 'Foxtrot' Fountain Grass ORNAMENTAL GRASS: purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well; narrow green foliage turns golden in the fall; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemel) Zones 5 - 9 Pennisetum alopecuroides 'HameIn' Dwarf Fountain Grass ORNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species & 29 ORNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species & 39 ORNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species & 39 ORNAMENTAL GRASS; off white plumes to 18" in late summer; zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 9" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8						
Fountain Grass ORNAMENTAL GRASS: purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well; narrow green foliage turns golden in the fall; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemet) Zones 5 - 9 Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass ORNAMENTAL GRASS: off white plumes to 24" by late summer; foliage is narrower than the species & reaches 18"; deer browse resistant; seeds attracts song birds; drought tolerant when established: locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS: very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS: light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall: deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS: Inght pink bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic: Asian native; Zones 5 - 8	Walla N) Zones 5 - 9					
ORNAMENTAL GRASS; purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well; narrow green foliage turns golden in the fall; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemel) Zones 5 - 9 Pennisetum alopecuroides 'Hameln' 19 Dwarf Fountain Grass ORNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species & 29 GRAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species & 39 Feaches 18"; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	Pennisetum alopecuroides 'Foxtrot'			2g		Γ
5' wide as well; narrow green foliage turns golden in the fall; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Bluemel) Zones 5 - 9 Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass ORNAMENTAL GRASs; off white plumes to 24" by late summer; foliage is narrower than the species & 3g reaches 18"; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASs; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASs; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASs; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	Fountain Grass			3g		-
Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass ORNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species & reaches 18"; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4"; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8						
Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass ORNAMENTAL GRASS: off white plumes to 24" by late summer; foliage is narrower than the species & reaches 18"; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS: very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS: light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4"; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8		1				
Dwarf Fountain Grass ORNAMENTAL GRASS: off white plumes to 24" by late summer; foliage is narrower than the species & reaches 18"; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	organic soil that's neutral to acidic; Asian native (Bluemel) Zones 5 - 9					
ORNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species & reaches 18"; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide: creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4"; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	Pennisetum alopecuroides 'Hameln'			1g		Γ
reaches 18"; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinklsh-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	Dwarf Fountain Grass			2g		-
Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8				3g		-
Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4"; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8						
Dwarf Fountain Grass ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8					
ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	Pennisetum alopecuroides 'Little Bunny'			1g		Τ
Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	Dwarf Fountain Grass			2g		-
Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers			3g		N
Pennisetum alopecuroides 'Piglet' Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	appear by late summer; locate in full sun & average to well drained organic soil that's neutral to acidic;					
Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	Asian native; Zones 5 - 8					
Dwarf Fountain Grass ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	Pennisetum alopecuroides 'Piglet'			2g		N
8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8 Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	Dwarf Fountain Grass					
Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to					
Pennisetum alopecuroides 'Red Head' Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full	1				
Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8					
Red Fountain Grass ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	Pennisetum alopecuroides 'Red Head'			3g		N
ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall by 30" wide; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8	•					'
bottle-brush flowers appear in late summer before turning tan & reaching to 4'; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8						
average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8						
13 1) Ecision May Mest represented by:	13 Decision Way West represented by:			phone: (88	R) 221_//	5/1

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Pennisetum orientale 'Karley Rose' Pink Oriental Fountain Grass ORNAMENTAL GRASS; narrow gray-green foliage to 18" tall that turns tan in fall; showy rosy-pink flowers appear from June though August on 3' stems; tolerates drought, wet soils, Black Walnuts & air pollution; locate in full sun or light shade & wet to moist soils; Asian & Austrailian native; Zones 6 - 9			2g 3g	
Perovskia 'Little Spire' Compact Russian Sage PERENNIAL; lavender-blue flowers from late summer into fall; compact upright habit to 2' tall; best to cut back hard before new spring growth; resistant to drought & deer browse; locate in full sun & any well-drained soil; Asian native [P. atriplicifolia] Zones 5 - 9			2g	
Perovskia 'Rocketman' Russian Sage PERENNIAL; lavender-blue flower from July to Sept; mounding habit to 3' tall by 42" wide; best to cut back hard before new spring growth; attracts hummingbirds; resists drought & deer browse; locate in full sun & any well-drained soil; Asian native [P. atriplicifolia] (Walters Gdns) Zones 4 - 9			2g	
Perovskia 'Superba' Russian Sage PERENNIAL; lavender-blue flower from July to Sept; bushy upright habit to 3'; best to cut back hard before new spring growth; resistant to drought & deer browse; locate in full sun & any well-drained soil Asian native [P. atriplicifolia] Zones 5 - 9			2g	
Phegopteris decursive-pinnata see: Thelypteris decursive-pinnata				
Philadelphus x virginalis 'Minnesota Snowflake' Mockorange DECIDUOUS FLOWERING SHRUB; double 2" diameter fragrant white flowers; bushy upright habit to 6' tall by 5' wide; locate in full sun or light shade & moist well-drained soil for maximum growth; will tolerate other conditions; Zones 4 - 8			3g 7g	
Physocarpus opulifolius Burgundy Candy ('Podaras 1') Purple Ninebark DECIDUOUS FLOWERING SHRUB; white flowers in late spring; persistent dark reddish-purple foliage; compact mounding habit to about 30" tall by 3' wide; exfoliating bark exhibits dark & light tan longitudinal striations; resists mildew & urban locations; can spread by suckers; locate in full sun or partial shade & most soils; drought tolerant; US native (Ball) Zones 3 - 7			3g	
Physocarpus opulifolius 'Center Glow' Red Ninebark DECIDUOUS FLOWERING SHRUB; pinkish-white flowers in late spring; new foliage emerges burgundy with golden centers before maturing to a bright burgundy; matures to 10' tall by 8' wide; exfoliating bark exhibits dark & light tan longitudinal striations; locate in full sun or partial shade & most well drained soils; drought tolerant; US native; Zones (3) 4 - 6 (7)			3g	
Physocarpus opulifolius Diablo ('Monlo') Purple Ninebark DECIDUOUS FLOWERING SHRUB; light pink flowers fade to white in late spring or early summer; dark reddish-purple foliage; exfoliating bark exhibits dark & light tan longitudinal striations; can spread by suckers; locate in full sun or partial shade & most well drained soils; drought tolerant; US mative (PW) Zones (3) 4 - 6 (7)			3g	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Physocarpus opulifolius Lemon Candy ('Podaras 3')			3g		_
Golden Ninebark					
DECIDUOUS FLOWERING SHRUB; white blooms appear in late spring; bright golden-yellow foliage					
from spring through fall; is best when grown in full sun; compact habit to 3' tall & wide; exfoliating bark					
exhibits dark & light tan longitudinal striations; can spread by suckers; locate in full sun or partial					
shade & most well drained soils; drought tolerant; US native (Ball) Zones 3 - 8					
Physocarpus opulifolius 'Nugget'			3g		İ
Golden Ninebark					
DECIDUOUS FLOWERING SHRUB; white flower clusters appear in late spring; bright golden-yellow					
spring foliage turns dark green by summer; upright habit to 6' tall by 3' wide; exfoliating bark exhibits					
dark & light tan longitudinal striations; can spread by suckers; locate in full sun or light shade & most					
well-drained soils; drought tolerant; US native (SDSU) Zones (2) 3 - 8					
Physocarpus opulifolius Tiny Wine ('SMPOTW')			3g		i
Dwarf Red Ninebark			3		ľ
DECIDUOUS FLOWERING SHRUB; profuse pinkish-white flowers in late spring; small maroon-bronze					
foliage; exfoliating bark exhibits dark & light tan longitudinal striations; can spread by suckers; locate					
in full sun or light to partial shade & most well-drained soils; drought tolerant; US native (PW) Zones					
(3) 4 - 6 (7)					
Picea abies 'Pendula'			10g		t
STAKED		3 - 4'	5g		
Weeping Norway Spruce		4'	7g		
EVERGREEN ORNAMENTAL CONIFER; heavily weeping branches; height & shape varies with staking,]
dark evergreen needles; leader is staked upright; height & shape varies with staking; locate in full sun to					
partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones					
2 - 7					
Picea glauca 'Conica'		18 - 24"	30		+
Alberta Spruce		24 - 30"	3g 3g		1
EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit with short green needles; becomes		30 - 36"	3g		1
broadly pyramidal when mature; rarely exceeds 10' in height; locate in full sun or light shade & moist		30 - 30	39		1
organic soils, although tolerant of many soil conditions; US native; Zones 2 - 6 (7)					
Dicoa pungone 'Eastigiata' / 'Clausa Eastigiata' / 'Isoli Eastigiata'			50		+
Picea pungens 'Fastigiata' / 'Glauca Fastigiata' / 'Iseli Fastigiata' Fastigiate Blue Colorado Spruce			5g		1
r astigiate Blue Colorado Spruce EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit when young; widens with age (like we					
do); gray-blue needles; deer browse resistant; locate in full sun & just about any well-drained soil;					
tolerant of drought & coastal conditions; native to Rocky Mtn region of US; Zones 3 - 7 (8)					
					1
Picea pungens 'Glauca Globosa'			5g		+
Dwarf Blue Colorado Spruce			7g		+
EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; deer browse					
resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn region of US; Zones 3 - 7 (8)					
			_		+
Picea pungens 'Glauca Globosa' STANDARD			5g 7g sqt		1
Dwarf Blue Colorado Spruce			ry sql		1
EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; usually grafted					
between 18" & 3' on top of a clear trunk; deer browse resistant; locate in full sun & just about any					
well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn region of US; Zones 3 - 7					
(8)					
2 Decision Way West			nhana: (99)	11 004 4	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
Pieris japonica			3g	
apanese Andromeda				
VERGREEN FLOWERING SHRUB; pendulous white racemes from late March into early April;				
roadly upright habit 6' in 10 years; deer browse resistant; locate in dappled or afternoon shade & moist				
acidic well-drained organic soil; native to Japan & eastern China; Zones (4) 5 - 7				
Pieris japonica 'Cavatine'			3g	
Compact Japanese Andromeda				
EVERGREEN FLOWERING SHRUB; long lasting white flowers in early April; dwarf compact mound to				
B' by 3'; deer browse resistant; locate in dappled or afternoon shade & moist acidic well-drained organic				
soil; native to Japan & eastern China; Zones (4b) 5 - 7				
Pieris japonica 'Dorothy Wycoff'			3g	
Pink Japanese Andromeda			5g	
EVERGREEN FLOWERING SHRUB; deep red flower buds all winter; pendulous light pink racemes				
from late March into early April; dark green foliage; deer browse resistant; locate in dappled or				
afternoon shade & moist acidic well-drained organic soil; native to Japan & eastern China; Zones 5 - 7				
Pieris japonica 'Mountain Fire'			3g	
Japanese Andromeda				
EVERGREEN FLOWERING SHRUB; very limited quantity of pendulous white racemes from late March				
into early April; bright red new growth appears for a long time; deer browse resistant; locate in				
dappled or afternoon shade & moist acidic well-drained organic soil; native to Japan & eastern China;				
Zones 5 - 7				
Pieris japonica 'Prelude'			3g	
Compact Japanese Andromeda				
EVERGREEN FLOWERING SHRUB; small prominent pink buds all fall & winter open to pendulous				
white racemes from late March into early April; compact spreading habit to 2' tall by 3' wide; dark				
green summer foliage emerges pink in spring; deer browse resistant; locate in dappled or afternoon				
shade & moist acidic well-drained organic soil; native to Japan & eastern China; Zones 5 - 7				
Pieris japonica 'Scarlet O'Hara'			3g	
Japanese Andromeda			5g	
EVERGREEN FLOWERING SHRUB; pendulous white racemes from late March into early April; new				
growth is reddish-bronze which green at maturity; upright habit to 4' in about 10 years; deer browse				
resistant; locate in dappled or afternoon shade & moist acidic well-drained organic soil; native to Japan				
& eastern China; Zones (4) 5 - 7				
Polystichum acrostichoides			1g	
Christmas Fern			2g	
EVERGREEN FERN; pinnately compound foliage reaches up to 24" tall & wide; used to be used in			29	
Christmas decorations; resists rabbit & deer browse; drought tolerant; locate in full to partial shade &				
moist organic well-drained soil; somewhat adaptable to sun exposure and multiple soil type; eastern US				
native; Zones 3 - 9				
Polystichum polyblepharum			2g	
Japanese Tassel Fern; Korean Tassel Fern			2 9	
EVERGREEN FERN; arching foliage to 24" tall & wide; resists deer & rabbit browse; locate full shade &				
moist organic well-drained soil that is somewhat acidic; native to Japan & Korea; Zones 6 - 8				
Potentilla fruticosa 'Goldfinger'			3g	
Yellow Bush Cinquefoil DECIDIALIS ELOWERING SHRUR: golden vallow summer flower: unright habit: locate in full sun with				
DECIDUOUS FLOWERING SHRUB; golden yellow summer flower; upright habit; locate in full sun with				
ample moisture; deer browse resistant; locate in full sun & moisture retentive soil; tolerant of highly alkaline soils; US native; Zones 2 - 6 (7)				
andinic sons, US Hative, Zulies Z - U (7)				
3 Decision Way West represented by:	<u> </u>		phone: (88	8) 321-4
			p (00)	-,

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Potentilla fruticosa 'Mango Tango'			3g	
'ellow Bush Cinquefoil				
DECIDUOUS FLOWERING SHRUB; yellow flowers mature to yellowish-orange and are effective from				
nid summer to frost; compact bushy habit to 2' tall & wide; small light green compound summer oliage; insignificant fall foliage color; deer browse resistant; locate in full sun & moisture retentive soil;				
olerant of highly alkaline soils; US native (U. of Manitoba) Zones 2 - 6 (7)				
Prunus laurocerasus 'Otto Luyken'			6g	
Spreading Cherrylaurel; Spreading English Laurel				
RROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to				
plack fruit in summer that are poisonous; low spreading evergreen; long dark evergreen foliage; deer				
prowse resistant; locate in full sun or moderate shade & moist well-drained soil that's pH adaptable; pative to Europe & Asia Minor; Zones (6) 7 - 8				
Prunus laurocerasus 'Schipkaensis'			6g	
Jpright Schip Laurel; Upright Schip Cherrylaurel BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to		04 001	15g	
plack fruit in summer that are poisonous; broadly columnar habit; long dark evergreen foliage; deer		24 - 30" 30 - 36"	B&B B&B	
prowse resistant; locate in full sun or moderate shade & moist well-drained soil that's pH adaptable;		30 - 30	DQD	
native to Europe & Asia Minor; Zones (6) 7 - 8				
Prunus maritima			3g	
Beach Plum			5g	
DECIDUOUS FLOWERING SHRUB; white flowers in May; purple edible fruit; suckering upright shrub o 6'; locate in full sun & sandy coastal soils; northeastern US native; Zones 3 - 6				
Prunus subhirtella 'Pendula'			15g	
TOP GRAFT				
Weeping Higan Cherry				
DECIDUOUS ORNAMENTAL TREE; double pink flowers in April before the foliage; broadly arching heads; can get 30' or more tall & wide; locate in full sun & any well-drained soil; Asian native; Zones (5)				
6 - 8				
Pyracantha x 'Mohave'			3g	
Firethorn EVERGREEN FLOWERING SHRUB; profuse white flowers in spring; masses of orange-red fruit in fall;				
glossy dark green summer foliage; upright habit to 10' tall by 5' wide; with will vary with trimming;				
resistant to scab (not all sources) and fireblight; difficult to transplant B&B locate in full sun or partial				
shade & well-drained soil; drought tolerant [P. koidzumii x P. coccinea] Zones (6) 7 - 9				
Pyracantha x 'Rutgers'			3g	
Spreading Firethorn				
EVERGREEN FLOWERING SHRUB; white spring flowers; orange-red fruit in fall; low spreading habit to 3' tall & twice as wide or more; improved disease resistance; orange fruit; locate in full sun or partial				
shade & well-drained soil; drought tolerant (Orton / Rutgers) Zones 6 - 9				
Pyrus calleryana Chanticleer ('Glenn's Form') / 'Cleveland Select'			10g	
Flowering Pear; Callery Pear				
DECIDUOUS ORNAMENTAL TREE; profuse white flowers in mid April; yellow to red fall foliage is				
retained late into the season; narrowly pyramidal to columnar heads reaching 40' tall by 20' wide; veak wooded - especially from wet snow or ice storms; locate in full sun or light shade & just about any				
oil with reasonable drainage; tolerant of drought & urban conditions; Chinese native (Scanlon) Zones				
5 - 8				

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rhododendron 'Chionoides' White Hybrid Rhododendron EVERGREEN FLOWERING SHRUB; white flowers with yellow throat in May; compact spreading habit to 4' in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to light shade and deep organic well-drained acidic soils (Waterer) to 10° F			3g	
Rhododendron 'Landmark' Pink Hybrid Rhododendron EVERGREEN FLOWERING SHRUB; Lepidote; wavy, purplish-red flowers in May as the flowers from Olga Mezitt' begin to fade; small semi-glossy dark green foliage becomes a nice purple-brown through the winter; upright, somewhat open habit, to 4' tall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; ROY 2008 (Mezitt) - 15° F			3g 7g	
Rhododendron 'Nova Zembla' Red Hybrid Rhododendron EVERGREEN FLOWERING SHRUB; wine red flower in May; grows to 6' tall in 10 years; must be clanted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Koster) - 25° F			3g	
Rhododendron 'PJM' PJM Rhododendron EVERGREEN FLOWERING SHRUB; Lepidote; violet to lavender-pink flowers in early April contrast well with the burgundy winter foliage; compact habit to 4'; reliably heavy bud set in fall; heat and sun tolerant; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils; ROY 2008 (Mezitt) - 25° F			3g	
Rhododendron 'Roseum Elegans' Pink Hybrid Rhododendron EVERGREEN FLOWERING SHRUB; lilac-pink flowers in mid-late May; compact habit to about 6' in 10 years; does well in full sun & conditions where other varieties fail; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light shade and deep organic well-drained acidic soils (Waterer) - 25° F			3g 5g 7g	
Rhus aromatica 'Gro Low' Dwarf Fragrant Sumac DECIDUOUS ORNAMENTAL SHRUB; low spreading habit to 2' tall by 6' or more wide; orange to red fall foliage; red fruit in summer; excellent spreading groundcover is perfect on banks with moderate to imited moisture (when established); locate in full sun or moderate shade & well-drained acidic soil; native to eastern US & Canada; Zones (3) 4 - 9			3g	
Rosa Blushing Knockout ('Radyod') Pink Shrub Rose DECIDUOUS FLOWERING SHRUB; 3™ shell pink blooms from summer to frost; dark green foliage resists leaf spot; compact upright habit to 3'; burgundy fall foliage; locate in full sun or minimal shade & reganic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9			3g	
Rosa Coral Drift ('Meidrifora') Pink Shrub Rose DECIDUOUS FLOWERING SHRUB; abundant slightly scented 1.5" dia semi-double coral-orange sup-shaped flowers from mid spring through mid fall; low spreading mound to 18" high by 30" wide; dark green foliage with improved resistance to black spot, rust & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10			2g 3g	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rosa Double Knockout ('Radtko') Red Shrub Rose DECIDUOUS FLOWERING SHRUB; very floriferous dark double red self-cleaning flowers from summer o frost; bushy habit to 4' by 4'; dark green foliage is resistant to black spot; drought tolerant; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 9			3g	
Rosa Double Pink Knockout ('Radtkopink') Pink Shrub Rose DECIDUOUS FLOWERING SHRUB; floriferous double hot pink self-cleaning flowers from summer through frost; bushy habit to 4' by 4'; black spot resistant dark glossy green foliage; drought tolerant; focate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9			3g	
Rosa Knockout ('Kadrazz') Red Shrub Rose DECIDUOUS FLOWERING SHRUB; single florescent cherry-red blooms from late spring to frost; dark green foliage; disease resistant & carefree; locate in full sun or minimal shade & organic well-drained elightly acidic or neutral soil (Radler) Zones 4 - 9			3g	
Rosa Oso Easy Cherry Pie ('Meiboulka') Red Shrub Rose DECIDUOUS FLOWERING SHRUB; large single candy-apple red flowers w/ yellow centers bloom on new wood all summer; glossy very disease resistant foliage; can grow to 4' x 5' wide; locate in full sun or minimal shade & organic well-drained moisture retentive slightly acidic or neutral soil (PW) Zones 4 - 9			3g	
Rosa Oso Easy Mango Salsa ('ChewperAdventure') Pink Shrub Rose DECIDUOUS FLOWERING SHRUB; lightly fragrant double orange-pink to coral-pink flowers on the new wood from mid-summer into late fall without deadheading; very disease resistant glossy dark green foliage; compact mound to 3' tall & wide; locate in full sun or minimal shade & organic well-drained moisture retentive slightly acidic or neutral soil (PW) Zones 4 - 9			3g	
Rosa Oso Easy Paprika ('ChewMayTime') Pink Shrub Rose DECIDUOUS FLOWERING SHRUB; single flowers open orange before turning coral pink with yellow senters on the new wood from mid-summer into fall; very disease resistant glossy foliage; grows to 2' stall & wide; locate in full sun or minimal shade & organic well-drained moisture retentive slightly acidic for neutral soil (PW) Zones 4 - 9			3g	
Rosa Oso Easy Strawberry Crush ('Hormeteorie') Pink Shrub Rose DECIDUOUS FLOWERING SHRUB; semi-double flowers open bright pink with yellow centers on the new wood from early summer into fall; very disease resistant glossy foliage; grows to 3' tall by 4' wide; locate in full sun or minimal shade & organic well-drained moisture retentive slightly acidic or neutral soil (PW) Zones 4 - 9			3g	
Rosa Peach Drift ('Meiggili') Pink Drift Shrub Rose DECIDUOUS FLOWERING SHRUB; very floriferous soft pink flowers from mid spring to mid fall; Flowers tolerates light freezes; compact spreading habit to 18" tall by 2' wide; dark green foliage with improved resistance to black spot, rust & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10			2g 3g	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rosa Pink Drift ('Meijocos') Pink Drift Shrub Rose FLOWERING SHRUB; clusters of deep pink flowers with yellowish centers from spring through frost; disease resistant; low spreading habit to 18" tall by 36" wide; full sun; use in containers or as a ground cover; full sun (Conard-Pyle) Zones 5 - 10			2g 3g	
Rosa Pink Knockout ('RADcon') Pink Shrub Rose DECIDUOUS FLOWERING SHRUB; strong pink blooms from spring to frost; dark green disease resistant foliage; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9			3g	
Rosa Popcorn Drift ('Novarospop') Yellow Shrub Rose DECIDUOUS FLOWERING SHRUB; new flowers are yellow which fade to creamy white with age, sometimes suffused with a soft flush; abundant flowers all summer; bushy spreading habit to about 18' tall by 24" wide; dark green foliage with improved resistance to black spot, rust & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 11			2g 3g	
Rosa Red Drift ('Meigalpio') Red Drift Shrub Rose DECIDUOUS FLOWERING SHRUB; very small clusters of red roses from spring through frost; low spreading habit to 18" tall by 36" wide; use in containers or as a ground cover; dark green foliage with improved resistance to black spot, rust & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10			2g 3g	
Rosa rugosa Rugosa Rose DECIDUOUS FLOWERING SHRUB; fragrant rose-pink summer flower; red fruit in fall; locate in full sun & organic well-drained slightly acidic soil; very tolerant of coastal areas & somewhat alkaline soil; Asian native; Zones 2 - 7 (8)			2g 3g	
Rosa Sunny Knockout ('RADsunny') Yellow Knockout Rose DECIDUOUS FLOWERING SHRUB; fragrant, single, 3" flowers open butter yellow before fading to off-white from late spring to frost; grows to about 4' tall & wide; highly resistant to black spot as well as mildew, rust & Japanese Beetles; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 9			3g	
Rosa Sweet Drift ('Meiswetdom') Double Pink Drift Shrub Rose DECIDUOUS FLOWERING SHRUB; abundant 1.5" dia clusters of double medium clear pink flowers from mid spring through mid fall; low vigorous spreading mound to 2' high by 3' wide; dark green foliage with improved resistance to black spot, rust & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10			2g 3g	
Rosa White Drift ('Meizorland™) White Shrub Rose DECIDUOUS FLOWERING SHRUB; abundant clusters of double bright white flowers from mid spring through mid fall; low vigorous spreading mound to 18" high by 30" wide; dark green foliage with improved resistance to black spot, rust & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 11			3g	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rosa White Out ('RADwhite')			3g	
White Knockout Rose DECIDUOUS FLOWERING SHRUB; single white flowers to 3.5" diameter with yellow centers from late				
pring to frost; dark green foliage; highly resistant to black spot, mildew, rust & Japanese Beetles; locate	2			
n full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 9				
Rudbeckia 'Goldstrum'			1g	
Perennial Black-eyed Susan			2g	
PERENNIAL; 3" diameter gold petals with dark brown eye from mid-summer into early fall; upright			-9	
abit to 3' tall by 2' wide; attracts butterflies; good cut flower; resists deer browse; locate in full sun &				
nost well-drained soils; drought tolerant; US native [R. fulgida var. sullivantii] (Hagemann) Zones 4 -				
Rudbeckia 'Little Goldstar'			1g	
Owarf Perennial Black-eyed Susan			2g	
PERENNIAL; produces masses of 2"+ gold petals with a brown eye from mid-summer through early fall; genetic dwarf habit to about 18" tall; attracts butterflies; good cut flower & container plant; resists				
deer browse; locate in full sun & most well-drained soils; drought tolerant; US native [R. fulgida var.				
ullivantii] (Jelitto) Zones 4 - 9				
Salix integra 'Hakuro-nishiki' / 'Albomaculata'			3g	
BUSH			5g	
/ariegated Japanese Willow				
DECIDUOUS ORNAMENTAL SHRUB; broad bushy shrub to 12' tall & wide; new foliage is a colorful mix	1			
f green, white & pink which follows yellow catkins; locate in full sun & moist organic acidic to neutral oils; Zones 4 - 7				
·				
Salix integra 'Hakuro nishiki' / 'Albomaculata' TREE FORM			10g	
Variegated Japanese Willow				
DECIDUOUS ORNAMENTAL SHRUB; broad bushy shrub to 12' tall & wide; new foliage is a colorful mix				
of green, white & pink which follows yellow catkins; branching starts about 3-4' above a single stem;				
ocate in full sun & moist organic acidic to neutral soils; Zones 4 - 7				
Salvia 'Blue Hill'			1g	
Blue Flowering Sage			2g	
PERENNIAL; lavender-blue flower from June to August; compact upright habit to 30" tall by 15" wide; attracts butterflies; resists deer browse; locate in full sun & most well-drained soils; tolerant of drought				
& humidity; native to Europe & Asia [S. nemerosa] Zones 4 - 8				
Salvia 'Caradonna'			10	
Blue Flowering Sage			1g 2g	
PERENNIAL; blue-violet flowers in early summer on 2' spikes about 12" mounds of green foliage;			-9	
attracts butterflies; resists deer browse; locate in full sun & most well-drained soils; tolerant of drought				
A humidity; native to Europe & Asia [S. nemerosa] Zones 4 - 9				
Salvia 'May Night'			1g	
/iolet Flowering Sage			2g	
PERENNIAL; persistent blue-violet flower from June to July; 18"; attracts butterflies; resists deer prowse; locate in full sun & most well-drained soils; tolerant of drought & humidity; native to Europe &				
Asia [S. nemerosa] Zones 4 - 8				
Sambucus nigra Black Tower ('EiffelO1') Purple Cutleaf Common Elder; Purple Cutleaf European Elder			3g	
DECIDUOUS FLOWERING SHRUB; dark purple deeply cut summer foliage; lightly fragrant pink				
flowers early to late spring; upright habit to 8' high by 6' wide; edible black fruit in fall; locate in full sun				
or moderate shade & moist or dry soils of any alkalinity; native to Europe Zones 4 - 7				
3 Decision Way West represented by:			phone: (88	0) 224 /1

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Sarcococca hookeriana var. humilis Himalayan Sarcococca; Sweetbox EVERGREEN GROUND COVER; ericaceous, stoloniferous evergreen; slow grower to about 18" tall;			1g 2g	
black fruit; locate in varying degrees of shade & highly organic well-drained acidic soil; native to China; PHS Gold Metal; Zones (5) 6 - 8				
Schizachyrium scoparium 'Prairie Blues' Little Bluestem ORNAMENTAL GRASS; narrow upright grey-blue summer foliage turns shades of reddish-orange in fall; upright habit to 3' tall by 18" wide; silvery seed heads appear from late summer into fall; good container plant; highly drought tolerant; deer browse resistant; attracts songbirds & butterflies; locate in full sun & just about any well-drained soil; eastern US native; Zones 3 - 9			1g 2g	
Schizachyrium scoparium 'Standing Ovation' Little Bluestem DRNAMENTAL GRASS; narrow upright grey-blue stems to 4' tall are purplish at their base; in fall they become shades of orange, red, yellow & brown; silvery seed heads appear from late summer into fall; deer browse resistant; attracts songbirds & butterflies; locate in full sun & any well-drained soil; highly drought tolerant; US native (North Creek N) Zones 3 - 8			1g 2g	
Sedum 'Angelina' Yellow Stonecrop EVERGREEN GROUND COVER; yellow star-like summer flowers; low spreading habit to 6" tall; succulent evergreen leaves appear chartreuse in spring before turning golden-yellow by summer & ultimately orange to red in fall; withstands minimal foot traffic but not wet soils; cascades over walls or from containers or planters; resistant to drought and deer & rabbit browse; locate in full sun to light shade & very well-drained soils; excellent in poor dry soils [S. reflexum (ruscifolia)] Zones 3 - 8 (9)			1g 2g	
Sedum 'Autumn Joy' Stonecrop PERENNIAL; pink flowers from Sept into Nov; upright habit to 24" tall & wide; locate in full sun or light shade & medium to well-drained soil; Asian native; Genus renamed Hylotelephium [H. spectable] Zones 4 - 9			1g 2g	
Sedum 'Cherry Tart' SunSparkler Stonecrop EVERGREEN PERENNIAL; 5" bright pink flowers in Aug & Sept totally cover the plant; bright red foliage; low spreading habit to 6" tall by 18" wide; attracts butterflies; resists deer & rabbit browse; flrought tolerant; locate in full to mostly sunny areas & well-drained soil; Japanese native (Hansen) Cones 4 - 9			2g	
Sedum 'Dazzleberry' Sunsparkler Stonecrop EVERGREEN PERENNIAL; 6" raspberry flowers in Aug & Sept totally cover the plant; blue-gray Foliage; low spreading habit to 8" tall by 18" wide; attracts butterflies; resists rabbit browse; drought Folorant; locate in full to mostly sunny areas & well-drained soil; Japanese native (Hansen) Zones 4 - 9			1g 2g	
Stonecrop EVERGREEN GROUND COVER; scarlet flowers for about 3 weeks in June & July; reddish-bronze foliage; prostrate trailing habit; tolerant of urban conditions; locate in full sun or very minimal shade & well-drained to nearly sterile soil; Asian native [S. spurium] Zones 3 - 8			1g 2g	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by: R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	1
Sedum 'Firecracker' Sunsparkler Stonecrop EVERGREEN GROUND COVER PERENNIAL; large clusters medium pink flowers in late summer through fall; reddish blue-gray foliage; low spreading habit to 8" tall by 18" wide; attracts butterflies; resists rabbit browse; drought tolerant; locate in full to mostly sunny areas & well-drained soil; Japanese native (Hansen) Zones 4 - 9			2g		
Sedum 'Moonlight Serenade' Pink Stonecrop PERENNIAL; raspberry-pink buds open to peachy-pink flowers with golden shades in late summer which mature to burgundy seed heads in fall, which provide food for birds during the winter; succulent foliage starts bluish-green and transitions to a purplish cast by fall; grows to 18" tall; best in full to mostly sunny locations & any neutral pH soil that's well drained; very drought tolerant (Oudshoorn) Zones 3 - 9			2g		
Skimmia japonica - female Japanese Skimmia EVERGREEN GROUND COVER; lightly fragrant white flowers in April; bright red fruit from mid-fall through winter; glossy evergreen foliage; compact mounding habit to about 3' tall & wide; locate in partial to full shade & rich organic well-drained moisture retentive neutral to acidic soil; native to Asia; Zones (6) 7 - 8 (9)			1g 2g		
Skimmia japonica - male Japanese Skimmia EVERGREEN GROUND COVER; white flowers in April are larger & more fragrant that those on female plants; no fruit; glossy evergreen foliage; compact mounding habit to about 3' tall & wide; locate in partial to full shade & rich organic well-drained moisture retentive neutral to acidic soil; native to Asia; Zones (6) 7 - 8 (9)			1g 2g		
Sorbaria sorbifolia 'Sem' Ural Falsespirea; Ash-leaf Spirea DECIDUOUS FLOWERING SHRUB; white flower panicles in early July on new wood; new compound foliage opens with shades of red, pink & chartreuse before summer when it's mostly green with lighter highlights; compact habit to 4' tall & wide; can grow aggressively by root suckers; locate full sun or ligh shade & moist organic well-drained soil of any pH; native to northern Asia; Zones 2 - 8	t		3g		
Spiraea 'Gold Mound' Yellow Japanese Spirea DECIDUOUS FLOWERING SHRUB; pink flowers in May & June; bright gold spring foliage fades to yellow-green in mid-summer's heat; fall foliage becomes orangish; low compact mound to 3' tall by 4' wide; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8			3g		
Spiraea 'Goldflame' Golden Bumald Spirea DECIDUOUS FLOWERING SHRUB; pink summer flowers; orange-bronze new foliage turns to yellow, then yellow-green & finally green by summer; grows to 3' tall & 4' wide; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. x bumalda] Zones 3 - 8			3g		
Spiraea 'Lemon Princess' Yellow Japanese Spirea DECIDUOUS FLOWERING SHRUB; pink flowers in early summer; yellow foliage; compact spreading mound to 2' tall & wider; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8			3g		
13 Decision Way West represented by:			phone: (88		

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by:

R.P. Tuthill & Associates

ipiraea 'Little Princess' inink Japanese Spirea ECIDUOUS FLOWERING SHRUB; pink flowers in early summer; green foliage; compact spreading nound to 3' tall & wider; deer browse resistant; locate in sun or light shade & just about any soil with easonable drainage [S. japonica] Zones 4 - 8 ipiraea 'Magic Carpet' ink Japanese Spirea ECIDUOUS FLOWERING SHRUB; pinkish-purple flowers in June & July; yellow-green red-tipped or lange; dwarf spreading mound to 2; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8 ipiraea Mellow Yellow ('Ogon') soiden Thunberg Spirea ECIDUOUS FLOWERING SHRUB; white flowers in early spring; delicate chartreuse foliage; globular nound to 4' tall & wide; deer browse resistant; locate in sun or light shade & just about any soil with geasonable drainage; HS Gold Metal [S. thunbergil] Zones 4 - 8 ipiraea 'Neon Flash' ted Japanese Spirea ECIDUOUS FLOWERING SHRUB; improved 'Anthony Waterer' - no variegated shoots: red flowers in late spring; reddish new foliage becomes a nice green in summer; compact mound: deer browse sistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] ones 4 - 8 ipiraea 'Shirobana' / 'Shibori' ink Japanese Spirea ECIDUOUS FLOWERING SHRUB; red, pink & white flowers in early summer and sporadically rereater; compact rounded mound to 4'; dark green foliage; deer browse resistant; locate in sun or ght shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8 ipiraea 'Shirobana' / 'Shibori' ink Japanese Spirea ECIDUOUS FLOWERING SHRUB; white flowers in early June on old wood cover the small blue-green plage; puright mound to 5'; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8 ipiraea 'Snowmound' White Nippon Spirea ECIDUOUS FLOWERING SHRUB; white flowers in early June on old wood cover the small blue-green plage; puright mound to 5'; deer browse resistant		AVAIL.	SIZE	ROOTS	QNTY
Excition of the state of the st				3g	
Colden Thunberg Spirea CECIDUOUS FLOWERING SHRUB; white flowers in early spring; delicate chartreuse foliage; globular bound to 4'tall & wide; deer browse resistant; locate in sun or light shade & just about any soil with easonable drainage; HS Gold Metal [S. thunbergii] Zones 4 - 8 Spiraea 'Neon Flash' Red Japanese Spirea ECCIDUOUS FLOWERING SHRUB; improved 'Anthony Waterer' - no variegated shoots; red flowers in ate spring; reddish new foliage becomes a nice green in summer; compact mound; deer browse esistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] ones 4 - 8 Spiraea 'Shirobana' / 'Shibori' Tink Japanese Spirea ECIDUOUS FLOWERING SHRUB; red, pink & white flowers in early summer and sporadically hereafter; compact rounded mound to 4'; dark green foliage; deer browse resistant; locate in sun or ght shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8 Spiraea 'Snowmound' White Nippon Spirea ECIDUOUS FLOWERING SHRUB; white flowers in early June on old wood cover the small blue-green obliage; upright mound to 5'; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. nipponica] Zones (3) 4 - 7 (8) Stachys 'Helene von Stein' amb's Ear; Betony ERENNIAL; lavender-pink flowers on spikes above the silvery foliage in summer; thick wooly leaves re twice the size of the species; low clumping habit to 12" tall by 18" wide; tolerates drought & deer rowse; locate in full sun or light shade & average to well-drained soil; native to Asia Minor [S. syzantina] Zones 4 - 9 Spiringa Bloomerang Dark Purple ('SMSJBP7') Turple Reblooming Hybrid Lilac ECCIDUOUS FLOWERING SHRUB; profuse fragrant purple bloom in spring; from mid-summer to rost a lesser quantity of flowers appear; grows up to 6' tall & wide; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; hotels and the profuse fragrant pinkish-purple bloom in spring; from hid-s				3g	
Red Japanese Spirea RECIDUOUS FLOWERING SHRUB; improved 'Anthony Waterer' - no variegated shoots; red flowers in ate spring; reddish new foliage becomes a nice green in summer; compact mound; deer browse esistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] iones 4 - 8 Repiraea 'Shirobana' / 'Shibori' Irink Japanese Spirea RECIDUOUS FLOWERING SHRUB; red, pink & white flowers in early summer and sporadically hereafter; compact rounded mound to 4'; dark green foliage; deer browse resistant; locate in sun or ght shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8 Repiraea 'Snowmound' White Nippon Spirea RECIDUOUS FLOWERING SHRUB; white flowers in early June on old wood cover the small blue-green soliage; upright mound to 5'; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. nipponica] Zones (3) 4 - 7 (8) RECIDUOUS FLOWERING SHRUB; white flowers in early June on old wood cover the small blue-green soliage; upright mound to 5'; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. nipponica] Zones (3) 4 - 7 (8) RECIDUOUS FLOWERING SHRUB; white flowers above the silvery foliage in summer; thick wooly leaves retwice the size of the species; low clumping habit to 12" tall by 18" wide; tolerates drought & deer rowse; locate in full sun or light shade & average to well-drained soil; native to Asia Minor [S. syzantina] Zones 4 - 9 RECIDUOUS FLOWERING SHRUB; profuse fragrant purple bloom in spring; from mid-summer to rost a lesser quantity of flowers appear; grows up to 6' tall & wide; locate in full to mostly sunny areas with good air circulation & well-drained neutral to alkaline organic soil; withstands coastal conditions PW) Zones (3) 4 - 7 Repringa Bloomerang Purple ('Penda') Dwarf Purple Hybrid Lilac RECIDUOUS FLOWERING SHRUB; profuse fragrant pinkish-purple bloom in spring; from mid-summer to frost a lesser quantity of flowers appear; g	Iden Thunberg Spirea CIDUOUS FLOWERING SHRUB; white flowers in early spring; delicate chartreuse foliage; globular and to 4' tall & wide; deer browse resistant; locate in sun or light shade & just about any soil with sonable drainage; HS Gold Metal [S. thunbergii] Zones 4 - 8				
Pink Japanese Spirea PECIDUOUS FLOWERING SHRUB; red, pink & white flowers in early summer and sporadically thereafter; compact rounded mound to 4'; dark green foliage; deer browse resistant; locate in sun or got shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8 **Pipiraea 'Snowmound'** White Nippon Spirea PECIDUOUS FLOWERING SHRUB; white flowers in early June on old wood cover the small blue-green poliage; upright mound to 5'; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. nipponica] Zones (3) 4 - 7 (8) **Pipiraea 'Snowmound'** White Nippon Spirea PECIDUOUS FLOWERING SHRUB; white flowers in early June on old wood cover the small blue-green poliage; upright mound to 5'; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. nipponica] Zones (3) 4 - 7 (8) **Pipiraea Steony** PERENNIAL; lavender-pink flowers on spikes above the silvery foliage in summer; thick wooly leaves re twice the size of the species; low clumping habit to 12" tall by 18" wide; tolerates drought & deer rowse; locate in full sun or light shade & average to well-drained soil; native to Asia Minor [S. syzantina] Zones 4 - 9 **Pipiraea Bloomerang Dark Purple ('SMSJBP7')* Purple Reblooming Hybrid Lilac **PECIDUOUS FLOWERING SHRUB; profuse fragrant purple bloom in spring; from mid-summer to rost a lesser quantity of flowers appear; grows up to 6' tall & wide; locate in full to mostly sunny areas with good air circulation & well-drained neutral to alkaline organic soil; withstands coastal conditions purple Hybrid Lilac **PECIDUOUS FLOWERING SHRUB; profuse fragrant pinkish-purple bloom in spring; from mid-summer to frost a lesser quantity of flowers appear; grows to 5' tall by 4' wide; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil;	nound; deer browse	in		3g	
White Nippon Spirea DECIDUOUS FLOWERING SHRUB; white flowers in early June on old wood cover the small blue-green oliage; upright mound to 5'; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. nipponica] Zones (3) 4 - 7 (8) Stachys 'Helene von Stein' Tamb's Ear; Betony DERENNIAL; lavender-pink flowers on spikes above the silvery foliage in summer; thick wooly leaves are twice the size of the species; low clumping habit to 12" tall by 18" wide; tolerates drought & deer rowse; locate in full sun or light shade & average to well-drained soil; native to Asia Minor [S. syzantina] Zones 4 - 9 Degringa Bloomerang Dark Purple ('SMSJBP7') Turple Reblooming Hybrid Lilac DECIDUOUS FLOWERING SHRUB; profuse fragrant purple bloom in spring; from mid-summer to rost a lesser quantity of flowers appear; grows up to 6' tall & wide; locate in full to mostly sunny areas with good air circulation & well-drained neutral to alkaline organic soil; withstands coastal conditions PW) Zones (3) 4 - 7 Degringa Bloomerang Purple ('Penda') Dewarf Purple Hybrid Lilac DECIDUOUS FLOWERING SHRUB; profuse fragrant pinkish-purple bloom in spring; from mid-summer to frost a lesser quantity of flowers appear; grows to 5' tall by 4' wide; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil;	esistant; locate in sun or			3g	
namb's Ear; Betony IERENNIAL; lavender-pink flowers on spikes above the silvery foliage in summer; thick wooly leaves are twice the size of the species; low clumping habit to 12" tall by 18" wide; tolerates drought & deer arowse; locate in full sun or light shade & average to well-drained soil; native to Asia Minor [S. avzantina] Zones 4 - 9 Syringa Bloomerang Dark Purple ('SMSJBP7') Purple Reblooming Hybrid Lilac and ECIDUOUS FLOWERING SHRUB; profuse fragrant purple bloom in spring; from mid-summer to arost a lesser quantity of flowers appear; grows up to 6' tall & wide; locate in full to mostly sunny areas arith good air circulation & well-drained neutral to alkaline organic soil; withstands coastal conditions are purple Hybrid Lilac ar	_	en		3g	
Purple Reblooming Hybrid Lilac DECIDUOUS FLOWERING SHRUB; profuse fragrant purple bloom in spring; from mid-summer to crost a lesser quantity of flowers appear; grows up to 6' tall & wide; locate in full to mostly sunny areas with good air circulation & well-drained neutral to alkaline organic soil; withstands coastal conditions PW) Zones (3) 4 - 7 Syringa Bloomerang Purple ('Penda') Dwarf Purple Hybrid Lilac DECIDUOUS FLOWERING SHRUB; profuse fragrant pinkish-purple bloom in spring; from anid-summer to frost a lesser quantity of flowers appear; grows to 5' tall by 4' wide; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil;	olerates drought & deer			1g 2g	
Owarf Purple Hybrid Lilac DECIDUOUS FLOWERING SHRUB; profuse fragrant pinkish-purple bloom in spring; from hid-summer to frost a lesser quantity of flowers appear; grows to 5' tall by 4' wide; locate in full to hostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil;	full to mostly sunny area			3g	
	I' wide; locate in full to			3g	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	Ĺ
Syringa x 'Colby's Wishing Star'	Spring		3g		1
Owarf Pink Hybrid Lilac					
DECIDUOUS FLOWERING SHRUB; fragrant single repeat blooming pinkish-lilac bloom from spring to					
rost; small statured somewhat open habit to 6' tall & wide; good disease resistance; locate in full to					
mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil;					
vithstands coastal conditions (Moro) Zones 4 - 9					
Syringa x hyacinthiflora 'Mount Baker'			5g		-
White Early Flowering Lilac					
DECIDUOUS FLOWERING SHRUB; single white fragrant flowers before S. vulgaris; grows to 8' tall x					
O' wide; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; Zones (2) 3 - 7					
					ļ
Syringa pubescens subsp. patula 'Miss Kim'			3g		-
Manchurian Lilac DECIDUOUS FLOWERING SHRUB; very fragrant light lavender blooms; compact upright habit to 6'					
all by 5' wide; locate in full sun or light shade & well-drained organic soil of any pH; native to					
northeastern Asia; Zones 4 - 7					
					+
Syringa vulgaris Common Lilac			3g		1
DECIDUOUS FLOWERING SHRUB; fragrant lavender flower in early May; upright vase-shaped habit					
o 15'; habit; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic					
o alkaline organic soil; withstands coastal conditions; native to southern Europe Zones 2 - 7					
Taxus baccata 'Repandens'		15 - 18"	B&B		t
Dwarf English Yew		18 - 24"	B&B]
EVERGREEN SHRUB; wide spreading habit; dark evergreen foliage; locate in full sun to full shade &		24 - 30"	B&B		
noist well-drained soil; just about any pH is acceptable; native to Europe & southwestern Asia; Zones					
(5) 6 - 7					
Taxus x media 'Densiformis'		15 - 18"	B&B		T
Spreading Anglo-Jap Yew		18 - 24"	B&B		_
EVERGREEN SHRUB; dark green needles; compact spreading mound; grows twice as wide as high;		24 - 30"	B&B		-
ocate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; Zones 4 - 7		30 - 36"	B&B		L
Taxus x media 'Hatfieldii'		18 - 24"	B&B		-
Jpright Anglo-Jap Yew		24 - 30"	B&B		
EVERGREEN SHRUB; dark green foliage; broadly upright, depending on trimming; locate in full sun to ull shade & moist well-drained slightly alkaline to acidic soil; Zones 4 - 7					
					Ļ
Γaxus x media 'Hicksii'		15 - 18"	B&B		+
Jpright Anglo-Jap Yew EVERGREEN SHRUB; dark green foliage; a little narrower than 'Hatfield'; locate in full sun to full		18 - 24"	B&B		1
hade & moist well-drained slightly alkaline to acidic soil; Zones 4 - 7		24 - 30"	B&B		1
		0.4 0.0 !!	B0B		H
Г ахиs x media 'Meyeri' Jpright Anglo-Jap Yew		24 - 30"	B&B		1
SPRIGHT ANGIO-JAP YEW EVERGREEN SHRUB; dense broadly columnar upright grower to 12' tall by 6' wide; slightly slower					
prowing than 'Hicksii' & 'Hatfield'; can be kept smaller with periodic pruning; dark green needles; locat	ė				
n full sun to full shade & moist well-drained slightly alkaline to acidic soil; Zones 4 - 7					
Thelypteris decursive-pinnata			1g		+
lapanese Beech Fern			2g]
DECIDUOUS FERN; grows to 24" tall by 18" wide, although will form large clumps; grows to 2' tall by					
8" wide; vigorous spreader with short runners, so is easily controlled; locate in light to full shade &					
noist organic well-drained soil; will tolerate limited drought; Japanese native; Zones 4 - 10					

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
huja x 'Green Giant'			5g	
ybrid Western Arborvitae; Hybrid Giant Arborvitae			7g	
/ERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 15' wide;		5'	B&B	
right evergreen foliage; minimal pest or disease problems; somewhat deer browse resistant; locate in				
ıll sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but				
ot persistent drought; PHS Gold Metal [T. plicata x T. standishii] Zones 5 - 7				
huja occidentalis 'Hetz Midget'			3g	
warf Globe American Arborvitae, Dwarf Globe White Cedar				
VERGREEN ORNAMENTAL CONIFER; dense green globe; 3-4' maximum height; locate in full sun or				
ght shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US				
Canada; Zones 3 - 7				
huja occidentalis 'Little Giant'			3g	
lobe Eastern Arborvitae; Globe White Cedar				
VERGREEN ORNAMENTAL CONIFER; slow growing globular habit to 4' x 4'; vertical bright green				
oliage; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of	-			
ther; native to eastern US & Canada; Zones 3 - 7				
huja occidentalis 'Nigra'		4'	B&B	
ark American Arborvitae; White Cedar		5'	B&B	
VERGREEN ORNAMENTAL CONIFER; dark green foliage all year; pyramidal habit to 25' by 6' wide;				
cate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either;				
ative to eastern US & Canada; Zones 3 - 7				
huja occidentalis 'Rheingold'			2g	
warf Golden Eastern Arborvitae			3g	
VERGREEN ORNAMENTAL CONIFER; semi-dwarf globular habit to 4'; golden foliage with an orange				
ast; locate in full sun (for best color) or light shade; adaptable to varying soil acidity & moisture -				
xcept extremes of either; native to eastern US & Canada; Zones 3 - 7				
huja occidentalis 'Smaragd'			5g	
merald Arborvitae		3'	B&B	
VERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow		4'	B&B	
yramidal habit; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except		5'	B&B	
xtremes of either; native to eastern US & Canada; Zones (4) 5 - 7		6'	B&B	
'huja occidentalis 'Woodwardii'		18 - 24"	B&B	
Slobe Eastern Arborvitae; Globe White Cedar				
VERGREEN ORNAMENTAL CONIFER; compact rounded to spreading evergreen to 5'; medium green				
lliage; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of				
ther; native to eastern US & Canada; Zones 3 - 7				
iarella 'Running Tapestry'			1g / 4 Qt	
/hite Foam Flower				
ERENNIAL; white flowers in mid spring; green foliage with prominent red venation; spreading				
ound to 15" tall & wide; attracts butterflies; important nectar source for several bee species; locate in				
nade to semi-shade & well-drained moisture retentive acidic soil; native to eastern US & Canada [T. prdifolia] (Plyler) Zones (3) 4 - 9				
accinium angustifolium			1g	
owbush Blueberry ECIDUOUS FRUITING SHRUB; white flower in April; highly nutritious blue berries in mid-summer;				
lue-green summer foliage turns shades of red in fall; low spreading shrub to 2' tall; locate in full sun or				
artial shade & well-drained to dry acidic soil; adaptable to sterile coastal landscapes; Zones 2 - 5 (6)				
and the second section of the second section in the section in t				
				0) 60:
B Decision Way West represented by:			phone: (88	×1 321-4

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Vaccinium corymbosum 'Blue Crop' Highbush Blueberry DECIDUOUS FRUITING SHRUB; midseason crop; 4-6' tall; bright red to purplish fall foliage; locate in full or partial sun & well-drained organic soil in the 5.0 acidic range with good moisture retention [V. porymbosum] Zones 3 - 7 (8)			2g	
Vaccinium corymbosum 'Chippewa' Highbush Blueberry DECIDUOUS FRUITING SHRUB; midseason; high yielding; very sweet flavor; self pollinating; upright rching habit to 5' by 4' wide; fall foliage is shades of yellow to red; locate in full or partial sun & yell-drained organic soil in the 5.0 acidic range with good moisture retention (U. of MN) Zones 3 - 7			2g 3g 7g	
Taccinium corymbosum 'Duke' Iighbush Blueberry ECIDUOUS FRUITING SHRUB; early crop; 4-6' tall; bright red to purplish fall foliage; locate in full or artial sun & well-drained organic soil in the 5.0 acidic range with good moisture retention [V. brymbosum] Zones 3 - 7 (8)			2g	
Vaccinium corymbosum 'Elliot' Highbush Blueberry FECIDUOUS FRUITING SHRUB; late season; 5-7' tall; bright red to purplish fall foliage; locate in full repartial sun & well-drained organic soil in the 5.0 acidic range with good moisture retention [V. prymbosum] Zones 4 - 7			2g 7g	
Vaccinium corymbosum 'Jersey' Highbush Blueberry HECIDUOUS FRUITING SHRUB; late to midseason crop; 4-6' tall; bright red to purplish fall foliage; Hocate in full or partial sun & well-drained organic soil in the 5.0 acidic range with good moisture Hetention [V. corymbosum] Zones 3 - 7 (8)			2g	
accinium corymbosum 'Patriot' lighbush Blueberry ECIDUOUS FRUITING SHRUB; early to midseason crop; 4-6' tall; bright red to purplish fall foliage; cate in full or partial sun & well-drained organic soil in the 5.0 acidic range with good moisture stention [V. corymbosum] Zones 3 - 7 (8)			2g	
faccinium corymbosum 'Polaris' lalf Highbush Blueberry ECIDUOUS FRUITING SHRUB; bears early to midseason; very hardy strain and pairs will with lorthblue'; moderate upright habit to 4' tall; excellent quality fruit; locate in full or partial sun & lell-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 2) 3 - 7			2g 7g	
accinium corymbosum 'Sweetheart' ybrid Highbush Blueberry ECIDUOUS FRUITING SHRUB; bears midseason and again in fall; first re-bearing blueberry in the arket; very hardy strain; upright habit to 6' tall & wide; excellent quality fruit; very disease resistant; cate in full or partial sun & well-drained organic soil in the 5.0 acidic range with good moisture stention [V. corymbosum] Zones (2) 3 - 7			2g	
Vaccinium x 'Top Hat' Ilybrid Blueberry ECIDUOUS FRUITING SHRUB; white bell-shaped April flower; delicious blue berries in late summer; ense bushy shrub to 16" tall; glossy green summer foliage turns bright red in fall; locate in full or artial sun & well-drained organic soil in the 5.0 acidic range with good moisture retention; adaptable o coastal landscapes [V. corymbosum x V. angustifolium] Zones 2 - 5 (6)			1g 2g	
B Decision Way West represented by:			phone: (88	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	L
Veronica 'First Glory' Blue Tall Speedwell PERENNIAL; deep purple-blue spikes all summer over dark green foliage; compact broadly-upright habit to 15" tall by 18" wide; good cut flower; attracts butterflies; resists deer & rabbit browse; locate in full sun & well-drained organic moisture retentive soil of any pH; European native [V. longifolia] Zones 4 - 8	5		2g		
Veronica 'First Lady' White Tall Speedwell PERENNIAL; large white flower spikes all summer (if deadheaded) over dark green foliage; compact broadly-upright habit to 15" tall by 18" wide; good cut flower; attracts butterflies; resists deer & rabbit browse; crown needs to be slightly above the adjacent soil after planting; locate in full sun & well-drained organic moisture retentive soil of any pH; European native [V. longifolia] Zones 4 - 8			2g		N
Veronica 'First Love' Speedwell PERENNIAL; deep pink flower spikes from late June to Aug; broadly upright habit to 12" tall by 18" wide; deep green summer foliage; attracts butterflies; resistant to deer & rabbit browse; good for coastal areas; crown needs to be slightly above the adjacent soil after planting; locate in full sun or light shade & organic well-drained moisture retentive soil; Zones (3) 4 - 8			2g		N
Veronica 'Royal Candles' / 'Glory' Blue Speedwell PERENNIAL; 5" deep violet-blue spikes from late spring into mid-summer; compact upright habit to 12" tall by 9" wide; good cut flower; attracts butterflies; resists deer & rabbit browse; locate in full sun & well-drained organic moisture retentive soils; European native [V. spicata] Zones 4 - 8			1g 2g		-
Viburnum x burkwoodii Fragrant Viburnum DECIDUOUS FLOWERING SHRUB; pink buds open to fragrant white flowers in April; glossy dark green foliage turns reddish in fall & is semi-evergreen in southern range; upright bushy habit to 10' tall & nearly as wide; locate in full to partial shade & neutral to acidic well-drained moisture retentive soil; Zones 5 - 8			3g 7g		N
Viburnum carlesii Koreanspice Viburnum DECIDUOUS FLOWERING SHRUB; spicy fragrant 3" white flowers in early May; red fruit clusters in fall; compact rounded habit to 8'; dull fuzzy foliage turns reddish to burgundy in the fall; locate in full sun or partial shade & moisture retentive well-drained neutral to acidic soil; Korean native; Zones (4) 5 7 (8)			3g		
Viburnum dentatum Arrowwood Viburnum DECIDUOUS FLOWERING SHRUB; white flower in June; black fruit in fall; variable fall foliage of yellows & reds; upright to broadly upright habit to 15' tall; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US & Canada; Zones (2) 3 - 8			3g		
Viburnum dentatum Blue Muffin ('Christom') Arrowwood Viburnum DECIDUOUS FLOWERING SHRUB; compact upright habit to 6'; masses of intense blue clusters of fruit follow profuse white flowers in May; deer browse resistant; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US & Canada (PW) Zones (2) 3 - 8			3g		

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	Ĺ
/iburnum dentatum Chicago Lustre ('Synnesvest')			3g		-
Arrowwood Viburnum					
DECIDUOUS FLOWERING SHRUB; dark glossy green foliage turns reddish purple in fall; white flowers					
in late May; upright habit to 10'; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US & Canada (Chicagoland Grows) Zones (2) 3 -					
very adaptable including coastarlocations, hative to 03 & canada. (Chicagoland Grows). Zones (2) 3 -					
					+
Viburnum dilitatum Linden Viburnum			3g		
ETTIGETT VIDGITIGITI DECIDUOUS FLOWERING SHRUB; showy white 5" cymes in late May or early June; profuse clusters of					
bright red fruit in late summer persist into winter & are favored by birds; dark green heavily textured					
foliage turns bronze to burgundy in fall; upright grower to 10' tall by 8' wide; attracts butterflies; locate					
in full sun or moderate shade & neutral to slightly acidic well-drained moisture retentive soil; native to					
eastern Asia; Zones (4) 5 - 7 (8)					
Viburnum dilitatum Cardinal Candy ('Henneke')			3g		İ
Linden Viburnum					
DECIDUOUS FLOWERING SHRUB; white cymes up to 6" dia in May; profuse persistent pendulous					
clusters of bright red fruit from late summer into late winter when they are eaten by birds; lustrous					
green summer foliage turns russet red in fall; bushy upright habit to 8'; more cold hardy; locate in full					
sun or moderate shade & neutral to slightly acidic well-drained moisture retentive soil; native to eastern					
Asia (Henneke) Zones 4 - 7 (8)					ļ
Viburnum lantana 'Mohican'			3g		
Wayfaringtree Viburnum			5g		
DECIDUOUS FLOWERING SHRUB; profuse off-white flowers in early to mid May; showy reddish-orange fruit in late summer; broadly upright habit to 10'; trained up on a single stem; locate in					
full sun or moderate shade & neutral to alkaline well-drained soil; native to Europe & western Asia					
(Egolf) Zones (3) 4 - 7 (8)					
Viburnum x 'Nantucket'			3g		İ
Hybrid Viburnum					ľ
DECIDUOUS FLOWERING SHRUB; profuse mildly fragrant 4" white ball-like flower clusters in May;					
fruit emerges red & matures to black; dark narrow semi-evergreen foliage; upright habit to 12' tall by 7'					
wide in 16 years; locate in full to partial sun & loamy well-drained moisture retentive soil [V. 'Eskimo' x					
V. macrocephalum] (Egolf / USNA) Zones 6 - 8					
Viburnum nudum Brandywine ('Bulk')			3g		-
Smooth Witherod DECIDIOUS ELOWERING SURIUR, dark glossy foliago turns brilliant roddish purple in fall; groomy					
DECIDUOUS FLOWERING SHRUB; dark glossy foliage turns brilliant reddish-purple in fall; creamy white flowers in late May; fruit clusters start greenish then pink before turning blue with both colors					
visible in early fall; bushy grower to 5' high & wide; locate in full sun to partial shade with moist well					
drained soil; drought tolerant; eastern US native (Bulk) Zones 5 - 9					
Viburnum nudum 'Winterthur'			3g		H
Smooth Witherod; Possumhaw Viburnum			39		1
DECIDUOUS FLOWERING SHRUB; dark glossy foliage turns brilliant reddish-purple in fall; creamy					
white flowers in late May; fruit emerges white before turning pink, then red, then blue; locate in full sun					
to partial shade with moist well drained soil; drought tolerant; PHS Gold Metal; eastern US native;					
Zones 5 - 9					
Viburnum opulus 'Compactum'			3g		Ť
Compact European Cranberrybush Viburnum					
DECIDUOUS FLOWERING SHRUB; dense habit to 6' high & wide; excellent display of white cymes in					
May followed by red fruit clusters from early fall into winter; locate in full sun or partial shade & just about any soil including boggy; native to Europe & Asia; Zones 3 - 8					
about arry soil including boggy, flative to Europe α Asia, Zories 3 - δ					
13 Decision Way West represented by:			phone: (88	2) 004 4	Ī

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	Ĺ
Viburnum opulus 'Roseum' (Sterile) European Snowball Viburnum; Old Fashioned Snowball Viburnum DECIDUOUS FLOWERING SHRUB; vigorous grower to 10'; very showy sterile white flowers in mid May; does not fruit; locate in full sun or partial shade & just about any soil including boggy; native to Europe & Asia; Zones 3 - 8			3g		
Viburnum plicatum f. plicatum 'Popcorn' Compact Japanese Snowball Viburnum DECIDUOUS FLOWERING SHRUB; profuse 2-3" white ball-like flowers; red fruit; compact spreading habit to 8' high & wide; locate in full sun to light shade & well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)			5g		-1
Viburnum plicatum f. tomentosum Kilimanjaro ('JWW1') Compact Double-file Viburnum DECIDUOUS FLOWERING SHRUB; white flowers from late spring into summer; compact upright habit to 8' high by 3' wide; red fruit appears in mid to late summer; locate in full sun to light shade & well-drained moisture retentive soil; native to eastern Asia (Ball) Zone 5 - 7 (8)			3g		
Viburnum plicatum f. tomentosum 'Mariesii' Doublefile Viburnum DECIDUOUS FLOWERING SHRUB; horizontal spreading branches are covered by white flowers in May, followed by red fruit in summer that turns to black; grows to 8' tall by 12' wide; locate in full sun to light shade & well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)	,		3g		
Viburnum plicatum f. tomentosum 'Shasta' Doublefile Viburnum DECIDUOUS FLOWERING SHRUB; horizontal spreading branches are covered by 5" flat white flowers (cymes) in May, followed by red fruit in summer that transitions to black over several weeks; grows to 6 tall by 12' wide; locate in full sun to light shade & well-drained moisture retentive soil; PHS Gold Metal; native to eastern Asia (Egolf) Zones 5 - 7 (8)	,		3g 5g		
Viburnum x pragense Prague Viburnum EVERGREEN FLOWERING SHRUB; small narrow glossy leathery evergreen foliage; pink flower buds open white; bushy upright habit to 10' tall & nearly as wide; locate in full sun to light shade & well-drained moisture retentive acidic soil; Zones 5 - 8			3g		
Viburnum x prunifolium Blackhaw Viburnum DECIDUOUS FLOWERING SHRUB; small white flower clusters in May; black fruit in September; burple-red fall foliage; upright habit to 15'; locate in full sun or shade & well-drained soil; drought tolerant; US native; Zones 3 - 9			3g		
Viburnum x rhytidophylloides 'Alleghany' Lantanaphyllum Viburnum DECIDUOUS FLOWERING SHRUB; dark heavy textured semi-evergreen foliage; creamy white flowers in May & occasionally in the fall; red fruit in September matures to black in October; upright to 10' tall & nearly as wide; locate in full sun to light shade & well-drained moisture retentive acidic soil (Egolf) Zones (4) 5 - 8		3 - 4'	3g B&B		
Viburnum rhytidophyllum Leatherleaf Viburnum EVERGREEN FLOWERING SHRUB; yellowish-white flowers in mid May; fruit opens red before maturing to black in fall; long narrow foliage is semi-evergreen in northern range - especially dependent on winter wind exposure; upright bushy habit to 15' tall & slightly narrower; locate in light to medium shade & well-drained moisture retentive acidic soil; native to China; Zones 5 - 7			3g		
13 Decision Way West represented by:			phone: (88		

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Viburnum rhytidophyllum 'Cree' Compact Leatherleaf Viburnum EVERGREEN FLOWERING SHRUB; yellowish-white flowers in mid May; fruit opens red before turning plack; narrow foliage is semi-evergreen in northern range - especially dependent on winter wind exposure; compact habit to 8' high & wide; possibly more cold hardy than the species; locate in light to medium shade & well-drained moisture retentive acidic soil; native to China; Zones (4) 5 - 7			3g	
Viburnum trilobum 'Wentworth' American Cranberrybush Viburnum DECIDUOUS FLOWERING SHRUB; white spring lacecap flower in mid to late May; fruit changes from vellow-red to bright red in mid to late fall and is larger and more persistent than the species; reddish fall foliage; intermediate grower to 12' tall and almost as wide; locate in full sun to partial shade & moist to well-drained acidic soil; native to US & Canada; Zones 4 - 7			3g	
Vinca minor Myrtle; Periwinkle EVERGREEN GROUND COVER; lavender-blue flowers in April & sporadically thereafter into fall; plossy dark green foliage; trailing habit with runners creating a 3" tall matt; locate in full to partial shade & organic well-drained moisture retentive acidic soil; Zones 4 - 8 (9)		50 / flat	2.25" pp 1g	
Vinca minor 'Bowles' Myrtle; Periwinkle EVERGREEN GROUND COVER; larger azure-blue flowers in April & sporadically thereafter into fall; glossy dark green foliage; trailing habit with runners creating a 3" tall matt; locate in full to partial shade & organic well-drained moisture retentive acidic soil; Zones 4 - 8 (9)		50 / flat	2.25" pp	
Vitex agnus-castus 'Abbeville Blue' Blue Lilac Chaste-tree DECIDUOUS FLOWERING SHRUB; fragrant clear blue flower spikes in July on new wood; will be a cut-back shrub most years in the northern hardiness range; locate in full sun & organic well-drained moisture retentive soils; native to southern Europe; Zones (5) 6 - 8			3g	
Weigela florida Midnight Wine ('Elvera') Dwarf Purple Weigela DECIDUOUS FLOWERING SHRUB; low mounding version of 'Wine & Roses'; hot rosy-pink flowers in mid June; purple foliage; matures at 2' tall; deer browse resistant; locate in full sun & well-drained moisture retentive soil; native to Japan (PW) Zones 5 - 8			3g	
Weigela florida My Monet 'Sunset' Dwarf Variegated Weigela DECIDUOUS FLOWERING SHRUB; green foliage that's edged in yellow with red in spring & fall; few dark pink flowers appear intermittently in late spring; very compact mounding habit to 18" high by 24" wide; deer browse resistant; locate in full sun & well-drained moisture retentive soil; native to Japan (PW) Zones 4 - 8			3g	
Weigela florida My Monet ('Verweig') Variegated Weigela DECIDUOUS FLOWERING SHRUB; green foliage that's edged in white with a pink tinge in spring; the pink fades to white in summer; purplish-pink flowers appear in late spring; very compact mounding mabit to 18" high & wide; deer browse resistant; locate in full sun & well-drained moisture retentive soil; mative to Japan (PW) (Verhoef) Zones 4 - 8			3g	
Neigela florida Wine & Roses ('Alexandra') Purple Weigela DECIDUOUS FLOWERING SHRUB; hot rosy-pink June flowers; dark burgundy foliage; broadly supright habit to 5'; best in full sun & well drained soil; deer browse resistant; wide; wide; locate in full sun & well-drained moisture retentive soil; PHS Gold Metal; native to Japan (PW) Zones 5 - 8			3g	
			phone: (88	

13 Decision Way West Washington Crossing, PA 18977-1125 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Weigela Merlot Pink ('Bokratwo') Compact Pink Weigela DECIDUOUS FLOWERING SHRUB; bright pink flowers in June & sporadically through fall; silvery-bronze summer foliage; compact broadly upright habit to 3' tall by 4' wide; deer browse resistant; attracts hummingbirds & butterflies; locate in full to part shade & most well-drained moisture retentive soils; native to Japan; Zones 5 - 8			3g	
Weigela Merlot Rose ('Bokrafive') Compact Pink Weigela DECIDUOUS FLOWERING SHRUB; rosy-pink flowers in June & sporadically through fall; silvery-bronze summer foliage; compact broadly upright habit to 3' tall by 4' wide; deer browse resistant; attracts hummingbirds & butterflies; locate in full to part shade & most well-drained moisture retentive soils; native to Japan; Zones 5 - 8			3g	
Wisteria 'Amethyst Falls' STAKED Lavender American Wisteria DECIDUOUS TWINING FLOWERING VINE; mildly fragrant lilac-blue flowers from June to August; not as vigorous as Asian cultivars; locate in full sun & well-drained moisture retentive neutral to slightly alkaline soil; shade & over fertilization can reduce flowering; US native [W. frutescens] (Head-Lee N) Zones 5 - 9			3g	
Wisteria 'Blue Moon' STAKED Blue Kentuckey Wisteria DECIDUOUS TWINING FLOWERING VINE; 12" fragrant lilac-blue racemes appear in 3 waves from early summer; vines can grow up to 25'; very cold hardy; not as vigorous as Asian cultivars; locate in full sun & well drained neutral to slightly alkaline soil; shade & over fertilization can reduce flowering; US native [W. macrostachya] (Buchite) Zones 4 - 9			3g 5g	
Yucca 'Color Guard' Variegated Yucca; Variegated Adam's Needle EVERGREEN FLOWERING SHRUB; stiff sword-like leaves with bright yellow centers and dark green edges; white flowers on 4' spikes in June; attracts butterflies; resists deer & rabbit browse; locate in full sun & any well-drained soil; drought resistant; southeast US native [Y. filamentosa] Zones 5 - 9 Delivery Instructions			3g	

CITY:	STATE:	ZIP:		
OFFICE:	M	OBILE:		
ALTERNATE:		FAX:		
MON TUE	WED THU FRI SAT	SUN FROM	am/pm TO	am / pm
	·	•		phone: (888) 321-4545 fax: (267) 397-2076 ail: phin@rptuthill.com
	ALTERNATE:	OFFICE: M ALTERNATE: MON	OFFICE: MOBILE: ALTERNATE: FAX: MON TUE WED THU FRI SAT SUN FROM	OFFICE: MOBILE: ALTERNATE: FAX: MON TUE WED THU FRI SAT SUN FROM am/pm TO represented by: