

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Abelia x 'Edward Goucher'</b> Pink Abelia <i>EVERGREEN FLOWERING SHRUB; evergreen to semi-evergreen foliage; purple-pink flowers all summer; grows to 5' high &amp; wide; attracts butterflies; resists deer browse; locate in full sun &amp; well drained slightly acidic soil; Zones (5) 6 - 9</i>			3g	—	
<b>Abelia x 'Rose Creek'</b> Compact Glossy Abelia <i>EVERGREEN FLOWERING SHRUB; clusters of small white flowers from summer to frost; dense spreading habit to 3' tall by 4' wide; new foliage emerges from red stems with pinkish tinge before turning dark glossy green by summer; late fall &amp; winter foliage has a purplish cast; locate in full to partial sun; good moisture retentive organic soil is best; Zones 6 - 9</i>			3g	—	
<b>Acer palmatum 'Beni kawa'</b> Red Bark Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; green spring &amp; summer foliage turns yellow &amp; gold in fall; winter bark is bright red on younger stems; slow, bushy, vase-shaped habit to 5'; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 6 - 7</i>			5g 7g 10g	— — —	<b>N</b> <b>N</b>
<b>Acer palmatum 'Bloodgood'</b> Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red spring &amp; summer foliage; broadly upright habit to 25' or more in 25 years; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>			3g 7g	— —	
<b>Acer palmatum 'Butterfly'</b> Variegated Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; green foliage with white margins; pink tones are prevalent in early spring as well; upright vase-shaped habit to 15' or more; fairly slow grower; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 6 - 8</i>			5g 10g	— —	<b>N</b>
<b>Acer palmatum 'Crimson Prince'</b> Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright red spring foliage becomes greenish-red by late summer then bright red by mid-fall; broad densely branched upright habit to 20' tall &amp; wide in 10 years; branching starts about 3' or more above grade; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Princeton Ns) Zones 5 - 7</i>			5g 10g	— —	<b>N</b>
<b>Acer palmatum 'Crimson Queen'</b> Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; crimson laceleaf foliage into mid-summer; summer foliage is reddish-green, depending on heat, moisture and shade; excellent compact mounding habit; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>			10g	—	
<b>Acer palmatum 'Fireglow'</b> Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; moderate upright grower; bright red spring &amp; summer foliage; red is almost translucent when viewed looking through them toward the sun; more heat tolerant than most other red cultivars; cultivars; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>			10g	—	<b>N</b>
<b>Acer palmatum 'Orangeola'</b> Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; orange-red spring foliage turns dark green in summer; a second summer flush of orange-red foliage contrasts beautifully with the mature green foliage; compact weeping to spreading mounding habit; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>			3g	—	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Acer palmatum 'Red Dragon'</b> Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage all spring, summer &amp; fall; slow to moderate compact spreading habit; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>			3g	_____	
<b>Acer palmatum 'Ryusen'</b> Weeping Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; typical green palmatum foliage on a tree with a strictly weeping habit; height dependent on staking; foliage turns bright shades of yellow orange &amp; red in fall; can be left un-staked to trail over walls or rocks; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>			5g 10g	_____ _____	<b>N</b>
<b>Acer palmatum 'Sango kaku' / 'Senkaki'</b> Coral Bark Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; green spring &amp; summer foliage turns yellow &amp; gold in fall; winter bark is bright red on younger stems; upright vase-shaped habit to 20'; fairly slow grower; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 6 - 7</i>			5g 7g sqt 7g 10g	_____ _____ _____ _____	<b>N</b>
<b>Acer palmatum 'Tamukeyama'</b> Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red laceleaf holds color well all summer; vigorous spreading habit; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; PHS Gold Metal; Japanese native; Zones 5 - 7</i>			3g 10g	_____ _____	
<b>Achillea 'Strawberry Seduction'</b> Red Yarrow <i>PERENNIAL; dark red flowers with prominent yellow centers from early summer through early fall; compact habit to 20" tall by 24" wide; dark green foliage; attracts butterflies; resists deer &amp; rabbit browse; good cut flower; not tolerant of high humidity &amp; moisture retentive soils; locate in full sun &amp; most well-drained soils; native to Europe &amp;/or Asia (Blooms of B.) Zones (3) 4 - 9</i>			2g	_____	
<b>Achillea 'Sunny Seduction'</b> Yellow Yarrow <i>PERENNIAL; soft yellow flowers with a darker center from early summer through early fall; compact upright habit to 30" tall by 27" wide; gray-green foliage; attracts butterflies; resists deer &amp; rabbit browse; good cut flower; not tolerant of high humidity &amp; moisture retentive soils; locate in full sun &amp; most well-drained soils; native to Europe &amp;/or Asia (Blooms of B.) Zones (3) 4 - 9</i>			2g	_____	
<b>Acorus gramineus 'Oborozuki'</b> Variegated Sweet Flag; Grassy-Leafed Sweet Flag <i>PERENNIAL; golden foliage with green stripes; non-showy yellow flowers in late spring yields fleshy berries; grows from 6" to 12" tall &amp; wide; good for erosion control; resistant to deer &amp; rabbit browse; locate in full to partial sun &amp; moist to wet soils along or slightly in waterways; Asian native; Zones 5 - 8</i>			2g	_____	
<b>Acorus gramineus 'Ogon'</b> Grassy-Leafed Sweet Flag <i>PERENNIAL; fragrant narrow foliage with green &amp; yellow stipples that appears mostly yellow; non-showy yellow flowers in late spring yields fleshy berries; grows from 6" to 12" tall &amp; wide; good for erosion control; resistant to deer &amp; rabbit browse; locate in full to partial sun &amp; moist to wet soils along or slightly in waterways; Asian native; Zones 5 - 8</i>			2g	_____	
<b>Agastache 'Mango Tango'</b> Hyssop-Anise; Hummingbird Mint <i>PERENNIAL; light peach to dusty orange bottlebrush-like flowers from mid-summer to early fall which cover the top half of the plant; compact upright habit to 18" tall by 15" wide; good cut flower; attracts butterflies &amp; hummingbirds; tolerant of drought, rabbits &amp; deer browse; locate in full sun &amp; slightly alkaline well-drained moisture retentive soil; North American native; Zones (5) 6 - 9</i>			2g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Agastache 'Peachie Keen'</b>                      Hyssop-Anise; Hummingbird Mint  <i>PERENNIAL; apricot-peach bottlebrush-like flowers from mid-summer to early fall which cover the top half of the plant; purplish-pink calyxes extend the ornamental display into late fall; compact rounded habit to 24" tall by 30" wide; aromatic bright green flower; good cut flower; attracts butterflies &amp; hummingbirds; tolerant of drought, rabbits &amp; deer browse; locate in full sun &amp; slightly alkaline well-drained moisture retentive soil; North American native; Zones (5) 6 - 9</i></p>			2g	—
<p><b>Ajuga 'Black Scallop'</b>                      Purple Bugleweed  <i>GROUND COVER; PERENNIAL; oversized very dark purple foliage contrasts with bright blue flowers in June on a low groundcover; makes dense mats that can be aggressive; can be spaced up to 3' apart; resistant to deer &amp; rabbit browse; tolerates Black Walnuts; needs good drainage &amp; air circulation to prevent Crown Rot; locate in full to partial shade &amp; well-drained soils, but is adaptable; European native; Zones 4 - 11</i></p>			2g	—
<p><b>Ajuga 'Caitlin's Giant'</b>                      Bugleweed  <i>GROUND COVER; PERENNIAL; large bronze foliage; dark purple flower spikes in mid spring; 8-10" tall; resistant to deer &amp; rabbit browse; tolerates Black Walnuts; needs good drainage &amp; air circulation to prevent Crown Rot; locate in full sun to partial shade &amp; well-drained soils, but is adaptable; European native; Zones (3) 4 - 8 (9)</i></p>			2g	—
<p><b>Ajuga reptans 'Burgundy Glow'</b>                      Bugleweed  <i>GROUND COVER; PERENNIAL; pink, white &amp; green foliage under 12"; blue flowers on 6' spikes in late spring; aggressive grower; resistant to deer &amp; rabbit browse; tolerates Black Walnuts; needs good drainage &amp; air circulation to prevent Crown Rot; locate in full to partial shade &amp; well-drained soils, but is adaptable; European native; Zones 3 - 10</i></p>			1g	— N
<p><b>Amsonia 'Blue Ice'</b>                      Blue Star  <i>PERENNIAL; medium lavender-blue flowers in early spring for about 5 weeks; spreading mounding groundcover to 15" high by 2' wide; dark green summer foliage turns bright yellow in the fall; needs adequate moisture; locate in full sun to partial shade &amp; moist well-drained soil; somewhat tolerant of drought, excessive moisture &amp; deer browse (White Flower Farm) Zones 5 - 9</i></p>			2g	— N
<p><b>Arctostaphylos uva-ursi 'Massachusetts'</b>                      Kinnickinnick; Bearberry  <i>EVERGREEN GROUND COVER; pinkish-white flowers in April; red fruit appears in late summer; resistant to leaf spot &amp; gall; needs well drained neutral to acidic infertile soil; full sun to partial shade; slow spreading habit to 12" tall; will tolerate light foot traffic &amp; coastal sites; eastern US native (Tichnor) Zones 2 - 7 (8)</i></p>			1g	—
<p><b>Aronia arbutifolia 'Brilliantissima'</b>                      Red Chokeberry  <i>DECIDUOUS FLOWERING SHRUB; upright suckering shrub to 10'; white flowers in May; brilliant red fall foliage; persistent red fruit; glossy dark green summer foliage; locate in full sun to part shade; tolerant of most soils that don't stay wet; eastern US native; PHS Gold Metal; Zones 4 - 9</i></p>			3g	—
<p><b>Aronia melanocarpa 'Autumn Magic'</b>                      Black Chokeberry  <i>DECIDUOUS FLOWERING SHRUB; masses of small white flowers in May; large persistent black fruit into winter; glossy dark green summer foliage turns brilliant purplish-red in the fall; broadly upright habit to about 6' tall by 7' wide; spreads by root suckers; locate in full sun to part shade &amp; well-drained to boggy soils that don't stay wet; eastern US native (U of British Columbia) Zones 3 - 8 (9)</i></p>			3g	—

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Artemesia 'Silver Mound'</b> Wormwood <i>PERENNIAL; finely cut lacy silver foliage; compact mounding habit to 10" tall by 15" wide; insignificant flowers &amp; fruit; locate in full sun to light shade &amp; very well-drained soil with minimal fertility; drought tolerant; Japanese native [A. schmidtiana] Zones 5 - 9</i>			2g	—	
<b>Astilbe 'Bridal Veil'</b> White Plume Flower <i>PERENNIAL; white flowers in June &amp; July; grows to 30" tall; resistant to deer &amp; rabbit browse; locate in light to partial shade &amp; consistently moist (but not waterlogged) rich organic soils; Asian native [A. x arendsii] Zones 4 - 9</i>			2g	—	
<b>Astilbe 'Delft Lace'</b> Pink Plume Flower <i>PERENNIAL; salmon-pink buds open to soft apricot-pink flowers from late spring into early summer to stout red stems; grows to 3' high &amp; wide; deep waxy blue-green foliage has silvery overtones; locate in light to partial shade &amp; consistently moist (but not waterlogged) rich organic soils; seedling of unknown origin (AB-Cultivars) Zones 5 - 7</i>			2g	—	<b>N</b>
<b>Astilbe 'Fanal'</b> Red Plume Flower <i>PERENNIAL; blood red plumes; mid-season; 24" tall; resistant to deer &amp; rabbit browse; locate in light to partial shade &amp; consistently moist (but not waterlogged) rich organic soils; Asian native [A. x arendsii] Zones 4 - 9</i>			1g 2g	— —	
<b>Astilbe 'Henny Graafland'</b> Pink Plume Flower <i>PERENNIAL; shell-pink plumes in mid to late summer; dark green finely cut foliage; 15" tall by 12" wide; improved 'Sprite'; resists deer &amp; rabbit browse; locate in mostly sunny to mostly shady locations &amp; rich organic neutral to acidic moisture retentive soil with adequate drainage; Asian native [A. simplicifolia] Zones 4 - 9</i>			2g	—	
<b>Astilbe 'Ostrich Plume'</b> Pink Plume Flower <i>PERENNIAL; arching plumes of pink flowers to 3' tall in early summer; resistant to deer &amp; rabbit browse; locate in light to partial shade &amp; consistently moist (but not waterlogged) rich organic soils; Asian native [A. x arendsii] Zones 4 - 9</i>			2g	—	
<b>Astilbe 'Peach Blossom'</b> Pink Plume Flower <i>PERENNIAL; salmon pink plume; early; 24"; resistant to deer &amp; rabbit browse; locate in light to partial shade &amp; consistently moist (but not waterlogged) rich organic soils; Asian native [A. x arendsii] Zones 4 - 9</i>			2g	—	
<b>Astilbe 'Perkeo'</b> Dwarf Pink Plume Flower <i>PERENNIAL; small dark pink flowers in mid to late summer above the foliage; compact mound to 8" tall by 12" wide; crinkly dark green foliage emerges reddish-bronze in late spring; resists deer &amp; rabbit browse; locate in light to mostly shady locations &amp; rich organic neutral to acidic moisture retentive soil with adequate drainage; Asian native [A. x crispa] Zones 4 - 9</i>			2g	—	
<b>Astilbe 'Visions'</b> Pink Chinese Astilbe <i>PERENNIAL; abundant fragrant mauve-pink flowers in July &amp; August; 15" tall; resistant to deer &amp; rabbit browse; locate in light to partial shade &amp; consistently moist (but not waterlogged) rich organic soils; Asian native [A. chinensis] Zones 4 - 9</i>			2g	—	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Astilbe 'Visions in Pink'</b> Pink Chinese Astilbe <i>PERENNIAL; pink flowers in early summer; bushy habit to 18" high &amp; wide; resistant to deer &amp; rabbit browse &amp; Black Walnuts; locate in light to moderate shade &amp; consistently moist (but not waterlogged) rich organic soils; more sun &amp; drought tolerant than other Astilbes; Asian native [A. chinensis] Zones 4 - 9</i>			2g	—	
<b>Astilbe 'Visions In Red'</b> Red Chinese Astilbe <i>PERENNIAL; purplish-red flowers in early summer; bushy habit to 2' high by 18" wide; resistant to deer &amp; rabbit browse &amp; Black Walnuts; locate in light to moderate shade &amp; consistently moist (but not waterlogged) rich organic soils; more sun &amp; drought tolerant than other Astilbes; Asian native [A. chinensis] Zones 4 - 9</i>			2g	—	
<b>Astilbe 'Visions In White'</b> White Chinese Astilbe <i>PERENNIAL; white flowers in early summer; bushy habit to 18" high &amp; wide; resistant to deer &amp; rabbit browse &amp; Black Walnuts; locate in light to moderate shade &amp; consistently moist (but not waterlogged) rich organic soils; more sun &amp; drought tolerant than other Astilbes; Asian native [A. chinensis] Zones 4 - 9</i>			2g	—	<b>N</b>
<b>Astilbe Younique Salmon ('Verssalmon')</b> Pink Hybrid Astilbe <i>PERENNIAL; floriferous fluffy salmon-pink flowers from early to mid-summer on sturdy stems; grows to 2' high &amp; wide; glossy deep green fernlike foliage that turns orange-tan in late fall; improved disease resistance; attracts butterflies; deer &amp; rabbit browse resistant; locate in light to partial shade &amp; moisture retentive (but not waterlogged) rich organic soils; increased drought tolerance but not drought resistant (Ball / Darwin) Zones 3 - 8</i>			2g	—	
<b>Athyrium filix-femina var. angustum 'Lady In Red'</b> Lady Fern; Common Lady Fern <i>FERN; grows to 30" tall in full to partially shady areas with rich loamy humus-rich soils; light green deciduous fronds appear on dark reddish-violet stipules (stems); compact spreading clumps; grows in boggy soils; more tolerant of sun &amp; drought than most other ferns, although not considered a drought tolerant plant; native of eastern &amp; Midwestern US; deer browse resistant; from the New England Wildflower Society; Zones 4 - 8</i>			1g 2g	— —	
<b>Athyrium 'Ghost'</b> Variegated Lady Fern <i>FERN; new fronds appear throughout the summer &amp; are silver-white, which fades to green; decidedly upright habit to 3' tall; deer browse resistant; locate in full to partial shade &amp; moist organic well-drained acidic soil (Swell) Zones 4 - 8</i>			1g 2g	— —	<b>N</b>
<b>Athyrium nipponicum 'Pictum'</b> Japanese Painted Fern <i>FERN; lacy fronds are silver on the edges with green shades &amp; maroon to purple centers; grows to 18" high by 24" wide; resistant to deer &amp; rabbits; locate in shade with high organic well-drained soil that's neutral to slightly acidic; Asian native; Zones (3) 4 - 8</i>			1g 2g	— —	
<b>Aucuba japonica 'Hosoba Hoshifu'</b> Variegated Japanese Aucuba <i>BROADLEAF EVERGREEN SHRUB; inconspicuous flowers in spring; long narrow glossy foliage generously speckled with bright yellow spots; female cultivar produces large persistent bright red drupes in fall which remain effective through winter; most variegated Aucubas are male; a male cultivar needs to be close by to produce fruit; grows to about 5' high by 4' wide; locate in full to moderate shade with moist highly organic well-drained soils; protect from winter winds; native of Japan; Zones (6) 7 - 10</i>			3g	—	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com



# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Aucuba japonica 'Mr. Goldstrike'</b> Variegated Japanese Aucuba <i>BROADLEAF EVERGREEN SHRUB; dark glossy green foliage generously splashed with yellow specs; small white flowers not especially significant; male cultivar; locate in shade with moist highly organic well drained soils; protect from winter winds; native of Japan; Zones (6) 7 - 10</i>			3g	—	<b>N</b>
<b>Aucuba japonica 'Serratifolia'</b> Sawtooth Japanese Aucuba <i>BROADLEAF EVERGREEN SHRUB; dark green serrated evergreen foliage; bushy habit to 6' tall &amp; wide; red fruit clusters from fall into winter; locate in shade with moist highly organic well drained soils; protect from winter winds; tolerant of coastal conditions; native of Japan; Zones (6) 7 - 10</i>			3g	—	
<b>Aucuba japonica 'Variegata'</b> Gold Dust Plant; Variegated Japanese Aucuba <i>BROADLEAF EVERGREEN SHRUB; dark green foliage with generous specks of gold throughout; locate in shade with moist highly organic well-drained soils; protect from winter winds; native of Japan; Zones (6) 7 - 10</i>			3g 7g	— —	
<b>Azalea 'Conversation Piece'</b> Pink Robin Hill Azalea <i>EVERGREEN FLOWERING SHRUB; 4" single pink, white and bicolor flowers in late season; low spreading habit; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Robin Hill Hybrid; Zones (5) 6 - 9</i>			3g	—	
<b>Azalea 'Delaware Valley'</b> White Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; 2 1/4" single pure white flowers in early midseason; compact spreading mound to 4' high &amp; wide; attracts butterflies; resists rabbit browse; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Glenn Dale Hybrid; - 20° F</i>			3g	—	
<b>Azalea Girard's Fuchsia'</b> Purple Girard Azalea <i>EVERGREEN FLOWERING SHRUB; 2.5-3" single ruffled reddish-purple flowers in midseason; broadly compact habit to 3' in 10 yrs.; dark, glossy olive green foliage turns reddish in winter; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; ROY 2008 (Girard N) (- 15° F) - 10° F</i>			3g	—	
<b>Azalea 'Gumpo Pink'</b> Pink Satsuki Azalea <i>EVERGREEN FLOWERING SHRUB; 2 1/2" single pink flower with varying shades in early June; dwarf spreading mound to 12" tall by 18" wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Satsuki Hybrid; Zones (6) 7 - 9</i>			3g	—	
<b>Azalea 'Gumpo White'</b> White Satsuki Azalea <i>EVERGREEN FLOWERING SHRUB; 2 1/2" single white flower in early June; dwarf spreading mound to 12" tall by 18" wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Satsuki Hybrid; Zones (6) 7 - 9</i>			3g	—	
<b>Azalea 'Hershey's Red'</b> Red Hershey Azalea <i>EVERGREEN FLOWERING SHRUB; 2" hose-in-hose bright red flowers early to mid season; medium habit; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Kurume Hybrid; - 20° F</i>			3g	—	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Azalea 'Hino Crimson'</b> Red Kurume Azalea <i>EVERGREEN FLOWERING SHRUB; 1" single scarlet-red flowers in early mid-season; compact &amp; sun tolerant; glossy green foliage turns dark red in fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Kurume Hybrid (Vermeulen) Zones 5 - 8</i>			3g	—
<b>Azalea 'Nancy of Robin Hill'</b> Pink Robin Hill Azalea <i>EVERGREEN FLOWERING SHRUB; 3 1/2" double &amp; hose-in-hose soft pink flowers in late mid season; dark olive green foliage; broadly compact habit; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Robin Hill Hybrid (Gartrell) - 10° F</i>			3g	—
<b>Azalea 'Pleasant White'</b> White Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; 3" single white flower in mid to late season; medium habit; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; - 20° F</i>			3g	—
<b>Azalea 'Renee Michelle'</b> Pink Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; bright pink 2 1/2" single flower in mid-late season; rounded mounding habit; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; - 10° F</i>			3g	—
<b>Azalea 'Silver Sword'</b> Variegated Red Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; 2" hot pink to purplish-red flowers in midseason; dark foliage with thin creamy white edge gets reddish hews in fall through winter; broadly upright bushy habit to 2' tall in 10 yrs.; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; (- 5° F) 0° F</i>			3g	—
<b>Azalea 'Tradition'</b> Pink Kurume Azalea <i>EVERGREEN FLOWERING SHRUB; 1 1/2" hose-in-hose bright clear pink flowers in mid season; compact; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Kurume Hybrid; - 5° F</i>			3g	—
<b>Berberis x gladwynensis 'William Penn'</b> Hybrid Evergreen Barberry <i>EVERGREEN SHRUB; low spreading habit; dark green foliage with silvery indumentum; showy yellow flowers in spring; very prominent thorns; deer browse resistant; locate in full sun or light shade &amp; well drained soil (Henry Foundation) Zones 6 - 9</i>			3g	—
<b>Berberis thunbergii Gold Pillar [Sunjoy] ('Maria')</b> Golden Upright Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; deciduous; reddish new foliage turns bright gold (and doesn't burn) before turning orange-red in fall; upright to vase-shaped habit to 4' tall; best in full sun (for maximum gold color) and moist, but well-drained soil; Japan native (Kurowski) Zones 4 - 8</i>			3g	—
<b>Berberis thunbergii 'Golden Rocket'</b> Fastigiate Golden Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact columnar habit to 5' tall by 2' wide at maturity; bright yellow deciduous summer foliage; coral stems; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5 - 8</i>			2g	—

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Berberis thunbergii 'Orange Rocket'</b> Fastigiate Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact columnar habit to 4' tall by 2' wide at maturity; scarlet deciduous spring foliage matures to orange-red in summer foliage &amp; becomes scarlet in the fall; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5 - 8</i>			3g	—	
<b>Berberis thunbergii 'Tiny Gold'</b> Dwarf Golden Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; FLOWERING SHRUB; dwarf upright mound of deciduous golden foliage from spring through fall; grows to 18" tall by 15" wide; late spring flowers don't bear viable seed; may not flower in the northern range; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i>			2g	—	
<b>Berberis thunbergii var. atropurpurea 'Admiration'</b> Variegated Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; solid bright new coral-red foliage matures to reveal thin golden margin; compact rounded habit to 3' in 10 years; no flowers or fruit have been observed; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5 - 8</i>			3g	—	<b>N</b>
<b>Berberis thunbergii var. atropurpurea 'Bagatelle'</b> Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; dwarf spreading mound; dark red foliage; more dwarf than 'Crimson Pygmy'; minimal fruit; locate in full sun or light shade &amp; well drained soil; Japan native; Zones 4 - 8</i>			1g 2g	— —	<b>N</b>
<b>Berberis thunbergii var. atropurpurea 'Crimson Pygmy'</b> Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; dwarf spreading mound; dark red foliage; locate in full sun or light shade &amp; well drained soil; Japan native; Zones 4 - 8</i>			1g 2g 3g	— — —	
<b>Berberis thunbergii var. atropurpurea 'Rose Glow'</b> Variegated Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact upright habit; creamy variegation on red foliage; locate in full sun or light shade &amp; well drained soil; Japan native; Zones 4 - 8</i>			2g 3g	— —	
<b>Berberis thunbergii var. atropurpurea Royal Burgundy ('Gentry')</b> Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; very compact spreading mound to 2' tall by 3' wide in 10 years; small dark burgundy-purple deciduous foliage summer foliage turns darker in the fall; small yellow flowers in spring aren't especially notable; best foliage color in full sun; needs moist organic well drained soil; Japan native (Gentry) Zones 4 - 8</i>			2g 3g	— —	
<b>Brunerra 'Jack Frost'</b> Variegated Siberian Bugloss; Variegated False Forget-Me-Not <i>PERENNIAL; baby-blue Forget-Me-Not like flowers in clusters above the foliage in mid/late spring; silvery-white foliage except where the venation appears; grows to 15" x 15"; good shade groundcover; rabbit browse resistant; locate in partial shade &amp; consistently moist organic well-drained soil; 2012 PPA [B. macrophylla] Zones 3 - 8</i>			2g	—	
<b>Buddleia 'Bicolor'</b> Pink & Yellow Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; lavender buds open to pink &amp; yellow flowers on new wood from mid summer through fall; bushy upright habit to 6' tall; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive organic garden soils; seedling selection of 'Honeycomb'; native of China [x weyeriana] (Dirr) Zones 5 - 9 (10)</i>			3g	—	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com



# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Buddleia 'Black Knight'</b> Purple Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; dark violet flowers on new wood all summer; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive organic garden soils; native of China [B. davidii] Zones 5 - 9</i>			3g	—
<b>Buddleia 'Blue Chip Jr.' (Lo &amp; Behold)</b> Dwarf Blue Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant lavender-blue flowers on new wood from early summer into mid-fall without deadheading; silvery-green foliage; non-invasive; low mounding habit to 24" tall; good for hedges or a high groundcover; attracts butterflies &amp; hummingbirds; resistant to deer browse; drought tolerant; locate in full to mostly sunny areas in most garden soils; native of China (PW) Zones 5 - 9</i>			3g	—
<b>Buddleia 'Blue Chip' (Lo &amp; Behold)</b> Dwarf Blue Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; lavender-blue flowers on new wood start early in the season and keep coming without deadheading; non-invasive; low mounding habit to 30" tall; good for hedges or a high groundcover; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas in most garden soils; native of China (PW) (Werner) Zones 5 - 9</i>			3g	—
<b>Buddleia Flutterby Grande Peach Cobbler ('Podaras # 5')</b> Pink Hybrid Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; fragrant sterile pink flowers with a darker eye on new wood starting in late spring &amp; continuing all summer; broadly upright to about 6' tall &amp; wide; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive organic garden soils; native of China (Ball) Zones 5 - 9 (10)</i>			3g	—
<b>Buddleia Flutterby Petite Blue Heaven ('Podaras # 8')</b> Compact Blue Hybrid Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; fragrant sterile blue flowers with orange eye on new wood starting in late spring &amp; continuing all summer; dwarf upright mound to about 30" tall &amp; wide; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive organic garden soils; native of China (Ball) Zones 5 - 9 (10)</i>			3g	—
<b>Buddleia Flutterby Petite Tutti Fruitti Pink ('Podaras # 13')</b> Compact Pink Hybrid Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; fragrant sterile pink flowers on new wood starting in late spring &amp; continuing all summer; dwarf upright mound to about 30" tall &amp; wide; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive organic garden soils; native of China (Ball) Zones 5 - 9 (10)</i>			3g	—
<b>Buddleia 'Ice Chip' (Low &amp; Behold)</b> Dwarf White Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; fragrant white flowers on new wood don't need deadheading; low compact spreading habit; non-invasive; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive organic garden soils; native of China [B. davidii] (PW) Zones 5 - 9</i>			3g	—
<b>Buddleia Inspired White ('ILVOargus1')</b> White Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; fragrant white flower spikes on new wood all summer; seedless; bushy broadly upright habit to about 8' tall &amp; wide; cut back in late winter or early spring; attracts bees, butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; well-drained moisture retentive organic garden soils; native of China [B. davidii] (PW) Zones 5 - 9</i>			3g	—

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Buddleia 'Lockinch'</b> Lavender Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; lavender-blue flowers on new wood all summer; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive organic garden soils; native of China [B. fallowiana x B. davidii] Zones 5 - 9</i>			3g	—
<b>Buddleia 'Miss Molly'</b> Compact Red Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; bright wine-red flowers on new wood from mid-summer to fall; compact habit to 4' tall &amp; wide; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive organic garden soils; native of China [B. davidii] (PW) (Werner) Zones 5 - 9</i>			3g	—
<b>Buddleia 'Miss Pearl'</b> Compact White Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; small fragrant white flower spikes on new wood from mid-summer to fall; compact habit to 5' tall &amp; wide; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; well-drained moisture retentive organic garden soils; native of China [B. davidii] (PW) (Werner) Zones 5 - 9</i>			3g	—
<b>Buddleia 'Miss Ruby'</b> Compact Pink Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; fragrant fuchsia-pink flowers on new wood from mid-summer to fall; compact habit to 4' tall &amp; wide; gray-green foliage; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive organic garden soils; native of China (Werner) Zones 5 - 9</i>			3g	—
<b>Buddleia 'Pink Delight'</b> Pink Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; pink flowers on new wood all summer; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive organic garden soils; native of China; Zones 5 - 9</i>			3g	—
<b>Buddleia 'Pink Micro Chip' (Lo &amp; Behold)</b> Dwarf Pink Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; sterile orchid-pink flower spikes on new wood start earlier in the season than others, keep coming without deadheading &amp; don't produce seeds; low mounding habit to 24" tall; good as a high groundcover; non-invasive; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; well-drained moisture retentive organic garden soils; native of China [B. davidii] (PW) (Werner) Zones 5 - 9</i>			3g	—
<b>Buddleia 'Royal Red'</b> Red Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; fragrant purple-red flowers on new wood start early in the season and keep coming without deadheading &amp; don't produce seeds; all summer; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive organic garden soils; native of China [B. davidii] Zones 5 - 9</i>			3g	—
<b>Buddleia 'White Profusion'</b> White Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; white flowers on new wood all summer; full sun; deer browse resistant; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive organic garden soils; native of China [B. davidii] Zones 5 - 9</i>			3g	—

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Buxus x Gordo ('Conrowe')</b> Spreading Hybrid Boxwood <i>EVERGREEN SHRUB; compact globular habit to 4' high and wide; large dark foliage all year; resists deer browse; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's neutral to alkaline; branch sport of 'Green Velvet' (Rowe / CP) Zones 5 - 8 (9)</i>			3g	_____	<b>N</b>
<b>Buxus x 'Green Gem'</b> Dwarf Hybrid Boxwood <i>EVERGREEN SHRUB; dense globe with dark evergreen foliage; 2' x 2' when mature; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's neutral to alkaline [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>		15 - 18"	3g B&B	_____ _____	
<b>Buxus x 'Green Mountain'</b> Pyramidal Hybrid Boxwood <i>EVERGREEN SHRUB; dark evergreen foliage all winter; upright somewhat pyramidal habit, but not sheared into formal pyramids; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's neutral to alkaline [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>	<b>BUSH</b>	18 - 24"	2g 3g B&B	_____ _____ _____	<b>N</b>
<b>Buxus x 'Green Velvet'</b> Hybrid Boxwood <i>EVERGREEN SHRUB; compact globular habit to 4' high and wide; slow grower, but faster than 'Green Gem'; dark evergreen foliage all year; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's neutral to alkaline; PHS Gold Metal [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>	<b>BUSH</b>	15 - 18" 18 - 24"	2g 3g B&B B&B	_____ _____ _____ _____	
<b>Buxus microphylla Baby Gem ('Gregem')</b> Dwarf Japanese Littleleaf Boxwood <i>EVERGREEN SHRUB; dwarf mounding habit to about 4' tall by 5' wide at maturity; dark green summer foliage; minimal winter bronzing; suitable in all sun exposures; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's neutral to alkaline; Japan native; Zones (5) 6 - 8 (9)</i>			3g	_____	
<b>Buxus microphylla 'Winter Gem'</b> Korean Littleleaf Boxwood <i>EVERGREEN SHRUB; compact spreading evergreen staying under 3' tall; good for low hedges; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's neutral to alkaline; Japan native; Zones 5 - 9</i>		15 - 18" 18 - 24"	2g 3g B&B B&B	_____ _____ _____ _____	
<b>Buxus sempervirens 'Artic Emerald'</b> Upright Common Boxwood <i>EVERGREEN SHRUB; upright habit reaching 8' tall by 3' wide; new growth is chartreuse; winter foliage retains the dark green summer color; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's neutral to alkaline; native to Europe, Asia &amp; Africa (Krasinsky) Zones 4 - 8 (9)</i>			3g	_____	
<b>Buxus sempervirens 'Aureo-variegata'</b> Variegated Common Boxwood <i>EVERGREEN SHRUB; creamy edges around dark green foliage; compact upright habit; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's neutral to alkaline; native to Europe, Asia &amp; Africa; Zones 5 - 7</i>	<b>BUSH</b>		2g 3g	_____ _____	
<b>Buxus sinica var. insularis 'Franklin's Gem'</b> Spreading Korean Boxwood <i>EVERGREEN SHRUB; slow growing broadly spreading habit that won't exceed 18" tall; highly deer browse resistant; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's neutral to alkaline [B. sempervirens x B. sinica var. insularis] Zones (5) 6 - 9</i>			2g 3g	_____ _____	

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Buxus sinica var. insularis 'Sunburst'</b> Golden Variegated Korean Littleleaf Boxwood <i>EVERGREEN SHRUB; variable golden margins on foliage is retained through winter; compact upright to conical habit can reach 4' tall by 3' wide at maturity; highly deer browse resistant; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's neutral to alkaline; Korean native (PW) Zones (5) 6 - 9</i>			3g	—	
<b>Buxus sinica var. insularis Wedding Ring ('Eseles')</b> Variegated Korean Littleleaf Boxwood <i>EVERGREEN SHRUB; compact spreading habit to 3' by 3' at maturity; variable lime green margins on newer foliage turn gold on mature foliage which is retained through winter; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's neutral to alkaline; Korean native (PW) Zones (5) 6 - 9</i>			3g	—	
<b>Buxus sinica var. insularis 'Wintergreen'</b> Korean Littleleaf Boxwood <i>EVERGREEN SHRUB; compact rounded mounding habit will grow to 5' tall by 42" wide in 15 years; dark green foliage color is retained in winter; highly deer browse resistant; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's neutral to alkaline; Zones 4 - 9</i>			3g	—	<b>N</b>
<b>Calamagrostis x acutiflora 'Karl Foerster'</b> Feather Reed Grass <i>ORNAMENTAL GRASS; upright foliage to 4' tall; pinkish to golden inflorescence from June to September which are sterile reach as much as 6' tall; deer browse resistant; salt tolerant; locate in full sun to light shade &amp; moisture retentive soils; performs well in dry &amp; boggy situations; &amp; areas with coolish nights; Zones (3) 4 - 9</i>			2g 3g	— —	<b>N</b>
<b>Callicarpa dichotoma 'Early Amethyst'</b> Beautyberry <i>DECIDUOUS FLOWERING SHRUB; small pinkish-lavender flowers in summer yield to profuse lilac-violet fruit in Sept.; arching habit to 4' tall &amp; wide; locate in full sun to light shade &amp; well-drained soil; PHS Gold Metal; native of China; Zones 5 - 8</i>			3g	—	
<b>Calycanthus floridus</b> Sweetshrub <i>DECIDUOUS FLOWERING SHRUB; very fragrant burgundy-red flowers in May; bushy-upright habit to about 8' by 8'; locate in sun or shade; very pH adaptable; prefers rich moist organic soils; native to southeastern US; Zones 4 - 9</i>			3g	—	
<b>Campsis radicans</b> Orange Trumpet Vine; Orange Common Trumpet creeper <i>DECIDUOUS VINE; orange-scarlet blooms summer on new wood in July &amp; August; non-descript yellowish fall foliage; vigorous grower adhering to vertical structures by root-like holdfasts; attracts hummingbirds; tolerant of deer browse; locate full sun to light shade &amp; in any soil not remaining wet; drought tolerant when established; southeastern US native; Zones 4 - 9</i>		<b>TRELLIS</b>	3g	—	
<b>Carex 'Everest'</b> Variegated Oshima Sedge <i>ORNAMENTAL GRASS; narrow green arching foliage with thin white edges; compact clumping habit to 12" high &amp; wide; good groundcover or in containers; deer browse resistant; locate is partial to filtered shade &amp; moisture retentive soils that don't stay wet; Japanese native [C. oshimensis] (Tesselaar) Zones (5) 6 - 9</i>			1g 2g	— —	
<b>Carex 'Evergold'</b> Variegated Oshima Sedge <i>ORNAMENTAL GRASS; creamy-white new foliage with green margins matures to creamy-yellow; densely clumping with arching leaves reaches 12" tall by 18" wide; good groundcover or in containers; deer browse resistant; locate is partial to filtered shade &amp; moisture retentive soils that don't stay wet; Japanese native [C. oshimensis] Zones (5) 6 - 8 (9)</i>			1g 2g	— —	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Carex 'Ice Dance'</b> Variegated Japanese Sedge <i>ORNAMENTAL GRASS; evergreen or semi-evergreen foliage; thin creamy margins edge dark green centers on narrow blades; grows to about 12" tall by 18" wide; rhizomatous clumping habit; not invasive; deer browse resistant; locate in full to partial shade &amp; rich organic moisture retentive soil; Japanese native [C. morrowii] Zones 5 - 9</i>			1g 2g	____ ____	
<b>Carex pensylvanica</b> Oak Sedge; Pennsylvania Sedge <i>ORNAMENTAL GRASS; narrow bright green arching foliage forming clumps to 10" tall; flowers in sparsely in late spring &amp; is not especially ornamental; spreads by stolons (runners above ground); resists deer browse; somewhat drought tolerant; locate in partial to dappled shade &amp; most well-drained soils; native to eastern US &amp; Canada; Zones (3) 4 - 8</i>			1g	____	
<b>Ceanothus americana</b> New Jersey Tea <i>DECIDUOUS FLOWERING SHRUB; clusters of tiny fragrant white flowers in late spring; yellow twigs are prominent in winter; compact spreading habit to 3' tall by 4' wide; leaves were used to make tea in colonial times, however without caffeine; locate in full sun to partial shade &amp; most well-drained soils; drought tolerant; eastern US native; Zones 4 - 8</i>			2g	____	
<b>Cedrus atlantica 'Glauca Pendula'</b> Weeping Blue Atlas Cedar <i>EVERGREEN ORNAMENTAL CONIFER; blue-green needles; trunks are staked in an undulating shape to resemble a multi-curved S; ultimate shape and undulation will vary with staking; locate in full to mostly sunny locations with good organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; north African native; Zones (5) 6 - 9</i>		<b>SERPENTINE</b>	10g	____	
<b>Cercis canadensis</b> Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; wide spreading heads; yellowish fall foliage; branching starts about 3' to 6' above the ground from a single stem; locate in sun or part shade with any well-drained soil; US native; Zones 4 - 9</i>		<b>TREE FORM</b>	10g 15g	____ ____	
<b>Cercis canadensis 'Forest Pansy'</b> Redleaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; purple leaf in spring &amp; early summer; typical rosy flowers in April; grows to about 25' tall &amp; wide; branching starts about 3' to 6' above the ground from a single stem; locate in sun or part shade with any well-drained soil; US native; Zones (4) 5 - 9</i>			10g 15g	____ ____	<b>N</b>
<b>Chamaecyparis obtusa 'Gracilis Compacta'</b> Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; very compact upright habit, but not dwarf; dark green foliage; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8</i>			3g 5g 7g sqt 10g	____ ____ ____ ____	<b>N</b> <b>N</b>
<b>Chamaecyparis obtusa 'Kosteri'</b> Dwarf Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; very slow bushy mounding habit; medium green horizontal foliage with lighter green highlights; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8</i>			3g 5g	____ ____	
<b>Chamaecyparis obtusa 'Lutea Compacta'</b> Compact Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; slow compact broadly upright habit; bright gold foliage tends not to burn in full hot sun with adequate moisture; locate in full to mostly sunny location with organic moisture retentive soil that drains well; NOTE: this is not shown as a valid name on the American Conifer Society web site; native to Japan; Zones 5</i>			3g	____	

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
fax: (267) 397-2076  
email: phin@rptuthill.com



# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Chamaecyparis obtusa 'Nana Lutea'</b> Dwarf Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; this is a very tight golden form when placed in full sun; the golden version of 'Nana Gracilis', but perhaps even slower growing; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8</i>			2g	—	
<b>Chamaecyparis obtusa 'Templehof'</b> Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; more broad than upright; quite compact; dark green undulating evergreen foliage; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8</i>			3g	—	
<b>Chamaecyparis obtusa 'Verdon'</b> Compact Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; very slow compact broadly upright habit; bright gold evergreen foliage tends not to burn in full hot sun with adequate moisture; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8</i>			2g 3g	— —	<b>N</b>
<b>Chamaecyparis pisifera 'Filifera Aurea'</b> Gold Thread Cypress <i>EVERGREEN ORNAMENTAL CONIFER; compact gold thread-like foliage; turns green in shade; broadly pyramidal habit that can get tall if not pruned; locate in full to mostly sunny location with neutral to acidic organic moisture retentive soil that drains well; Japanese native; Zones 4 - 8</i>			2g 3g	— —	
<b>Chrysanthemum</b> <i>see: Leucanthemum superbum, Nipponanthemum nipponicum</i>				—	
<b>Clethra alnifolia</b> Summersweet <i>FLOWERING SHRUB; fragrant white flowers in summer; upright habit to about 10' &amp; almost as wide; locate in full sun to partial shade; likes moist to wet acidic soils &amp; coastal conditions; coastal US native; Zones 4 - 9</i>			3g	—	
<b>Clethra alnifolia 'Hummingbird'</b> Compact Summersweet <i>FLOWERING SHRUB; fragrant white flowers in July; compact upright form; locate in full sun to partial shade; likes moist to wet acidic soils &amp; coastal conditions; PHS Gold Metal; coastal US native; Zones 4 - 9</i>			3g	—	
<b>Clethra alnifolia 'Ruby Spice'</b> Pink Summersweet <i>FLOWERING SHRUB; fragrant non-fading pink flower in July; yellow fall foliage; locate in full sun to partial shade; likes moist to wet acidic soils &amp; coastal conditions; PHS Gold Metal; coastal US native; Zones 4 - 9</i>			3g	—	
<b>Clethra alnifolia 'Sixteen Candles'</b> Summersweet <i>DECIDUOUS FLOWERING SHRUB; fragrant white flowers for 4 to 6 weeks in early summer; compact upright to 5' tall by 3' wide; attracts butterflies; locate in full sun to full shade; likes moist to wet acidic soils &amp; coastal conditions; eastern US native; Zones 4 - 9</i>			3g	—	
<b>Coreopsis verticillata 'Moonbeam'</b> Yellow Tickseed <i>PERENNIAL; pale yellow flower June to frost; lacy foliage; 24" tall; mildew resistant foliage; attract butterflies; tolerant of drought, deer &amp; rabbit browse; locate in full sun or minimal shade &amp; dry to moist well-drained soil; eastern US native; Zones (4) 5 - 8</i>			2g	—	
<b>Coreopsis verticillata 'Zagreb'</b> Yellow Tickseed <i>PERENNIAL; golden yellow flower June to frost; lacy foliage; 12" tall; mildew resistant foliage; attract butterflies; tolerant of drought, deer &amp; rabbit browse; locate in full sun or minimal shade &amp; dry to moist well-drained soil; eastern US native; Zones (4) 5 - 8</i>			1g 2g	— —	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Cornus alba 'Bud's Yellow'</b> Yellow-twig Dogwood <i>DECIDUOUS FLOWERING SHRUB; yellow stems become more brilliant in winter; green summer foliage turns yellow in fall; improved canker resistance; grows to about 6' tall in 10 yrs.; cut out older stems to retain best winter color; locate in full sun to partial shade; prefers moist well-drained soil; northeastern Asian native; Zones 2 - 7</i>			3g	—
<b>Cornus alba Ivory Halo ('Bailhalo')</b> Variegated Red-twig Dogwood <i>DECIDUOUS FLOWERING SHRUB; narrow white edges surround medium green leaves; fall color is purplish; young winter twigs are bright red; creamy flowers in late spring aren't significant, but produce white fruit that matures to blue &amp; is favored by birds; bushy habit to 6' x 6'; locate in full to partial sun &amp; moist well-drained soils (PW) Zones 3 - 7</i>			3g	—
<b>Cornus alba Little Rebel ('Jefreb')</b> Dwarf Tartarian Dogwood <i>DECIDUOUS FLOWERING SHRUB; compact bushy habit to 4' tall &amp; wide; green summer foliage turns purple-red in fall; in winter stems turn bright red; locate in full sun to partial shade; prefers moist well-drained soil; northeastern Asian native (Jeffries Ns) Zones 2 - 7</i>			3g	—
<b>Cornus amomum</b> Silky Dogwood <i>DECIDUOUS FLOWERING SHRUB; yellowish-white cymes appear in June; white fruit appears in late summer which turns blue with maturity; birds like the fruit; broadly upright habit to about 9' tall &amp; wide; dark green summer foliage turns reddish-purple in fall; locate in full sun to moderate shade &amp; neutral to acidic moist to wet soil; US native; Zones 5 - 8</i>			3g	—
<b>Cornus kousa</b> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into early summer; bright red fruit; reddish-purple fall foliage; plants have a short trunk of approximately 18"; locate in full sun to partial shade with good organic well drained soil that's neutral to slightly acidic; Asian native; Zones 4 - 8</i>			10g	— <b>N</b>
<b>Cornus racemosa</b> Gray Dogwood <i>DECIDUOUS FLOWERING SHRUB; whitish flower clusters in late spring aren't especially ornamental, nor are the subsequent whitish fruit in late summer; the reddish-pink pedicels appear after the fruit, &amp; are the most ornamental quality; broadly upright suckering shrub to 15' by 15'; tolerant of full sun or shade &amp; most soil types &amp; moisture conditions; US native; Zones (3) 4 - 8</i>			3g	—
<b>Cornus sericea 'Bailey'</b> Bailey's Red-twig Dogwood <i>DECIDUOUS FLOWERING SHRUB; white flowers in late May; white fruit in late summer; bushy habit to 9' tall &amp; wide; reddish-purple fall foliage; locate in full sun to partial shade &amp; any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native; Zones 2 - 7</i>			3g	—
<b>Cornus sericea Pucker Up ('Neil Z')</b> Compact Redtwig Dogwood; Compact Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant semi-showy white flowers from late May into early June; clusters of white fruit in summer are favored by birds; thick glossy rugose puckered foliage that turns orange to purplish-red in fall; bright red twigs in winter on youngest stems; compact upright habit to 4' high &amp; wide; locate in full sun to partial shade &amp; any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native; Zones 2 - 7</i>			3g	—
<b>Cotoneaster apiculatus</b> Cranberry Cotoneaster <i>EVERGREEN GROUND COVER; light pink flowers in late May; small bright red fruit from August into November; small glossy deciduous green summer foliage turns dark red in fall; wide spreading mounding habit staying under 3' tall; locate in sun to moderate shade &amp; most well-drained soils; native</i>			2g	—

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cotoneaster dammeri 'Coral Beauty'</b> Bearberry Cotoneaster <i>EVERGREEN GROUND COVER; low evergreen spreader; white spring flowers followed by persistent red fruit in late summer; locate in sun to moderate shade &amp; most well-drained soils; native to China; Zones 5 - 8</i>			1g 2g 3g	_____ _____ _____	<b>N</b>
<b>Cotoneaster horizontalis</b> Rockspray Cotoneaster <i>DECIDUOUS GROUND COVER; small pink flowers in late May; bright red fruit appears in September; foliage turns purple-red in fall; broadly spreading habit that builds on itself &amp; can reach 6' or more in time; locate in full sun to partial shade &amp; well-drained organic moisture retentive soil; somewhat drought tolerant when established; native to northern Asia; Zones 5 - 7</i>			2g	_____	
<b>Cotoneaster salicifolius 'Scarlet Leader'</b> Willowleaf Cotoneaster <i>EVERGREEN GROUND COVER; low evergreen ground cover to 2' tall by 6' wide; small white flowers in late May; persistent small red fruit; locate in full sun to partial shade &amp; well-drained organic moisture retentive acidic to neutral soil; native to western China; Zones 6 - 7</i>			2g	_____	
<b>Crocsmia 'Lucifer'</b> Montbretia <i>PERENNIAL; small scarlet-red flower reach 4' from late June into Aug; dark green sword-like foliage to 3' tall by 2' wide; good cut flower; be aware of spider mites; locate in full sun to partial shade &amp; most organic moisture retentive soils; native to South Africa (Bloom) Zones (6) 7 - 9</i>			2g	_____	
<b>Cryptomeria japonica 'Black Dragon'</b> Compact Plume Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; slow upright grower; dark evergreen foliage; protect from winter winds; deer browse resistant; locate in full sun to partial shade &amp; moist well-drained soil of any acidity; native to China &amp; Japan; Zones (5) 6 - 8</i>			5g 7g	_____ _____	
<b>Cryptomeria japonica 'Globosa Nana'</b> Dwarf Globe Plume Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; small dark green foliage in summer, which bronzes in winter; pendulous branch tips; dense shrub to 3-4' tall &amp; wide; protect from winter winds; deer browse resistant; locate in full sun to partial shade &amp; moist well-drained soil of any acidity; native to China &amp; Japan; Zones 6 - 9</i>			3g 7g	_____ _____	<b>N</b>
<b>Cupressocyparis leylandii</b> Leyland Cypress <i>EVERGREEN ORNAMENTAL CONIFER; fast-growing dark evergreen pyramid; can wind-burn in exposed locations in winter; locate in full sun or minimal shade &amp; any well-drained soil; tolerant of saline soils; native US cross; Zones 6 - 10</i>			5g 10g 15g	_____ _____ _____	
<b>Delosperma cooperi</b> Hardy Ice Plant <i>PERENNIAL; purplish-pink daisy-like flowers from late spring through summer; spreading fleshy ground hugging evergreen foliage to 6" tall turns burgundy over winter; resists deer browse; locate in full sun &amp; well-drained soils that don't retain much if any moisture &amp; is minimally fertile; drought tolerant; native to South Africa; Zones 6 - 9</i>			2g	_____	
<b>Dennstaedtia punctilobula</b> Hayscented Fern <i>FERN; doubly to triply pinnate foliage reaches 2' to 3' tall; locate in partial shade &amp; well-drained soil with good organic content; prefers acidic soil but is adaptable; Zones 3 - 8</i>			1g	_____	
<b>Deutzia gracilis Chardonnay Pearls ('Steward')</b> Golden Slender Deutzia <i>DECIDUOUS FLOWERING SHRUB; white pearl-like flowers in spring; chartreuse summer foliage; compact upright mounding habit to 3' tall by 2' wide; locate in full sun to light shade (to prevent foliage burn) &amp; any moist well-drained soil; Japanese native (PW) (Wood) Zones (4) 5 - 8</i>			3g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Deutzia gracilis CrÃ´me Fraiche ('Mincreme')</b> Variegated Slender Deutzia <i>DECIDUOUS FLOWERING SHRUB; white star-like flowers in mid to late spring on old wood; medium green foliage with narrow white band on margin; cut out occasional reversions; mounding habit to 24" tall &amp; wide; deer browse resistant; locate in full sun &amp; well-drained moisture retentive soil; Japanese native (PW) Zones 5 - 8</i>			3g	—
<b>Deutzia gracilis 'Nikko'</b> Dwarf Deutzia <i>DECIDUOUS FLOWERING SHRUB; white flower in May; low compact spreader; locate in full sun to light shade &amp; any moist well-drained soil; Japanese native; PHS Gold Metal; Zones 4 - 8</i>			3g	—
<b>Deutzia Yuki Cherry Blossom ('NCDX2')</b> Pink Hybrid Deutzia <i>DECIDUOUS FLOWERING SHRUB; soft pink flowers with white edge in June; dark green foliage; mounding habit to 18" tall &amp; wide; locate in full sun to light shade &amp; any moist well-drained soil (PW) Zones (5) 6 - 7</i>			3g	—
<b>Dianthus Firewitch' / 'Feuerhexe'</b> Cheddar Pink <i>PERENNIAL; fragrant lacey magenta-pink flowers in May &amp; June; grassy silver-blue evergreen foliage; compact spreading mound to 6" tall and slightly wider; deer browse resistant; locate in full sun &amp; well-drained neutral to slightly alkaline soil; heat &amp; somewhat drought tolerant; 2006 PPA; native to Europe &amp; Asia [D. gratianopolitanus] Zones 5 - 9</i>			2g	—
<b>Dianthus Raspberry Swirl ('Devon Siskin')</b> Cheddar Pink <i>PERENNIAL; very pale flowers fade to white with deep maroon edges; will bloom all summer if deadheaded; gray-green grass-like foliage; evergreen in southern range; low spreading habit to 7" tall by 9" wide; deer browse resistant; locate in full sun to minimal shade &amp; well-drained neutral to alkaline soils; native to Europe &amp; Asia (Whetman / Plant Haven) Zones 5 - 9</i>			2g	—
<b>Dicentra 'Luxuriant'</b> Pink Cutleaf Bleeding Heart <i>PERENNIAL; deep pink to light red flowers in May; doubly cut gray-green foliage which persists into early fall; compact mound to 15" tall &amp; wide; locate un partial shade &amp; rich organic well-drained moisture retentive soil; Genus recently renamed Lamprocapnos; US native cross [suspected parentage: D. eximia x D. formosa] Zones (4) 5 - 9</i>			2g	—
<b>Dryopteris erythrosora</b> Autumn Fern; Japanese Shield Fern <i>FERN; new deeply serrated foliage emerges coppery before turning glossy green by summer; evergreen in frost-free areas; upright habit to 2' tall &amp; wide; tolerant of rabbit browse; locate in full to partial shade &amp; rich organic slightly acidic moisture retentive soil; native of Japan &amp; China; Zones (5) 6 - 7 (8)</i>			1g 2g	— —
<b>Dryopteris marginalis</b> Eastern Wood Fern; Marginal Wood Fern <i>FERN; leathery finely-dissected foliage grows to about 18" tall &amp; wide; forms non spreading clumps; deer browse resistant; locate in bright shade &amp; deep organic soils; tolerates moist and dry soils when established; eastern US native; Zones 3 - 8</i>			1g 2g	— —
<b>Echinacea 'Cheyenne Spirit'</b> Multi-color Hybrid Coneflower <i>PERENNIAL; a wide range of flower colors (red, orange, purple, scarlet, cream, yellow &amp; white) appear atop bushy plants of varying heights - usually about 2' tall - from mid summer into early fall; seed heads are prized by goldfinches in winter; good cut flower; no major pest problems; attracts butterflies; resists deer browse; locate in full sun to light shade; tolerant of poor &amp; dry soils; US native hybrid; Zones 5 - 7</i>			1g 2g	— —

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Echinacea 'PowWow White'</b> White Eastern Coneflower <i>PERENNIAL; 1" pure white petals around a golden center from June through August on 30" stems; densely branched upright habit to 30" tall by 18" wide; seed heads are prized by goldfinches in winter; good cut flower; no major pest problems; attracts butterflies; resists deer browse; locate in full sun to light shade; tolerant of poor &amp; dry soils; US native hybrid [E. purpurea] Zones 3 - 9</i>			1g 2g	_____ _____
<b>Echinacea 'PowWow Wildberry'</b> Pink Eastern Coneflower <i>PERENNIAL; dark rosy-pink to magenta flowers in profusion on stems up to 36" tall from early summer to frost; densely upright habit to 30" tall by 18" wide; seed heads are prized by goldfinches in winter; good cut flower; no major pest problems; attracts butterflies; resists deer browse; locate in full sun to light shade; tolerant of poor &amp; dry soils; US native hybrid [E. purpurea] Zones 3 - 9</i>			1g 2g	_____ _____
<b>Elaeagnus umbellata</b> Autumn Olive <i>DECIDUOUS ORNAMENTAL SHRUB; fragrant white flowers in late May aren't particularly showy; silvery to red fruit in early fall; gray foliage; broad upright habit to 15' by 15' or more; withstands salty &amp; other harsh conditions; can become invasive; Zones 4 - 8</i>			3g	_____
<b>Elymus glauca 'Blue Dune'</b> <i>see: Leymus arenarius 'Blue Dune'</i>				_____
<b>Erica x darleyensis 'Mediterranean Pink'</b> Pink Heath <i>GROUND COVER; pink flower November through April; broadly spreading mounds to 24" tall; locate in full sun &amp; acidic sandy to loamy well drained soils; don't fertilize; tolerant of coastal conditions; European native; Zones (5) 6 - 7</i>			1g	_____
<b>Erica x darleyensis 'Mediterranean White'</b> White Heath <i>GROUND COVER; white flower November through April; broadly spreading mounds to 24" tall; locate in full sun &amp; acidic sandy to loamy well drained soils; don't fertilize; tolerant of coastal conditions; European native; Zones (5) 6 - 7</i>			1g	_____
<b>Euonymus alatus 'Compacta'</b> Compact Burning Bush <i>DECIDUOUS ORNAMENTAL SHRUB; upright habit when young; wider than tall with maturity; bright red fall foliage; red seeds in fall; locate in sun or shade; tolerant of any soil that drains; not very drought tolerant; native to Asia; Zones 4 - 8</i>		15 - 18" 18 - 24"	3g 3g	_____ _____
<b>Euonymus fortunei 'Emerald Gaiety'</b> Variegated Wintercreeper Euonymus <i>EVERGREEN GROUND COVER; green foliage with irregular white margins; spreading to mounding habit that can climb up walls; locate in sun or shade &amp; any soil that drains; tolerant of coastal locations; native to China; Zones 5 - 8</i>			3g	_____
<b>Euonymus fortunei 'Moonshadow'</b> Variegated Wintercreeper Euonymus <i>BROADLEAF EVERGREEN SHRUB; low spreading evergreen to 2' tall; narrow dark green edged leaves with prominent golden centers; can climb walls; locate in sun or shade &amp; any soil that drains; tolerant of coastal locations; native to China (Dugan N) Zones 5 - 8</i>			3g	_____
<b>Euonymus japonicus 'Aureo Marginata' / 'Aureomarginatus'</b> Variegated Japanese Euonymus <i>BROADLEAF EVERGREEN SHRUB; yellow margins on medium green foliage; compact upright habit to as much as 10' tall; locate in sun or shade &amp; any soil that drains; tolerant of coastal locations; Asian native; Zones (6) 7 - 9</i>			2g 3g	_____ _____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com



# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Euonymus japonicus 'Silver King'</b> Variegated Japanese Euonymus <i>BROADLEAF EVERGREEN SHRUB; green foliage with creamy edges; compact upright habit to as much as 10' tall; locate in sun or shade &amp; any soil that drains; tolerant of coastal locations; Asian native; Zones (6) 7 - 9</i>			3g	—
<b>Festuca glauca 'Elijah Blue'</b> Blue Fescue <i>ORNAMENTAL GRASS; low clumping grass with deep blue foliage &amp; inflorescence; locate in full sun &amp; well-drained soil; drought tolerant; will not tolerate soils that don't dry out; Zones 5 - 9</i>			1g	—
<b>Forsythia x intermedia 'Lynwood' / 'Lynwood Gold'</b> Border Forsythia <i>DECIDUOUS FLOWERING SHRUB; profuse bright yellow flowers in early spring; upright arching habit to 5' tall &amp; wide; locate in full sun (for maximum flower effect) to medium shade &amp; any soil with reasonable drainage; tolerant of urban conditions; Chinese hybrid [F. suspensa x F. viridissima] Zones 5 - 8</i>		4'	B&B	—
<b>Fothergilla major 'Mount Airy'</b> Large Fothergilla <i>DECIDUOUS FLOWERING SHRUB; large fragrant white flower in May; orange-red fall foliage; locate in full sun to 1/2 shade &amp; well-drained acidic soil; US native; Zones (4) 5 - 7</i>			3g	—
<b>Gaylussacia brachycera</b> Box Huckleberry; Little Big Plant <i>SEMI-EVERGREEN GROUND COVER; white to light pink flowers in late May; edible dark blue berries in July &amp; August; low spreading ericaceous shrub to about 12" high; spreads by rhizomes; small leathery green summer foliage turns bright red from late fall into or through winter; native to shady woodlands with moist well-drained highly organic acidic soil; North American native; Zones 3 - 7</i>			1g	—
<b>Genista lydia Bangle ('Select')</b> Lydia Broom; Dyers Greenwood; Woadwaxen <i>DECIDUOUS FLOWERING SHRUB; profuse bright dark yellow flowers in mid to late spring; narrow arching green stems with very small leaves that are almost not noticeable reaches 2' tall &amp; wide; deer browse resistant; locate in full sun &amp; most well-drained soils; drought tolerant (PW) Zones 4 - 9</i>			3g	—
<b>Geranium 'Max Frie'</b> Pink Cranesbill; Pink Hardy Geranium <i>PERENNIAL; large purple-pink blooms; spreading habit to 10" tall by 24" wide; foliage turns reddish in fall; resists deer &amp; rabbit browse; locate in full sun to partial shade &amp; average well-drained moisture retentive soil; European native; Zones 5 - 8</i>			1g 2g	— —
<b>Geranium 'Rozanne'</b> Blue Cranesbill; Blue Hardy Geranium <i>PERENNIAL; violet-blue flowers with lighter centers from late spring to fall frost; deeply cut deep green foliage; clumping mound to 18" tall by 30" wide; attracts butterflies; deer &amp; rabbit browse resistant; locate in full sun or afternoon shade &amp; organic well-drained moist retentive soil; 2008 PPA; Zones 5 - 8</i>			1g 2g	— —
<b>Geranium sanguineum var. striatum / 'Lancastriense'</b> Dwarf Pink Cranesbill; Dwarf Pink Hardy Geranium <i>PERENNIAL; pink flowers with crimson veins from late spring to early summer; foliage turns reddish in fall; low spreading habit to 9" tall by 24" wide; resists deer &amp; rabbit browse; locate in full sun to partial shade &amp; average well-drained moisture retentive soil; European native; Zones 5 - 8</i>			2g	—
<b>Hakonechloa macra 'All Gold'</b> Golden Hakone Grass; Golden Japanese Forest Grass <i>ORNAMENTAL GRASS; golden to chartreuse foliage; clumping arching foliage to 12" tall by 18" wide; fairly slow grower; tolerates Black Walnut; locate in partial shade &amp; organic well-drained moisture retentive soil; Japanese native; Zones (5) 6 - 8 (9)</i>			1g	—

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Hakonechloa macra 'Aureola'</b> Golden Variegated Hakone Grass; Golden Japanese Forest Grass <i>ORNAMENTAL GRASS; golden foliage with narrow green longitudinal stripes; clumping habit to 18" tall &amp; wide; fairly slow grower; tolerates Black Walnut; locate in partial shade &amp; organic well-drained moisture retentive soil; Japanese native; 2009 PPA; Zones (5) 6 - 8 (9)</i>			1g	_____
<b>Hamamelis vernalis</b> Vernal Witchhazel; Ozark Witchhazel <i>DECIDUOUS FLOWERING SHRUB; variable fragrant yellow to red flowers from late January through February; dense shrubby habit to 8"; locate in full sun to significant shade &amp; moist poorly drained soils; US native; Zones 4 - 8</i>			3g	_____
<b>Hedera helix</b> English Ivy <i>EVERGREEN VINE; dark foliage; climbing clinging vine; locate in sun or shade &amp; any soil that's not consistently wet; some salt tolerance; native to China; Zones 4 - 9</i>		50 / flat 100/flat	2.25" pp cuttings	_____ _____
<b>Hemerocallis 'Big Time Happy'</b> Yellow Happy Ever Appster Daylily <i>PERENNIAL; 4" yellow repeat bloomer; 18" tall; best located in full sun or minimal shade &amp; organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native (Apps) Zones 3 - 9</i>			2g	_____
<b>Hemerocallis 'Happy Returns'</b> Yellow Happy Ever Appster Daylily <i>PERENNIAL; 3" lemon yellow repeat bloomer; 16" tall; best located in full sun or minimal shade &amp; organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native (Apps) Zones 3 - 9</i>			1g 2g	_____ _____
<b>Hemerocallis 'Pardon Me'</b> Red Repeat-blooming Daylily <i>PERENNIAL; repeat red bloomer; dwarf habit; best located in full sun or minimal shade &amp; organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native; Zones 3 - 9</i>			1g 2g	_____ _____
<b>Hemerocallis 'Stella 'd Oro'</b> Yellow Day Lily <i>PERENNIAL; repeat blooming golden blooms; dwarf habit; best located in full sun or minimal shade &amp; organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native; Zones 3 - 9</i>			1g 2g	_____ _____
<b>Hemerocallis 'Stephanie Returns'</b> Pink Happy Ever Appster Daylily <i>PERENNIAL; 4" diameter, pink &amp; rose bicolored flower with a plum eyezone and bright lime-green throat on 18" scapes beginning early and reblooming into October; best located in full sun or minimal shade &amp; organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native (Apps) Zones 4 - 8</i>			2g	_____
<b>Hemerocallis 'Sunset Returns'</b> Yellow Happy Ever Appster Daylily <i>PERENNIAL; 4" apricot, yellow &amp; gold re-bloomer to frost; 15" tall; best located in full sun or minimal shade &amp; organic well-drained moisture retentive soils, however adapts well to most well-drained soils; Asian native (Apps) Zones 3 - 9</i>			2g	_____
<b>Heuchera 'Caramel'</b> Pink Coral Bells <i>PERENNIAL; light pink flowers on 18" stems over compact ruffled, apricot foliage in early summer; variable deer browse resistance; locate in dappled to partial shade &amp; rich organic well-drained neutral to slightly acidic soil; North American native; more tolerant of heat and humidity than other Heucheras [H. villosa] Zones (4) 5 - 8</i>			2g	_____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Heuchera 'Palace Purple'</b> Purple Coral Bells <i>PERENNIAL; burgundy mounds to 15"; needs shade; variable deer browse resistance; locate in dappled to partial shade &amp; rich organic well-drained neutral to slightly acidic soil; North American native [H. micrantha] Zones 6 - 8</i>			1g 2g	____ ____	
<b>Heuchera 'Plum Pudding'</b> Purple Coral Bells <i>PERENNIAL; shiny deep burgundy to plum-purple foliage; compact; creamy flowers; variable deer browse resistance; locate in dappled to partial shade &amp; rich organic well-drained neutral to slightly acidic soil; North American native; Zones 5 - 9</i>			1g 2g	____ ____	
<b>Hosta 'Blue Angel'</b> Platan Lily <i>PERENNIAL; large blue heart-shaped foliage with wavy edges; heavy blooming white flowers; large grower; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; Asian native; Zones 3 - 9</i>			2g	____	
<b>Hosta 'Francee'</b> Plantan Lily <i>PERENNIAL; dark green foliage with narrow white edge; pale lavender flowers on 18" scapes; mounding habit to 21" tall by 36" wide; tolerates Black Walnuts &amp; urban conditions; sport of H. 'Fortunei Albomarginata'; attracts hummingbirds; tolerates Black Walnuts; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; Asian native; Zones 3 - 9</i>			1g 2g	____ ____	
<b>Hosta 'Frances Williams'</b> Plantan Lily <i>PERENNIAL; thick slug resistant blue-green foliage with soft yellow to chartreuse edge which widens with age; white flowers in mid-summer on 30" scapes; mounding habit to 2' tall by 4' wide; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; Asian native (Williams) Zones 3 - 9</i>			2g	____	
<b>Hosta 'Guacamole'</b> Plantan Lily <i>PERENNIAL; fragrant white flowers in late summer on 36" scapes; glossy veined light green foliage with darker edges; spreading clumps up to 2' tall by 3' wide; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; Asian native (Solberg) Zones 3 - 9</i>			2g	____	
<b>Hosta 'Halcyon'</b> Plantan Lily <i>PERENNIAL; thick pointed blue-green foliage resists slugs; lavender flowers on 28" scapes; compact habit to 18" tall by 3' wide; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; Asian native (Smith) Zones 3 - 9</i>			1g	____	
<b>Hosta 'June'</b> Platan Lily <i>PERENNIAL; foliage has creamy gold centers surrounded by irregular bluish-green edges; light lavender flowers on 20" spikes in July &amp; August; grows to 12" tall by 30" spread; tolerant of heavy shade; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; Asian native; Tardiana Group; Zones 3 - 9</i>			1g 2g	____ ____	
<b>Hosta 'Jurasic Park'</b> Platan Lily <i>PERENNIAL; persistent light lavender flowers in summer; very large green foliage; very large spreading clumps up to 9' wide; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in light to heavy shade &amp; organic well-drained moisture retentive neutral to acidic soil; Asian native; Zones 3 - 9</i>			2g	____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Hosta 'Patriot'</b> Plantan Lily <i>PERENNIAL; 5-7" dark green leaves with narrow bright white border; lavender flowers on 30" scapes in mid-summer; mounding habit to 20" tall by 30" wide; sport of 'Francee'; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; Asian native; 1997 Hosta of the Year (Machen) Zones 3 - 9</i>			1g 2g	— —	
<b>Hosta 'Paul's Glory'</b> Plantan Lily <i>PERENNIAL; bright gold foliage is edged with narrow deep green margins; pale lavender flowers on 40" scapes in July; broad spreading mounding habit to 2' tall by 4.5' wide; attracts songbirds &amp; hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; Asian native; 1999 Hosta of the Year; Zones 3 - 9</i>			2g	—	<b>N</b>
<b>Hosta sieboldiana 'Elegans'</b> Plantan Lily <i>PERENNIAL; huge gray-blue foliage; very pale (almost white) lavender flowers in June; large mounding habit to 3' tall by 4' wide; tolerant of Black Walnut; more sun tolerant than most cultivars; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; Asian native; Zones 3 - 9</i>			2g	—	
<b>Hosta 'Sum &amp; Substance'</b> Plantan Lily <i>PERENNIAL; heavy thick roundish foliage is light green, chartreuse or gold depending on the amount of sun - more sun, more gold; more sun tolerant than most; pale lavender flowers on 4' scapes; large mounding habit to 3' tall by 6' wide; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; Asian native (Aden) Zones 3 - 9</i>			2g	—	
<b>Hosta 'Thunderbolt'</b> Variegated Platan Lily <i>PERENNIAL; large blue-green foliage with irregular gold centers - more sun, more gold; more sun tolerant than most; white flowers in mid summer; spreading mounding habit to 30" tall by 36" wide; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in partial sun to full shade &amp; organic well-drained moisture retentive neutral to acidic soil; Asian native; Zones 3 - 9</i>			2g	—	<b>N</b>
<b>Hosta 'Wide Brim'</b> Plantan Lily <i>PERENNIAL; irregular creamy yellow margin surrounds dark green centers; lavender flowers on 24" scapes; mounding habit to 15" tall by 36" wide; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; not very sun tolerant; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; Asian native (Aden) Zones 3 - 9</i>			2g	—	
<b>Hydrangea anomala subsp. petiolaris</b> Climbing Hydrangea <i>DECIDUOUS VINE; dull white fragrant flowers in late June; variable yellow fall foliage; exfoliating tan bark; locate in light to moderate shade &amp; well-drained organic moisture retentive soil; native of Asia; Zones 4 - 7 (8)</i>		<b>TRELLIS</b>	3g	—	
<b>Hydrangea arborescens 'Annabelle'</b> Smooth Hydrangea <i>DECIDUOUS FLOWERING SHRUB; very showy flowers from the new wood beginning in late June; bushy grower to 5' high &amp; wide; dark green serrated summer foliage turns a variable yellowish to brown in fall; locate in morning sun or partial shade &amp; well-drained organic moisture retentive soil of any pH; supplemental moisture during hot dry spells in summer is recommended; PHS Gold Metal; US native; Zones (3) 4 - 9</i>			3g	—	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Hydrangea arborescens Incrediball ('Abetwo')</b> White Smooth Hydrangea <i>DECIDUOUS FLOWERING SHRUB; 12" flowers on sturdy stems that open lime green, turn pure white, then fade to pale green from mid-summer into fall; bushy grower to 5' high &amp; wide; dark green summer foliage turns a variable yellowish to brown in fall; locate in morning sun or partial shade &amp; well-drained organic moisture retentive soil of any pH; supplemental moisture during hot dry spells in summer is recommended; US native (Spring Meadow) Zones (3) 4 - 9</i>			3g	—
<b>Hydrangea macrophylla 'All Summer Beauty'</b> Bigleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright blue (acidic soils) or light pink (alkaline) mophead flowers from mid-summer into fall; blooms from new as well as old wood; matures to about 5' by 5'; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; good salt tolerance for coastal areas; Japanese native; Zones (5) 6 - 9</i>			3g	—
<b>Hydrangea macrophylla Double Delights Wedding Gown ('Dancing Snow')</b> Bigleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; buds open as large double white flowers on old wood before becoming lacecaps; matures to about 3' tall by 5' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; good salt tolerance for coastal areas; Japanese native (Ball) Zones (5) 6 - 9</i>			3g	—
<b>Hydrangea macrophylla Edgy Orbits (â€™Harbits')</b> Double Pink Lacecap Hydrangea <i>DECIDUOUS FLOWERING SHRUB; pink &amp; white lace-cap flowers in mid-summer on old wood; flower color varies with soil acidity (low pH yields blue); matures to about 4' tall by 4' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; good salt tolerance for coastal areas; Japanese native (PW) (Wood) Zones (5) 6 - 9</i>			3g	—
<b>Hydrangea macrophylla Endless Summer ('Bailmer')</b> Bigleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; blue blooms in acidic soils on new &amp; old wood; flower color varies with soil acidity (low pH yields blue); matures to about 3' tall by 3' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; good salt tolerance for coastal areas; Japanese native (Bailey) Zones (5) 6 - 9</i>			5g	—
<b>Hydrangea macrophylla Endless Summer BloomStruck ('PIIHM-II')</b> Blue Mophead Bigleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; pink or blue mop-like summer flowers on old &amp; new wood; flower color varies with soil acidity (low pH yields blue); dark green summer foliage turns reddish-purple in fall; matures to about 4' tall by 5' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; good salt tolerance for coastal areas; Japanese native (Bailey) Zones (5) 6 - 9</i>			5g	—
<b>Hydrangea macrophylla Endless Summer Twist-n-Shout ('PIIHM-I')</b> Reblooming Bigleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; reblooming pink or blue flowers from old &amp; new wood; flower color varies with soil acidity (low pH yields blue); dark green summer foliage on red stems; compact spreading habit to about 5' tall by 5' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; good salt tolerance for coastal areas; Japanese native (Dirr) Zones 4 - 9</i>			5g	—
<b>Hydrangea macrophylla Everlasting Ocean ('Hortmoc')</b> Bicolor Mophead Bigleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; masses of light pink cup-shaped florets emerge on sturdy stems which slowly transition to darker pink with creamy edges &amp; finally to lime-green with darker pink margins; color varies with soil acidity (low pH inserts blue shades); blooms May to June; matures to about 4' tall &amp; wide; the Everlasting Series were bred for the cut flower market; characteristics of which are large persistent blooms on very sturdy stems; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Japanese native (Koster) Plants Nouveau) Zones (5) 6 - 9</i>			3g	—

(especially in southern range); soil needs to be well-drained, but with good moisture retention; Japanese native (Koster) Plants Nouveau) Zones (5) 6 - 9  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com



# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Hydrangea macrophylla 'Masja'</b> Pink Bigleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright pink to red mophead flowers in summer on old wood; flower color varies with soil acidity (low pH yields purple); dark green summer foliage; matures to about 4' tall by 4' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; good salt tolerance for coastal areas; Japanese native; Zones (5) 6 - 9</i>			3g	_____
<b>Hydrangea macrophylla 'Pia'</b> Dwarf Bigleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; pink to blue mid-summer flower depending on soil acidity on old wood; flower color varies with soil acidity (low pH yields blue); dark green summer foliage; compact habit to about 2' tall by 30" wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; good salt tolerance for coastal areas; Japanese native; Zones (5) 6 - 9</i>			2g	_____
<b>Hydrangea paniculata Bobo ('ILVOBO')</b> Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white cone-shaped flowers in late summer fade to pink with age on new wood; blooms on new wood from mid summer into fall; compact spreading habit to about 3' tall by 4' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 3 - 9</i>			3g	_____
<b>Hydrangea paniculata 'Grandiflora'</b> <b>TREE FORM</b> PeeGee Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white sterile flowers from mid-summer into fall on new wood; dark green foliage; spreading habit to about 20' tall by 15' wide at maturity; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			7g sqt 10g	_____ _____
<b>Hydrangea paniculata 'Limelight'</b> <b>BUSH</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green foliage; spreading habit to about 8' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>			3g	_____
<b>Hydrangea paniculata 'Limelight'</b> <b>TREE FORM</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green foliage; spreading habit to about 8' tall &amp; wide at maturity; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>			7g sqt	_____
<b>Hydrangea paniculata 'Little Lime'</b> <b>BUSH</b> Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright lime green flowers in late summer on new wood; dark green foliage; spreading habit to about 5' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>			3g	_____
<b>Hydrangea paniculata Little Quick Fire ('SMHPLQF')</b> Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata types on new wood, then turn rosy-pink; dark green foliage; compact rounded habit to about 4' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			3g	_____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Hydrangea paniculata 'Phantom'</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; huge white ball-like panicle clusters on stiff branches in late summer on new wood; dark green foliage; spreading habit to about 10' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			3g 7g	____ ____	
<b>Hydrangea paniculata 'Phantom'</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; huge white ball-like panicle clusters on stiff branches in late summer on new wood; dark green foliage; spreading habit to about 10' tall &amp; wide at maturity; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			7g sqt	____	
<b>Hydrangea paniculata 'Pink Diamond'</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; off-white to light pink flowers turn variable shades pink with age in late summer on new wood; dark green foliage; spreading habit to about 10' tall &amp; wide at maturity; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			7g sqt 10g	____ ____	
<b>Hydrangea paniculata Pinky Winky ('DVPPinky')</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; profuse 12" white flowers turn pink as they age while pushing more white flowers at the tips, giving a two-tone effect in late summer on new wood; dark green foliage; spreading habit to about 8' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>			3g	____	
<b>Hydrangea paniculata Quick Fire ('Bulk')</b> Pink Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata types on new wood, then turn rosy-pink; dark green foliage; spreading habit to about 8' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			3g	____	
<b>Hydrangea paniculata Quick Fire ('Bulk')</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata types on new wood, then turn rosy-pink; dark green foliage; spreading habit to about 8' tall &amp; wide at maturity; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			7g sqt 10g	____ ____	
<b>Hydrangea paniculata Sweet Summer ('Bokrathirteen')</b> Compact Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large greenish-white blooms on sturdy stems from early summer into fall; mature flowers turn pink revealing green &amp; pink flowers at the same time on new wood; dark green foliage; spreading habit to about 5' tall by 6' wide at maturity; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (Ball) Zones 4 - 9</i>			3g 7g sqt	____ ____	<b>N</b>
<b>Hydrangea quercifolia</b> Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; pyramidal flowers in late June on old wood, turn pure white then pinkish in late summer; burgundy to scarlet fall foliage; tan exfoliating bark; broadly upright habit to 8' or more tall &amp; wide; locate in partial or filtered shade with rich organic well-drained soil; US native;</i>			7g	____	

30 Dec 19  
 20 Dec 19  
 1 Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Hydrangea quercifolia 'Alice'</b> Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white pyramidal blooms in June &amp; July on old wood; consistent burgundy-red fall foliage; tan exfoliating bark; vigorous broadly upright habit to 10'; locate in partial or filtered shade with rich organic well-drained soil; US native; Zones 5 - 9</i>			3g	—	
<b>Hydrangea quercifolia 'Munchkin'</b> Dwarf Pink Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white pyramidal blooms in June &amp; July on old wood turn medium pink then rose-pink by early summer on sturdy stems above the foliage; consistent burgundy-red fall foliage; tan exfoliating bark; compact spreading habit to 4' tall by 5' wide; locate in partial or filtered shade with rich organic well-drained soil; US native (Reed) Zones 5 - 9</i>			2g 3g	— —	<b>N</b>
<b>Hydrangea quercifolia 'Queen of Hearts'</b> Compact Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; masses of 9" white pyramidal blooms appear in early summer on old wood which slowly age to a deep pink; flowers held above the foliage &amp; appear a week or more before standard cultivars &amp; remain effective longer; mahogany-red fall foliage; tan exfoliating bark; compact spreading habit to 6' tall by 9' wide when mature; locate in partial or filtered shade with rich organic well-drained soil; US native (USNA) Zones 5 - 9</i>			3g	—	
<b>Hydrangea quercifolia 'Ruby Slippers'</b> Compact Pink Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; flowers open white on old wood, but quickly age to pale pink then rose in mid summer; compact spreading habit to 3.5' tall by 5' wide in 7 years; dark green summer foliage turns mahogany-red in fall; tan exfoliating bark; vigorous broadly upright habit to 10'; locate in partial or filtered shade with rich organic well-drained soil; US native (USNA) Zones 5 - 9</i>			2g 3g	— —	<b>N</b>
<b>Hydrangea quercifolia 'Sikes Dwarf'</b> Compact Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; 12" tall flowers open light green in late June on old wood, turn pure white then pinkish in late summer; burgundy to scarlet fall foliage; tan exfoliating bark; compact spreading habit to 3' tall by 4' wide; locate in partial or filtered shade with rich organic well-drained soil; US native (Sikes) Zones 5 - 9</i>			3g	—	
<b>Hydrangea quercifolia Snow Queen ('Flemygea')</b> Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; masses of 6" to 8" pyramidal flowers in late June on old wood, turn pure white then pinkish in late summer; burgundy to scarlet fall foliage; tan exfoliating bark; broadly upright habit to 8' tall &amp; wide; locate in partial or filtered shade with rich organic well-drained soil; US native; PHS Gold Metal (Flemer) Zones 5 - 9</i>			3g	—	<b>N</b>
<b>Hydrangea serrata Tiny Tough Stuff</b> Blue Japanese Lacecap Hydrangea <i>DECIDUOUS FLOWERING SHRUB; semi-double to double pink to blue lace-cap flower on old &amp; new wood (lower pH creates more blue) from early through late summer; compact habit to about 2' high &amp; wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Japanese native; Zones 5 - 9</i>			3g	—	<b>N</b>
<b>Hydrangea serrata Tuff Stuff - Red ('SMNMAKTSR')</b> Red Japanese Lacecap Hydrangea <i>DECIDUOUS FLOWERING SHRUB; deep pinkish-red lace-cap flower on old &amp; new wood from early through late summer; compact habit to about 3' high &amp; wide; dark green foliage; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Japanese native; Zones 5 - 9</i>			3g	—	
<b>Hypericum Magical Sunshine ('Kolmasun')</b> St. Johnswort <i>DECIDUOUS FLOWERING SHRUB; small yellow flowers from May into June; rust-resistant fruit &amp; foliage; very showy clusters of persistent soft yellow fruit; compact mounding habit to 3' tall &amp; wide; attracts butterflies &amp; hummingbirds; locate in full sun to light shade &amp; well-drained moisture retentive soil; US native; Zones 5 - 9</i>			3g	—	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Hypericum Magical Universe ('Kolumni')</b> St. Johnswort <i>DECIDUOUS FLOWERING SHRUB; small yellow flowers from May into June; bluish-green rust-resistant summer foliage; very showy fruit appears red before turning purple in fall; compact mounding habit to 3' tall &amp; wide; attracts butterflies &amp; hummingbirds; locate in full sun to light shade &amp; well-drained moisture retentive soil (Plants Noveau) Zones 5 - 9</i>			3g	—
<b>Hypericum patulum 'Hidcote'</b> St. Johnswort <i>DECIDUOUS FLOWERING SHRUB; fragrant golden yellow flowers on new growth from June through Sept; spreading groundcover that gets about 3' high &amp; wide; blue-green summer foliage; locate in full sun to partial shade and any well drained soil; Japanese native; Zones (5) 6 - 8</i>			3g	—
<b>Ilex x aquipernyi Dragon Lady ('Meschick')</b> Pyramidal Holly <i>EVERGREEN TREE; narrow green pyramid with spiny dark green foliage that resists deer browse; somewhat self-fruitful; locate in well drained acidic organic soils &amp; full sun to partial shade; Zones 6 - 9</i>			5g	—
<b>Ilex x China Boy ('Mesdob')</b> Meserve Holly <i>EVERGREEN SHRUB; compact mound to 10' high &amp; wide; glossy bright green foliage; locate in well drained acidic organic soils &amp; full sun to partial shade; Zones 6 - 9</i>			2g	— <b>N</b>
<b>Ilex x China Girl ('Mesog')</b> Meserve Holly <i>EVERGREEN SHRUB; glossy bright green foliage; red fruit; vigorous bushy habit; locate in well drained acidic organic soils &amp; full sun to partial shade; Zones 6 - 9</i>			2g 3g	— —
<b>Ilex cornuta 'Dwarf Burford'</b> Dwarf Chinese Holly <i>BROADLEAF EVERGREEN SHRUB; compact habit - especially when maintained; small glossy foliage; red fruit; locate in well drained acidic organic soils &amp; full sun to partial shade; native to China &amp; Korea; Zones (6) 7 - 9</i>			3g	—
<b>Ilex crenata 'Beehive'</b> Japanese Holly <i>EVERGREEN SHRUB; small convex foliage; compact mounding habit; needs acid soil and adequate drainage; locate in well drained acidic organic soils &amp; full sun to partial shade; Asian native (Orton) Zones 5 - 7 (8)</i>			3g	—
<b>Ilex crenata 'Chesapeake'</b> Japanese Holly <i>EVERGREEN SHRUB; upright habit with glossy dark green convex foliage; needs acid soil and adequate drainage; locate in well drained acidic organic soils &amp; full sun to partial shade; Asian native; Zones (5) 6 - 7 (8)</i>			3g 7g	— —
<b>Ilex crenata 'Compacta'</b> Japanese Holly <i>EVERGREEN SHRUB; small glossy convex green foliage; compact spreader; locate in well drained acidic organic soils &amp; full sun to partial shade; Asian native; Zones (5) 6 - 7 (8)</i>			3g	—
<b>Ilex crenata 'Golden Heller'</b> Golden Japanese Holly <i>EVERGREEN SHRUB; low spreading mound to 2' tall x 4' wide; green foliage has significant amounts of gold overlaying the dark green; brightest gold in full sun; protection from winter winds in coldest regions advisable along with mulching; needs acid soil and adequate drainage; Asian native; Zones 6 - 8</i>			2g 3g	— —

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Ilex crenata 'Green Lustre'</b> Japanese Holly <i>EVERGREEN SHRUB; glossy green foliage; compact spreading habit; locate in well drained acidic organic soils &amp; full sun to partial shade; Asian native; Zones 5 - 7 (8)</i>			3g	—	
<b>Ilex crenata 'Helleri'</b> Japanese Holly <i>EVERGREEN SHRUB; low spreading compact mounding habit; locate in well drained acidic organic soils &amp; full sun to partial shade; Asian native; Zones (5) 6 - 7 (8)</i>			2g 3g	— —	
<b>Ilex crenata 'Hetzi'</b> Japanese Holly <i>EVERGREEN SHRUB; broadly spreading green mound to 10' with age; larger than 'Convexa' in form &amp; foliage; locate in well drained acidic organic soils &amp; full sun to partial shade; Asian native; Zones (5) 6 - 7 (8)</i>			3g	—	
<b>Ilex crenata 'Hoogendorn'</b> Japanese Holly <i>EVERGREEN SHRUB; low spreading habit; gets a little bigger than 'Helleri'; locate in well drained acidic organic soils &amp; full sun to partial shade; Asian native; Zones 5 - 7 (8)</i>			3g	—	
<b>Ilex crenata 'Nigra'</b> Upright Japanese Holly <i>EVERGREEN SHRUB; upright; other cultivars may be hardier; locate in well drained acidic organic soils &amp; full sun to partial shade; Asian native; Zones (5) 6 - 7 (8)</i>			3g 7g	— —	
<b>Ilex crenata 'Sky Pencil'</b> Fastigiate Japanese Holly <i>EVERGREEN SHRUB; very narrow upright habit; locate in well drained acidic organic soils &amp; full sun to partial shade; Asian native; Zones (5) 6 - 7 (8)</i>			3g	—	
<b>Ilex crenata 'Soft Touch'</b> Japanese Holly <i>EVERGREEN SHRUB; dense compact mound; glossy; locate in well drained acidic organic soils &amp; full sun to partial shade; Asian native; Zones 5 - 7 (8)</i>			3g	—	
<b>Ilex crenata 'Steeds'</b> Upright Japanese Holly <i>EVERGREEN SHRUB; upright green; good hedging plant; locate in well drained acidic organic soils &amp; full sun to partial shade; Asian native; Zones 5 - 7 (8)</i>			3g 7g	— —	
<b>Ilex glabra 'Compacta'</b> Compact Inkberry <i>EVERGREEN SHRUB; compact rounded habit to about 4' tall by 3' wide; female selection; will produce jet-black fruit if pollinated; dark green summer foliage turns olive-green in winter; deer &amp; rabbit browse resistant; tolerant of salt &amp; air pollution; stoloniferous; locate in full sun to partial shade &amp; moist organic neutral to acidic soil; excellent in wet sites; US native (also known as: Princeton Compact) (Flemer) Zones (4) 5 - 9</i>		15 - 18"	3g	—	<b>N</b>
<b>Ilex glabra 'Shamrock'</b> Compact Inkberry <i>EVERGREEN SHRUB; compact form with pointed foliage; more compact than most other forms; excellent in wet sites; deer browse resistant; Zones (4) 5 - 9</i>			3g 5g	— —	
<b>Ilex x meserveae Blue Maid ('Mesid')</b> Upright Blue Holly; Upright Meserve Holly <i>EVERGREEN SHRUB; dark blue-green foliage; upright columnar habit to 15'; red fruit; excellent hedge or specimen plant; sheared for hedging; locate in well drained acidic organic soils &amp; full sun to partial shade; PHS Gold Metal; Zones 5 - 8</i>			3g 7g sqt 10g	— — —	



# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Ilex x meserveae Castle Wall ('Hachenstar')</b> Upright Male Blue Holly; Upright Male Meserve Holly <i>EVERGREEN SHRUB; large glossy dark green foliage; broadly columnar habit; pollinator of Castle Spire; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Zones 5 - 9</i>			3g	—
<b>Ilex x 'Nellie R. Stevens'</b> Pyramidal Holly <i>EVERGREEN TREE; broadly pyramidal with glossy dark green foliage; red fruit; somewhat self-fruitful; locate in well drained acidic organic soils &amp; full sun to partial shade; Zones 6 - 9</i>			3g 7g 10g	— — —
<b>Ilex x Red Beauty ('Rutzan')</b> Compact Pyramidal Hybrid Holly <i>EVERGREEN SHRUB; compact pyramidal habit; the original plant was 7' tall by 4' wide at the base in 10 years; small to medium spiny dark green foliage doesn't lighten from winter weather or fruit production; abundant bright red fruit lasts into winter when eaten by birds; resists deer browse; locate in full sun to partial shade &amp; well-drained acidic organic moisture retentive soil [I. x meserveae x I. pernyi] (Rutgers - Orton) Zones 6 - 10</i>			3g 7g	— —
<b>Ilex verticillata 'Jim Dandy'</b> Male Winterberry Holly <i>DECIDUOUS ORNAMENTAL SHRUB; early flowering male pollinator for: 'Afterglow', 'Aurantiaca', Berry Heavy, 'Harvest Red' &amp; 'Red Sprite', among others; formerly named 'Dwarf Male'; compact densely branched habit to about 5' tall; locate in full sun to partial shade &amp; neutral to acidic moisture retentive soil; native to areas with persistently moist to wet soils; native to US &amp; Canada; Zones 3 - 9</i>			3g	—
<b>Ilex verticillata 'Red Sprite'</b> Dwarf Female Winterberry Holly <i>DECIDUOUS ORNAMENTAL SHRUB; compact bushy habit to 5'; persistent profuse bright red fruit; pollinated by 'Jim Dandy' &amp; 'Apollo'; best in full sun or part shade; does well in moist to wet soils; native to US &amp; Canada; Zones 3 - 9</i>			3g	—
<b>Ilex verticillata 'Scarlet O'Hara'</b> Female Winterberry Holly <i>DECIDUOUS ORNAMENTAL SHRUB; moderate sets of bright red fruit in fall and early winter; bushy upright habit to 10' high &amp; wide; best in full sun or part shade; does well in moist to wet soils; native to US &amp; Canada (Frederick) Zones 3 - 8</i>			3g	—
<b>Ilex verticillata 'Southern Gentleman'</b> Male Winterberry Holly <i>DECIDUOUS ORNAMENTAL SHRUB; male pollinator for 'Capapon', 'Shaver', 'Sparkleberry', 'Winter Red' &amp; 'Winter Gold', and other late bloomers if planted within 30'; rapid upright grower; best in full sun or part shade; does well in moist to wet soils; native to US &amp; Canada; Zones 3 - 9</i>			3g	—
<b>Iris ensata</b> Japanese Water Iris <i>PERENNIAL; varying flower colors in early summer can be white, lavender, pink, blue or shades thereof; narrow upright bladed foliage; upright habit to 4' tall by 2' wide; resists deer browse; locate in full sun or partial shade &amp; moist to wet acidic or neutral soils; Japanese native; Zones 4 - 9</i>			2g	— N
<b>Iris ensata 'Variegata'</b> Variegated Japanese Iris <i>PERENNIAL; deep purple flower in early to mid-summer; narrow upright bladed foliage with narrow white edges; locate in full sun or partial shade &amp; consistently moist to wet acidic or neutral soils; Japanese native; Zones (4) 5 - 9</i>			2g	—
<b>Iris siberica 'Butter &amp; Sugar'</b> Siberian Iris <i>PERENNIAL; flowers have white standards &amp; yellow falls in May on spikes above the foliage; upright clumping habit to 30" tall &amp; wide will choke out weeds; attracts butterflies; resists deer &amp; rabbit browse; tolerates Black Locust; locate in full or partial shade &amp; moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia &amp; Europe; Zones 4 - 9</i>			2g	—

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Iris siberica 'Caesar's Brother'</b> Purple Siberian Iris <i>PERENNIAL; violet-purple flowers in May on 40" spikes; upright habit to 30" tall by 18" wide; attracts butterflies; resists deer &amp; rabbit browse; tolerates Black Locust; locate in full or partial shade &amp; moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia &amp; Europe; Zones 4 - 9</i>			2g	—
<b>Iris siberica 'Ruffled Velvet'</b> Purple Siberian Iris <i>PERENNIAL; 4" wine-purple flowers with lighter centers in early June; upright foliage spikes to 24"; attracts butterflies; resists deer &amp; rabbit browse; tolerates Black Locust; locate in full or partial shade &amp; moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia &amp; Europe; Zones 4 - 9</i>			2g	—
<b>Iris siberica 'Snow Queen'</b> White Siberian Iris <i>PERENNIAL; 3" white flowers in June on 30" spikes; attracts butterflies; resists deer &amp; rabbit browse; tolerates Black Locust; locate in full or partial shade &amp; moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia &amp; Europe; Zones 4 - 9</i>			2g	—
<b>Iris siberica 'Sparkling Rose'</b> Siberian Iris <i>PERENNIAL; rosy-pink petals with yellow centers in mid to late spring on 30" spikes; attracts butterflies; resists deer &amp; rabbit browse; tolerates Black Locust; locate in full or partial sun &amp; moist to wet neutral to slightly acidic soil; tolerant of dryer soils as well; native to Asia &amp; Europe; Zones 4 - 9</i>			2g	—
<b>Iris versicolor</b> Northern Blue Flag <i>PERENNIAL; violet-blue flower from May into June; sword-shaped blue-green foliage to 24" long; upright habit to 30" tall; spreads to form colonies; tolerant of deer browse; locate in full sun to partial shade &amp; moist to wet soil; survives in standing water to 4" deep; native to eastern US; Zones 3 - 9</i>			2g	—
<b>Itea virginica 'Henry's Garnet'</b> Virginia Sweetspire <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant white flowers in late May or early June; bushy upright habit to 6'; persistent burgundy foliage in fall; locate in full sun or shade &amp; moist or well-drained acidic moisture retentive soils; not drought tolerant; PHS Gold Metal plant; US native; Zones 5 - 9</i>			3g	—
<b>Itea virginica Little Henry ('Sprich')</b> Compact Virginia Sweetspire <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant white flowers in late May or early June; bushy upright habit to 4'; persistent burgundy foliage in fall; locate in full sun or shade &amp; moist or well-drained acidic moisture retentive soils; not drought tolerant; US native; Zones 5 - 9</i>			3g	—
<b>Itea virginica 'Merlot'</b> Virginia Sweetspire <i>DECIDUOUS FLOWERING SHRUB; fragrant white racemes in June; burgundy fall foliage; dense twiggy habit; locate in full sun or shade &amp; moist or well-drained acidic moisture retentive soils; not drought tolerant; US native; Zones 5 - 9</i>			3g	—
<b>Juniperus chinensis 'Old Gold'</b> Golden Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; compact spreading habit to 3' high by 4' or more wide; golden tipped foliage; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>			3g	—
<b>Juniperus chinensis 'Pfitzer Compacta'</b> Nick's Compact Pfitzer Juniper <i>EVERGREEN ORNAMENTAL CONIFER; medium green foliage; compact spreading habit to 2' tall by 4' wide; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>			3g	—

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Juniperus chinensis sargentii</b> Sargent Juniper <i>EVERGREEN ORNAMENTAL CONIFER; low compact spreader to 2' tall by 9' wide with medium green foliage; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 6 - 9</i>			3g	—	
<b>Juniperus chinensis 'Sea Green'</b> Spreading Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; compact spreading habit; bright green evergreen arching foliage; grows to 6' high by 8' wide; easily trimmed to desired size; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>			3g	—	
<b>Juniperus communis 'Gold Cone'</b> Golden Common Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gold new spring foliage turns green upon maturing in summer; the narrow columnar to pyramidal habit is ideal for small spaces; locate in full sun &amp; neutral to acidic well-drained soil; very salt tolerant; native to just about everywhere; Zones 2 - 6</i>			3g 5g	— —	<b>N</b>
<b>Juniperus conferta 'Blue Pacific'</b> Shore Juniper <i>EVERGREEN ORNAMENTAL CONIFER; blue-green needles; prostrate habit; locate in full sun &amp; alkaline to acidic well-drained soil; very tolerant of coastal &amp; sterile soils; native to just about everywhere; Zones (5) 6 - 9</i>			1g 2g 3g	— — —	
<b>Juniperus davurica 'Parsonii'</b> Dahurian Juniper <i>EVERGREEN ORNAMENTAL CONIFER; adult &amp; juvenile gray-green foliage; compact spreading habit to 3' tall by 5' wide, give or take; some consider this a cultivar of J. chinensis; may be the same as 'Expansa'; good disease resistance; locate in full sun or light shade &amp; most well-drained soils; more popularly known as J. squamata 'Parsonii'; native to Asia (Parsons N) Zones 4 - 7</i>			3g	—	
<b>Juniperus horizontalis 'Bar Harbor'</b> Blue Creeping Juniper <i>EVERGREEN ORNAMENTAL CONIFER; low prostrate spreader; gray-blue foliage; plum winter foliage; locate in full sun &amp; well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 9</i>			2g 3g	— —	
<b>Juniperus horizontalis 'Wiltonii'</b> Blue Rug Juniper; Blue Creeping Juniper <i>EVERGREEN ORNAMENTAL CONIFER; prostrate blue evergreen; stays under 3"; turns plum in winter; locate in full sun &amp; well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 9</i>			1g 2g 3g	— — —	
<b>Juniperus horizontalis 'Youngstown' / 'Plumosa Compacta Youngstown'</b> Andorra Juniper <i>EVERGREEN ORNAMENTAL CONIFER; compact bushy spreader; burgundy winter foliage; locate in full sun &amp; well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 9</i>			3g	—	
<b>Juniperus x pfitzeriana</b> <i>see: Juniperus chinensis 'Pfitzer Compacta'</i>				—	
<b>Juniperus procumbens 'Nana'</b> Dwarf Japanese Garden Juniper <i>EVERGREEN ORNAMENTAL CONIFER; low mounding spreader to 18" tall by 4' wide; medium green juvenile foliage; locate in full sun &amp; any well-drained soil; native to Japan Zones 4 - 8</i>			2g 3g	— —	
<b>Juniperus squamata 'Blue Star'</b> Dwarf Blue Singleseed Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright blue foliage; very compact mounding habit; can reach 3' tall by 3' or more wide in time; locate in full sun &amp; most well-drained soils; does not perform well in areas with high humidity &amp; high evening temperatures; native to Asia; Zones 4 - 7</i>			1g 2g	— —	

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
fax: (267) 397-2076  
email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Juniperus squamata 'Parsonii'</b> <i>see: Juniperus davurica 'Parsonii'</i>				—	
<b>Kalimeris 'Blue Star'</b> False Aster <i>PERENNIAL; pale blue daisy-like flowers from June through October; compact habit to 18"; likes sun &amp; well drained soil; can tolerate light shade and dry, humid conditions once established [K. incisa] Zones 5 - 9</i>			1g 2g	— —	
<b>Kerria japonica</b> Japanese Kerria <i>DECIDUOUS FLOWERING SHRUB; 1.25" bright yellow flowers in spring; bushy arching habit to 5' tall by 4' wide; bright green stems are retained all winter &amp; are quite showy during this period; locate in full sun to partial shade &amp; any well-drained organic soil; native to Asia; Zones 4 - 9</i>			3g	—	
<b>Lagerstroemia Dynamite ('Whit II')</b> Red Crape-myrtle <i>DECIDUOUS FLOWERING TREE; 12" cherry-red summer flower with white flecks on new wood; rapid upright grower to 20'; new foliage is crimson, turns dark green through summer &amp; orange-red in fall; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers [L. indica] (Whitcomb) Zones 7 - 9</i>			3g 7g 10g	— — —	<b>N</b>
<b>Lagerstroemia 'Muskogee'</b> Hardy Lavender Crape-myrtle <i>DECIDUOUS FLOWERING TREE; 10" light lavender-pink flowers all summer; light gray to brown exfoliating bark; glossy dark green foliage turns orange-red in fall; tall grower to 30'; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers (US Nat'l Arboretum) [L. indica x L. faurei] Zones 6 - 9</i>			3g 7g 10g	— — —	
<b>Lagerstroemia 'Natchez'</b> Hardy White Crape-myrtle <i>DECIDUOUS FLOWERING TREE; 10" white flowers all summer; upright arching habit to 20' tall or more; very showy cinnamon-brown exfoliating bark all year; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers (US Nat'l Arboretum) [L. indica x L. faurei] Zones 6 - 9</i>			3g 7g 10g	— — —	
<b>Lagerstroemia Pink Velour / Royal Velvet ('Whit III')</b> Pink Crape-myrtle <i>DECIDUOUS FLOWERING TREE; crimson buds open to bright pink flowers on new wood from July to frost; broadly upright habit to 10' tall by 12' or more wide; new burgundy foliage fades to thick purplish-green in summer and orange-brown in fall; drought tolerant; resistant to powdery mildew; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers (Whitcomb) [L. indica] Zones (6) 7 - 9</i>			3g 7g 10g	— — —	
<b>Lagerstroemia x 'Pocomoke'</b> Dwarf Hardy Pink Crape-myrtle <i>DECIDUOUS FLOWERING SHRUB; rosy pink flowers from mid-summer to frost; dwarf habit to 2' tall &amp; wide; small glossy green mildew-resistant summer foliage turns bronze-red in fall; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers (US Nat'l Arboretum) [L. indica x L. faurei] Zones (6) 7 - 9</i>			3g	—	
<b>Lagerstroemia 'Powhatan'</b> Purple Crape-myrtle <i>DECIDUOUS FLOWERING TREE; medium purple flowers on new wood from late July to frost; broadly upright habit to 15' tall x 12' wide; mildew resistant; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers [L. indica] Zones 7 - 9</i>			3g 7g	— —	

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
fax: (267) 397-2076  
email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Lagerstroemia Rhapsody In Pink ('Whit VIII')</b> Pink Crape-myrtle <i>DECIDUOUS FLOWERING TREE; soft pink flowers on new wood in summer; new foliage opens burgundy which becomes purplish-green through the summer; drought tolerant when established; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers (Whitcomb) [L. indica x L. faurei] Zones (6) 7 - 9</i>			3g 7g	____ ____
<b>Lagerstroemia x 'Sioux'</b> Hardy Pink Crape-myrtle <i>DECIDUOUS FLOWERING TREE; 8" dark pink summer flowers on new wood; gray-brown to cinnamon exfoliating bark; new bronze foliage turns dark green in summer then red to purple in fall; broadly upright habit to 20' tall by 15' wide; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers [L. indica x L. faurei] (USNA / Egolf) Zones 6 - 9</i>			7g	____
<b>Lagerstroemia x 'Tuscarora'</b> Hardy Pink Crape-myrtle <i>DECIDUOUS FLOWERING TREE; dark coral pink summer flowers on new wood; vase-shaped habit to 20' tall &amp; nearly as wide; mottled light gray and tan bark; reddish new foliage turns dark red by summer then orange-red in fall; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers (US Nat'l Arboretum) [L. indica x L. faurei] Zones 6 - 9</i>			3g 7g 10g	____ ____ ____
<b>Lagerstroemia x 'Tuskegee'</b> Hardy Pink Crape-myrtle <i>DECIDUOUS FLOWERING TREE; 8" dark rose-pink flowers on new wood from July through Sept; spring foliage has a reddish cast before turning dark green in summer and orange-red in fall; mildew-resistant foliage; tan &amp; gray exfoliating bark; grows to about 20' tall &amp; wide; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers (US Nat'l Arboretum) [L. indica x L. faurei] Zones 6 - 10</i>			3g	____
<b>Lavandula x intermedia 'Phemomenal'</b> Lavander <i>PERENNIAL; very fragrant lavender-purple flower from late spring to early summer; bushy habit to 24" tall &amp; wide; fragrant gray-green evergreen or semi-evergreen foliage; good for cutting; attracts butterflies; deer &amp; rabbit browse resistant; locate in full sun &amp; deep organic well-drained soil; more tolerant of high humidity &amp; heat (Peace Tree F) Zones (4) 5 - (8) 9</i>			1g	____
<b>Leucanthemum 'Becky'</b> Shasta Daisy <i>PERENNIAL; white petals radiate from yellow centers all summer; upright grower to 4' tall by 3' wide; attracts butterflies; locate in full sun or light shade &amp; well-drained neutral to acidic soil; PPA's 2003 Plant of the Year; genus changed from: Chrysanthemum [L. superbum] (Burbank) Zones 5 - 9</i>			2g	____
<b>Leucanthemum 'Snowcap'</b> Shasta Daisy <i>PERENNIAL; white petals radiate from yellow centers all summer; compact habit to 12" tall by 18" wide; dark green foliage; attracts butterflies; locate in full sun or light shade &amp; well-drained neutral to acidic soil; genus changed from: Chrysanthemum [L. superbum] Zones 5 - 9</i>			1g 2g	____ ____
<b>Leucothoe axillaris</b> Coast Leucothoe; Dog-hobble <i>EVERGREEN FLOWERING SHRUB; drooping white flowers in late April &amp; early May; compact spreading mound to 3' tall by 5' wide; locate in partial to full shade &amp; well-drained moisture retentive acidic soil; US native; Zones (4) 5 - 7</i>			3g	____



# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Leucothoe axillaris Squirt ('Squzam')</b> Compact Coast Leucothoe; Compact Dog-hobble <i>EVERGREEN FLOWERING SHRUB; drooping white flowers in late April &amp; early May; new foliage opens a rich mahogany before turning dark glossy green; fall &amp; winter foliage displaying burgundy tones; compact spreading mound to 2' tall by 3' wide; resists deer browse; locate in partial to full shade &amp; well-drained moisture retentive acidic soil; US native; Zones (4) 5 - 7</i>			3g	—
<b>Leucothoe fontanesiana 'Girard's Rainbow' / 'Rainbow'</b> Variegated Drooping Leucothoe <i>EVERGREEN FLOWERING SHRUB; red, white &amp; green evergreen foliage; spreading mound to 6' or taller; locate in full to partial shade &amp; well-drained moisture retentive acidic soil; eastern US native; Zones (4) 5 - 8</i>			3g	—
<b>Leymus arenarius 'Blue Dune'</b> Blue Lyme Grass; Blue Wild Rye <i>ORNAMENTAL GRASS; bright powder-blue arching leaves reaching 30" tall by 24" wide; beige flower spikes to 3'; aggressive grower that's good for erosion control; can be invasive; locate in full sun to light shade &amp; wet or dry soils; tolerant of salty &amp; calcareous soils; native to northern North America &amp; northern Europe; Zones 4 - 8</i>			3g	—
<b>Liatris 'Kobold'</b> Gay Feather; Blazing Star <i>PERENNIAL; bright pinkish-purple flower spikes to 24" in June &amp; July; upright habit to 30" tall by 15" wide; good cut flower; attracts butterflies; locate in full sun &amp; well drained soil [L. spicata] Zones (3) 4 - 9 (10)</i>			2g	—
<b>Ligularia 'Little Rocket' / 'Lanternchen'</b> Dwarf Senecio <i>PERENNIAL; bright yellow flower spikes on 3' stems in June &amp; July; large round dark green foliage; good cut flower; resists deer browse; locate in filtered or partial shade &amp; any moisture retentive soil [L. stenocephala] (Fransen / Future Plants) Zones 4 - 8</i>			2g	—
<b>Ligustrum ovalifolium</b> California Privet <i>DECIDUOUS FLOWERING SHRUB; very fragrant white flowers in June &amp; early July; glossy semi-evergreen foliage; may be evergreen in southern range; rapid growing bushy shrub to 20' tall &amp; wide, however, can be pruned to almost any size &amp; shape; locate in sun or shade &amp; any soil that doesn't remain wet; fairly tolerant of coastal conditions &amp; salt spray; Japanese native; Zones (4) 5 - 8</i>		4'	3g B&B	— —
<b>Lindera benzoin</b> Spicebush <i>DECIDUOUS FLOWERING SHRUB; small fragrant yellow flower clusters appear in mass before the foliage emerges; fruit appears on female plants in fall as a bright red 1/2" drupe that's favored by birds; bright green leaves are lighter on the bottom and turn golden yellow in fall; small tree or large shrub to 15' tall &amp; wide; locate in full sun or shade &amp; organic well-drained moisture retentive acidic soils; native to eastern US along waterways or bottom lands; Zones 4 - 9</i>			2g	—
<b>Liriope muscari 'Big Blue'</b> Blue Lily-turf; Mondo Grass <i>EVERGREEN GROUND COVER; lavender-blue flower spikes above the foliage in late summer; broad dark green blades broad dark green foliage to about 12" tall; locate in full sun or full shade &amp; average well-drained soil; tolerant of a wider range of soils &amp; drought; Asian native; Zones (5) 6 - 10</i>			1g	—
<b>Liriope muscari 'Silvery Sunproof'</b> Variegated Blue Lily-turf <i>EVERGREEN GROUND COVER; lilac-purple flower spikes above the foliage in late summer; gold &amp; white striped leaves to 12" tall; locate in full sun or full shade &amp; average well-drained soil; tolerant of a wider range of soils &amp; drought; Asian native; Zones (5) 6 - 10</i>			1g	—

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Lonicera heckrottii</b> Goldflame Honeysuckle <i>DECIDUOUS VINE; red buds open to fragrant rose-pink flowers with yellow centers which persist all summer while attracting butterflies &amp; hummingbirds; oval blue-green foliage from reddish stems add interest; may be evergreen or semi-evergreen in southern hardiness range; twining habit to a structure of up to 15' but can be pruned as a bush; locate in full sun to partial shade &amp; soils with good to moderate drainage [L. sempervirens x L. americana] Zones 5 - 9</i>			3g	—	
<b>Magnolia glauca</b> <i>see: Magnolia virginiana</i>				—	
<b>Magnolia virginiana</b> Sweetbay Magnolia; Swamp Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant creamy-white flowers in late spring; medium green foliage is silvery below; loose upright habit to 30' tall; tolerant of air pollution; locate in full sun or shade &amp; moist to wet acidic soils; some salt tolerance; native to coastal eastern US; Zones 5 - 9</i>			3g	—	<b>N</b>
<b>Mahonia bealei</b> Leatherleaf Oregon Grape; Leatherleaf Mahonia <i>EVERGREEN ORNAMENTAL SHRUB; very fragrant yellow flowers in late March or early April; fruit has varying shades of blue as it matures; spiny bluish-green foliage; coarse upright habit to 6'; deer browse resistant; locate in full to partial shade &amp; organic acidic moist well-drained moisture retentive soil; protect from desiccating winter winds; PHS Gold Metal; Chinese native; Zones (6) 7 - 9</i>			3g 7g	— —	<b>N</b>
<b>Mahonia x media 'Winter Sun'</b> Hybrid Mahonia <i>EVERGREEN ORNAMENTAL SHRUB; very fragrant yellow flowers in late fall through winter resist freeze damage; blue-black fruit is effective in late summer &amp;/or fall; spiny foliage emerges with reddish tinge before maturing to bluish-green; upright habit to 10' tall by 5' wide; deer browse resistant; locate in full sun to partial shade &amp; organic well-drained neutral to acidic soil; somewhat drought tolerant when established; protect from desiccating winter winds (Donard N) Zones (6) 7 - 9</i>			3g 7g	— —	
<b>Matteuccia struthiopteris</b> Ostrich Fern <i>DECIDUOUS FERN; erect finely dissected green fronds reaching 2-6' tall by 3-8' wide depending on soil moisture and other conditions; stipes (stems) are dark brown at the base and green at the top; tolerant of rabbits; mostly seen along streams &amp; rivers in large thickets; locate in partial to full shade &amp; moist to wet soils; native to the Northern Hemisphere; Zones 4 - 7</i>			1g 2g	— —	
<b>Microbiota decussata</b> Siberian Cypress; Russian Arborvitae <i>EVERGREEN GROUNDCOVER; wide spreading prostrate habit to 12" tall by as wide as you have time to watch; bright green summer foliage turns plum in late fall through winter; locate in afternoon or filtered shade &amp; loamy soils well-drained soils that don't totally dry out; will not tolerate wet soils; Russian native; Zones 3 - 8</i>			2g 3g	— —	
<b>Microbiota decussata Celtic Pride ('Prides')</b> Siberian Cypress; Russian Arborvitae <i>EVERGREEN GROUNDCOVER; compact spreading mound to 15" tall by 5' or more wide; bright green summer foliage turns plum in late fall through winter; improved disease resistance; resists deer browse; locate in full sun or filtered shade &amp; loamy well-drained soils that don't totally dry out; will not tolerate wet soils; Russian native; Zones 3 - 8</i>			2g	—	
<b>Miscanthus 'Purpurescens'</b> Purple Silver Grass <i>ORNAMENTAL GRASS; gray-green foliage emerges in late spring before turning shades of orange &amp; red in fall; seed heads appear in late summer with magenta hues before turning off-white by mid fall; upright arching habit to 6' tall by 3' wide; seeds provide food for birds in winter; deer browse resistant; locate in full sun or minimal shade &amp; any neutral to slightly acidic well-drained soil; Zones 4 - 8 (9)</i>			3g	—	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Miscanthus sinensis 'Adagio'</b> Dwarf Miscanthus <i>ORNAMENTAL GRASS; silver-gray foliage; profuse inflorescence emerge pink in August &amp; turns creamy-white shortly thereafter; grows to about 4' tall; deer browse resistant; locate in full sun or light to partial shade &amp; most moist well-drained soils; tolerant of drought &amp; high humidity; Asian native; Zones 6 - 9</i>			2g 3g	_____ _____
<b>Miscanthus sinensis 'Gracillimus'</b> Slender Miscanthus <i>ORNAMENTAL GRASS; narrow arching foliage to 5'; silvery plumes extend to 7' in late summer; deer browse resistant; deer browse resistant; locate in full sun or light to partial shade &amp; most moist well-drained soils; tolerant of drought &amp; high humidity; can be invasive in southern range; Asian native; Zones 4 - 7</i>			2g 3g 7g	_____ _____ _____
<b>Miscanthus sinensis 'Graziella'</b> Maiden Grass <i>ORNAMENTAL GRASS; silvery inflorescence appear early in the season on 7' stems; foliage height gets to 6'; locate in full sun or light to partial shade &amp; most moist well-drained soils; tolerant of drought &amp; high humidity; can be invasive in southern range; Asian native; Zones 5 - 9</i>			3g	_____
<b>Miscanthus sinensis 'Little Zebra'</b> Dwarf Variegated Miscanthus <i>ORNAMENTAL GRASS; 3' tall arching clumps of green foliage banded with yellow; reddish plumes rise 1' above the foliage in late summer before turning tan; winter foliage is tan; locate in full sun or light to partial shade &amp; most moist well-drained soils; tolerant of drought &amp; high humidity; can be invasive in southern range; Asian native; Zones 6 - 8</i>			2g	_____ <b>N</b>
<b>Miscanthus sinensis 'Mini Strictus'</b> Dwarf Porcupine Grass; Dwarf Variegated Miscanthus <i>ORNAMENTAL GRASS; compact upright grower; bold horizontal gold stripe across medium green upright leaves; reddish-brown inflorescence in late summer; locate in full sun or light to partial shade &amp; most moist well-drained soils; tolerant of drought &amp; high humidity; can be invasive in southern range; Asian native; Zones 5 - 8</i>			2g 3g	_____ _____
<b>Miscanthus sinensis 'Morning Light'</b> Silver Slender Miscanthus <i>ORNAMENTAL GRASS; narrow foliage with silver edged stripes that usually remains upright all winter; reaches about 5' tall; turns tan in fall; deer browse resistant; locate in full sun or light to partial shade &amp; most moist well-drained soils; tolerant of drought &amp; high humidity; Asian native; Zones 5 - 9</i>			2g 3g	_____ _____
<b>Miscanthus sinensis 'Strictus'</b> Porcupine Grass <i>ORNAMENTAL GRASS; upright grower to as tall as 9'; bold horizontal gold stripe across medium green upright leaves; reddish-brown inflorescence in late summer; locate in full sun or light to partial shade &amp; most moist well-drained soils; tolerant of drought &amp; high humidity; can be invasive in southern range; Asian native; Zones 5 - 8</i>			3g	_____
<b>Miscanthus sinensis 'Variegatus'</b> Variegated Miscanthus <i>ORNAMENTAL GRASS; green &amp; white vertical striped foliage grows to 6'; reddish-brown flowers in mid to late summer extend to 9'; locate in full sun or light to partial shade &amp; most moist well-drained soils; tolerant of drought &amp; high humidity; can be invasive in southern range; Asian native; Zones 5 - 8</i>			3g	_____
<b>Morella pensylvanica</b> <i>see: Myrica pensylvanica</i>				_____
<b>Myrica pensylvanica</b> Northern Bayberry <i>EVERGREEN ORNAMENTAL SHRUB; non-ornamental male or female flowers in early spring; female plants have profuse amounts of grayish-white fruit; bushy suckering habit to 10' tall &amp; wide; very useful in coastal landscapes for it extreme salt tolerance; can be semi-evergreen to evergreen in southern</i>		24 - 30"	3g 7g 3g	_____ _____ _____

to discuss any visit used to make candles, etc.; locate in full to partial sun & just about any soil; Washington Crossing, PA 18977-1125  
 www.rptuthill.com R.P. Tutnill & Associates  
 Myrica); eastern US native; Zones 3 - 7

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Nandina domestica</b> Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; white flowers in June; clusters of red fruit in fall; brilliant red fall &amp; winter foliage; resistant to deer browse; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones (6) 7 - 9</i>			3g 7g	____ ____
<b>Nandina domestica 'Firepower'</b> Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; compact mounding habit to 3' high &amp; wide; crimson fall &amp; winter foliage; resistant to deer browse; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i>			3g	____
<b>Nandina domestica Flirt ('Murasaki')</b> Dwarf Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; very compact mound to 2' tall by 3' wide; vivid red new growth overlays the dark green mature foliage; all foliage turns bright red in the fall &amp; winter; excellent for edging or ground cover; deer browse resistant; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i>			3g	____
<b>Nandina domestica 'Gulf Stream'</b> Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; compact upright evergreen shrub; dark green foliage turns bright red in fall through spring; white spring flowers create red berry clusters in fall; somewhat drought tolerant when established; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i>			3g 7g	____ ____
<b>Nandina domestica Harbor Belle ('Jaytee')</b> Dwarf Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; insignificant white flowers in spring produce bright red fruit clusters in fall; dwarf spreading mound to 15" high by 24" wide; blue-green summer foliage turns bright red from fall through winter; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i>			2g	____ <b>N</b>
<b>Nepeta 'Dropmore'</b> Lavender Catnip; Lavender Catmint <i>PERENNIAL; lavender flowers on 3' stems over gray-green foliage from June to September; attracts butterflies; tolerant of deer browse &amp; urban pollution; locate in full sun or light shade &amp; well-drained soil; drought tolerant; native to southwestern Asia [N. faassenii] Zones 4 - 9</i>			1g 2g	____ ____
<b>Nepeta Junior Walker ('Novanepjun')</b> Blue Catnip; Blue Catmint <i>PERENNIAL; lavender-blue flower from April to early summer; fragrant gray-green foliage; compact mounding habit to 18" tall by 3' spread; non-reseeding sport of 'Walker's Low'; attracts butterflies; tolerant of deer browse &amp; urban pollution; locate in full sun or light shade &amp; well-drained soil; drought tolerant; native to southwestern Asia [N. x faassenii] Zones 4 - 9</i>			1g 2g	____ ____
<b>Nepeta 'Walker's Low'</b> Blue Catnip; Blue Catmint <i>PERENNIAL; lavender-blue flower from April to October; fragrant gray-green foliage; compact mounding habit to 18" tall by 3' spread; aggressive grower; attracts butterflies; tolerant of deer browse &amp; urban pollution; locate in full sun or light shade &amp; well-drained soil; drought tolerant; native to southwestern Asia [N. x faassenii] Zones 4 - 9</i>			1g 2g	____ ____
<b>Osmanthus heterophyllus 'Goshiki'</b> Compact Variegated False-holly <i>BROADLEAF EVERGREEN SHRUB; new foliage emerges gold &amp; cream with green flecks which mature to mostly gold with green; best foliage color in dappled or afternoon shade, but plant grows in full sun; compact bushy grower to 6' tall &amp; wide; deer browse resistant; locate in full sun to partial shade; tolerant of deer browse &amp; urban pollution; well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>			2g 3g 5g	____ ____ ____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:  
**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Osmanthus heterophyllus 'Gulftide'</b> Hardy False-holly <i>BROADLEAF EVERGREEN SHRUB; compact upright habit to 15'; spiny holly-like foliage; highly resistant to deer browse; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>			3g 5g	____ ____
<b>Pachysandra terminalis</b> Japanese Spurge <i>EVERGREEN GROUND COVER; white flower spikes in early spring; spreading upright habit to 8" tall; stoloniferous roots; resists deer &amp; rabbit browse; locate in full to partial shade &amp; organic well-drained neutral to acidic soil; tolerant of full sun with adequate moisture; Asian native; Zones 5 - 8</i>		50 / flat 100/flat	2.25" pp cuttings	____ ____
<b>Paeonia 'Karl Rosenfield'</b> Red Garden Peony <i>PERENNIAL; fragrant 5" double crimson-red flowers in early to mid-summer; good cut flower; bushy habit to 30" tall &amp; wide; attracts butterflies; resists deer &amp; rabbit browse; locate in full sun to partial shade &amp; organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] (Rosenfield) Zones 3 - 8</i>			2g	____
<b>Paeonia 'Sarah Bernhardt'</b> Pink Garden Peony <i>PERENNIAL; fragrant double apple blossom pink flowers in late spring; good cut flower; bushy habit to 3' tall &amp; wide; attracts butterflies; resists deer &amp; rabbit browse; locate in full sun to partial shade &amp; organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] Zones 3 - 8</i>			2g	____
<b>Paeonia 'Shirley Temple'</b> Double White Garden Peony <i>PERENNIAL; double white flowers in mid to late spring; good cut flower; bushy habit to 30" tall &amp; wide; attracts butterflies; resists deer &amp; rabbit browse; locate in full sun to partial shade &amp; organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] Zones 3 - 8</i>			2g	____
<b>Paeonia suffruticosa - dark red</b> Japanese Tree Peony <i>DECIDUOUS FLOWERING SHRUB; very showy dark red flowers with a yellow center in early to mid spring on old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for hedges; attracts butterflies; resistant to deer &amp; rabbit browse; locate in full sun to partial shade &amp; moist organic well-drained soil; Asian native; Zones (4) 5 - 9</i>			2g	____
<b>Paeonia suffruticosa - light pink</b> Japanese Tree Peony <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant light pink flowers on sturdy stems in mid to late spring on old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for hedges; attracts butterflies; resistant to deer &amp; rabbit browse; locate in full sun to partial shade &amp; moist organic well-drained soil; Asian native; Zones (4) 5 - 9</i>			2g	____
<b>Paeonia suffruticosa - purple</b> Japanese Tree Peony <i>DECIDUOUS FLOWERING SHRUB; very showy purple flowers with a yellow center in early to mid spring on old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for hedges; attracts butterflies; resistant to deer &amp; rabbit browse; locate in full sun to partial shade &amp; moist organic well-drained soil; Asian native; Zones (4) 5 - 9</i>			2g	____
<b>Paeonia suffruticosa - rose</b> Japanese Tree Peony <i>DECIDUOUS FLOWERING SHRUB; very showy rose flowers with a yellow center in early to mid spring on old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for hedges; attracts butterflies; resistant to deer &amp; rabbit browse; locate in full sun to partial shade &amp; moist organic well-drained soil; Asian native; Zones (4) 5 - 9</i>			2g	____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com



# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Paeonia suffruticosa - white</b> Japanese Tree Peony <i>DECIDUOUS FLOWERING SHRUB; very showy white flowers with a yellow center in early to mid spring on old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for hedges; attracts butterflies; resistant to deer &amp; rabbit browse; locate in full sun to partial shade &amp; moist organic well-drained soil; Asian native; Zones (4) 5 - 9</i>			2g	_____
<b>Paeonia suffruticosa - yellow</b> Japanese Tree Peony <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant yellow flowers on sturdy stems in mid to late spring on old wood; grows to as much as 5' tall by 4' wide; medium green summer foliage; good for hedges; attracts butterflies; resistant to deer &amp; rabbit browse; locate in full sun to partial shade &amp; moist organic well-drained soil; Asian native; Zones (4) 5 - 9</i>			2g	_____
<b>Panicum 'Dewey Blue'</b> Switch Grass; Beach Grass <i>ORNAMENTAL GRASS; upright slightly arching gray-blue summer foliage turns beige in fall; lacy wheat-colored inflorescence appear in late summer &amp; persist through winter; grows to 3' tall by 2' wide &amp; spreads by rhizomes; tolerates drought, salt &amp; deer browse; locate in full sun to partial shade &amp; just about any well-drained soil; native to coastal eastern US {P. amarum} (Darke) Zones 2 - 9</i>			2g 3g	_____ _____
<b>Panicum virgatum</b> Switch Grass <i>ORNAMENTAL GRASS; upright blue-green summer foliage turns yellow in the fall; lacy wheat-colored inflorescence appear in late summer; grows to 5' tall; locate in full sun or partial shade &amp; just about any soil; tolerates drought, wet soils &amp; Black Walnuts; North American native; Zones 2 - 9</i>			3g	_____
<b>Panicum virgatum 'Cape Breeze'</b> Switch Grass <i>ORNAMENTAL GRASS; compact upright green foliage through October before turning yellow; lacy wheat-colored inflorescence appear in late summer; grows to 30" tall; tolerates drought, salt, deer browse &amp; Black Walnuts; locate in full sun &amp; just about any well-drained soil; North American native (North Creek N) Zones 2 - 9</i>			2g 3g	_____ _____
<b>Panicum virgatum 'Shenandoah'</b> Red Switch Grass <i>ORNAMENTAL GRASS; deep green spring foliage gets red tips in summer then the whole plant turns burgundy in fall which is retained into winter; upright habit to 4' tall; locate in full sun or partial shade &amp; just about any soil; tolerates drought, wet soils &amp; Black Walnuts; North American native; Zones 5 - 8</i>			2g 3g	_____ _____
<b>Pennisetum alopecuroides</b> Fountain Grass <i>ORNAMENTAL GRASS; narrow medium green arching foliage to 3.5' tall &amp; wide; bottle-brush flowers open pinkish in late summer before turning tan &amp; reaching to 4'; locate in full sun &amp; average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8</i>			3g	_____
<b>Pennisetum alopecuroides 'Foxtrot'</b> Fountain Grass <i>ORNAMENTAL GRASS; purplish-rose bottle-brush flowers in late summer atop 5' stems; clumps get to 5' wide as well; narrow green foliage turns golden in the fall; locate in full sun &amp; average to well drained organic soil that's neutral to acidic; Asian native (Bluemel) Zones 5 - 9</i>			2g 3g	_____ _____
<b>Pennisetum alopecuroides 'Hameln'</b> Dwarf Fountain Grass <i>ORNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species &amp; reaches 18"; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun &amp; average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8</i>			1g 2g 3g	_____ _____ _____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Pennisetum alopecuroides 'Little Bunny'</b> Dwarf Fountain Grass <i>ORNAMENTAL GRASS; very narrow green foliage to 12" tall &amp; wide; creamy-tan bottle-brush flowers appear by late summer; locate in full sun &amp; average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8</i>			1g 2g	____ ____
<b>Pennisetum alopecuroides 'Piglet'</b> Dwarf Fountain Grass <i>ORNAMENTAL GRASS; light pink bottle-brush plumes to 18" in late summer; narrow arching foliage to 8" tall; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun &amp; average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8</i>			2g	____
<b>Pennisetum orientale 'Karley Rose'</b> Pink Oriental Fountain Grass <i>ORNAMENTAL GRASS; narrow gray-green foliage to 18" tall that turns tan in fall; showy rosy-pink flowers appear from June though August on 3' stems; tolerates drought, wet soils, Black Walnuts &amp; air pollution; locate in full sun or light shade &amp; wet to moist soils; Asian &amp; Australian native; Zones 6 - 9</i>			2g 3g	____ ____
<b>Perovskia 'Little Spire'</b> Compact Russian Sage <i>PERENNIAL; lavender-blue flowers from late summer into fall; compact upright habit to 2' tall; best to cut back hard before new spring growth; resistant to drought &amp; deer browse; locate in full sun &amp; any well-drained soil; Asian native [P. atriplicifolia] Zones 5 - 9</i>			2g	____
<b>Perovskia 'Superba'</b> Russian Sage <i>PERENNIAL; lavender-blue flower from July to Sept; bushy upright habit to 3'; best to cut back hard before new spring growth; resistant to drought &amp; deer browse; locate in full sun &amp; any well-drained soil; Asian native [P. atriplicifolia] Zones 5 - 9</i>			2g	____
<b>Phegopteris decursive-pinnata</b> <i>see: Thelypteris decursive-pinnata</i>				____
<b>Philadelphus x virginalis 'Minnesota Snowflake'</b> Mockorange <i>DECIDUOUS FLOWERING SHRUB; double 2" diameter fragrant white flowers; bushy upright habit to 6' tall by 5' wide; locate in full sun or light shade &amp; moist well-drained soil for maximum growth; will tolerate other conditions; Zones 4 - 8</i>			7g	____
<b>Physocarpus opulifolius Burgundy Candy ('Podaras 1')</b> Purple Ninebark <i>DECIDUOUS FLOWERING SHRUB; white flowers in late spring; persistent dark reddish-purple foliage; compact mounding habit to about 30" tall by 3' wide; exfoliating bark exhibits dark &amp; light tan longitudinal striations; resists mildew &amp; urban locations; can spread by suckers; locate in full sun or partial shade &amp; most soils; drought tolerant; US native (Ball) Zones 3 - 7</i>			3g	____
<b>Physocarpus opulifolius 'Center Glow'</b> Red Ninebark <i>DECIDUOUS FLOWERING SHRUB; pinkish-white flowers in late spring; new foliage emerges burgundy with golden centers before maturing to a bright burgundy; matures to 10' tall by 8' wide; exfoliating bark exhibits dark &amp; light tan longitudinal striations; locate in full sun or partial shade &amp; most well drained soils; drought tolerant; US native; Zones (3) 4 - 6 (7)</i>			3g	____
<b>Physocarpus opulifolius Diablo ('Monlo')</b> Purple Ninebark <i>DECIDUOUS FLOWERING SHRUB; light pink flowers fade to white in late spring or early summer; dark reddish-purple foliage; exfoliating bark exhibits dark &amp; light tan longitudinal striations; can spread by suckers; locate in full sun or partial shade &amp; most well drained soils; drought tolerant; US native (PW) Zones (3) 4 - 6 (7)</i>			3g	____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Physocarpus opulifolius Lemon Candy ('Podaras 3')</b> Golden Ninebark <i>DECIDUOUS FLOWERING SHRUB; white blooms appear in late spring; bright golden-yellow foliage from spring through fall; is best when grown in full sun; compact habit to 3' tall &amp; wide; exfoliating bark exhibits dark &amp; light tan longitudinal striations; can spread by suckers; locate in full sun or partial shade &amp; most well drained soils; drought tolerant; US native (Ball) Zones 3 - 8</i>			3g	_____
<b>Physocarpus opulifolius Tiny Wine ('SMPOTW')</b> Dwarf Red Ninebark <i>DECIDUOUS FLOWERING SHRUB; profuse pinkish-white flowers in late spring; small maroon-bronze foliage; exfoliating bark exhibits dark &amp; light tan longitudinal striations; can spread by suckers; locate in full sun or light to partial shade &amp; most well-drained soils; drought tolerant; US native (PW) Zones (3) 4 - 6 (7)</i>			3g	_____
<b>Picea glauca 'Conica'</b> Alberta Spruce <i>EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit with short green needles; becomes broadly pyramidal when mature; rarely exceeds 10' in height; locate in full sun or light shade &amp; moist organic soils, although tolerant of many soil conditions; US native; Zones 2 - 6 (7)</i>		15 - 18" 18 - 24" 24 - 30" 30 - 36"	3g 3g 3g 3g	_____ _____ _____ _____
<b>Picea pungens 'Glauca Globosa'</b> Dwarf Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn region of US; Zones 3 - 7 (8)</i>			5g	_____
<b>Picea pungens 'Glauca Globosa'</b> Dwarf Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; usually grafted between 18" &amp; 3' on top of a clear trunk; deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn region of US; Zones 3 - 7 (8)</i>	<b>STANDARD</b>		7g sqt	_____
<b>Pieris japonica 'Cavatine'</b> Compact Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; long lasting white flowers in early April; dwarf compact mound to 3' by 3'; deer browse resistant; locate in dappled or afternoon shade &amp; moist acidic well-drained organic soil; native to Japan &amp; eastern China; Zones (4b) 5 - 7</i>			3g	_____
<b>Pieris japonica 'Dorothy Wycoff'</b> Pink Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; deep red flower buds all winter; pendulous light pink racemes from late March into early April; dark green foliage; deer browse resistant; locate in dappled or afternoon shade &amp; moist acidic well-drained organic soil; native to Japan &amp; eastern China; Zones 5 - 7</i>			3g	_____
<b>Pieris japonica 'Katsura'</b> Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; pendulous rosy-pink racemes from late March into early April; wine-red new foliage turns glossy green by summer; broadly upright habit to 4' tall by 3' wide in 5 years; highly deer browse resistant; locate in dappled or afternoon shade &amp; moist well-drained organic neutral to acidic soil; native to Japan &amp; eastern China (Hirose / PlantHaven) Zones 5 - 7 (8)</i>			3g	_____
<b>Pieris japonica 'Prelude'</b> Compact Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; small prominent pink buds all fall &amp; winter open to pendulous white racemes from late March into early April; compact spreading habit to 2' tall by 3' wide; dark green summer foliage emerges pink in spring; deer browse resistant; locate in dappled or afternoon shade &amp; moist acidic well-drained organic soil; native to Japan &amp; eastern China; Zones 5 - 7</i>			3g	_____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Pieris japonica 'Scarlet O'Hara'</b> Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; pendulous white racemes from late March into early April; new growth is reddish-bronze which green at maturity; upright habit to 4' in about 10 years; deer browse resistant; locate in dappled or afternoon shade &amp; moist acidic well-drained organic soil; native to Japan &amp; eastern China; Zones (4) 5 - 7</i>			3g	—
<b>Polystichum acrostichoides</b> Christmas Fern <i>EVERGREEN FERN; pinnately compound foliage reaches up to 24" tall &amp; wide; used to be used in Christmas decorations; resists rabbit &amp; deer browse; drought tolerant; locate in full to partial shade &amp; moist organic well-drained soil; somewhat adaptable to sun exposure and multiple soil type; eastern US native; Zones 3 - 9</i>			1g 2g	— —
<b>Polystichum polyblepharum</b> Japanese Tassel Fern; Korean Tassel Fern <i>EVERGREEN FERN; arching foliage to 24" tall &amp; wide; resists deer &amp; rabbit browse; locate full shade &amp; moist organic well-drained soil that is somewhat acidic; native to Japan &amp; Korea; Zones 6 - 8</i>			2g	—
<b>Potentilla fruticosa 'Goldfinger'</b> Yellow Bush Cinquefoil <i>DECIDUOUS FLOWERING SHRUB; golden yellow summer flower; upright habit; locate in full sun with ample moisture; deer browse resistant; locate in full sun &amp; moisture retentive soil; tolerant of highly alkaline soils; US native; Zones 2 - 6 (7)</i>			3g	—
<b>Potentilla fruticosa 'Mango Tango'</b> Yellow Bush Cinquefoil <i>DECIDUOUS FLOWERING SHRUB; yellow flowers mature to yellowish-orange and are effective from mid summer to frost; compact bushy habit to 2' tall &amp; wide; small light green compound summer foliage; insignificant fall foliage color; deer browse resistant; locate in full sun &amp; moisture retentive soil; tolerant of highly alkaline soils; US native (U. of Manitoba) Zones 2 - 6 (7)</i>			3g	—
<b>Prunus laurocerasus 'Otto Luyken'</b> Spreading Cherrylaurel; Spreading English Laurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; low spreading evergreen; long dark evergreen foliage; deer browse resistant; locate in full sun or moderate shade &amp; moist well-drained soil that's pH adaptable; native to Europe &amp; Asia Minor; Zones (6) 7 - 8</i>		24 - 30" spr	5g	—
<b>Prunus laurocerasus 'Schipkaensis'</b> Upright Schip Laurel; Upright Schip Cherrylaurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; broadly columnar habit; long dark evergreen foliage; deer browse resistant; locate in full sun or moderate shade &amp; moist well-drained soil that's pH adaptable; native to Europe &amp; Asia Minor; Zones (6) 7 - 8</i>		30 - 36" 4'	15g 5g 7g	— — —
<b>Pyracantha x 'Mohave'</b> Firethorn <i>EVERGREEN FLOWERING SHRUB; profuse white flowers in spring; masses of orange-red fruit in fall; glossy dark green summer foliage; upright habit to 10' tall by 5' wide; with will vary with trimming; resistant to scab (not all sources) and fireblight; difficult to transplant B&amp;B; locate in full sun or partial shade &amp; well-drained soil; drought tolerant [P. koidzumii x P. coccinea] Zones (6) 7 - 9</i>			3g	—
<b>Pyracantha x 'Rutgers'</b> Spreading Firethorn <i>EVERGREEN FLOWERING SHRUB; white spring flowers; orange-red fruit in fall; low spreading habit to 3' tall &amp; twice as wide or more; improved disease resistance; orange fruit; locate in full sun or partial shade &amp; well-drained soil; drought tolerant (Orton / Rutgers) Zones 6 - 9</i>			3g	—

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

R.P. Tuthill & Associates

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rhododendron 'PJM'</b> PJM Rhododendron <i>EVERGREEN FLOWERING SHRUB; Lepidote; violet to lavender-pink flowers in early April contrast well with the burgundy winter foliage; compact habit to 4'; reliably heavy bud set in fall; heat and sun tolerant; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils; ROY 2008 (Mezitt) - 25° F</i>			3g	—
<b>Rhododendron 'Roseum Elegans'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; lilac-pink flowers in mid-late May; compact habit to about 6' in 10 years; does well in full sun &amp; conditions where other varieties fail; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light shade and deep organic well-drained acidic soils (Waterer) - 25° F</i>			5g	—
<b>Rhus aromatica 'Gro Low'</b> Dwarf Fragrant Sumac <i>DECIDUOUS ORNAMENTAL SHRUB; low spreading habit to 2' tall by 6' or more wide; orange to red fall foliage; red fruit in summer; excellent spreading groundcover is perfect on banks with moderate to limited moisture (when established); locate in full sun or moderate shade &amp; well-drained acidic soil; native to eastern US &amp; Canada; Zones (3) 4 - 9</i>			3g	—
<b>Rosa Blushing Knockout ('Radyod')</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; 3â€ shell pink blooms from summer to frost; dark green foliage resists leaf spot; compact upright habit to 3'; burgundy fall foliage; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>			3g	—
<b>Rosa Double Knockout ('Radtko')</b> Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; very floriferous dark double red self-cleaning flowers from summer to frost; bushy habit to 4' by 4'; dark green foliage is resistant to black spot; drought tolerant; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 9</i>			3g	—
<b>Rosa Double Pink Knockout ('Radtkopink')</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; floriferous double hot pink self-cleaning flowers from summer through frost; bushy habit to 4' by 4'; black spot resistant dark glossy green foliage; drought tolerant; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>			3g	—
<b>Rosa Knockout ('Kadrazz')</b> Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; single florescent cherry-red blooms from late spring to frost; dark green foliage; disease resistant &amp; carefree; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>			3g	—
<b>Rosa Oso Easy Cherry Pie ('Meiboulka')</b> Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; large single candy-apple red flowers w/ yellow centers bloom on new wood all summer; glossy very disease resistant foliage; can grow to 4' x 5' wide; locate in full sun or minimal shade &amp; organic well-drained moisture retentive slightly acidic or neutral soil (PW) Zones 4 - 9</i>			3g	—
<b>Rosa Oso Easy Paprika ('ChewMayTime')</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; single flowers open orange before turning coral pink with yellow centers on the new wood from mid-summer into fall; very disease resistant glossy foliage; grows to 2' tall &amp; wide; locate in full sun or minimal shade &amp; organic well-drained moisture retentive slightly acidic or neutral soil (PW) Zones 4 - 9</i>			3g	—

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com



# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rosa Peach Drift ('Meiggili')</b> Pink Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; very floriferous soft pink flowers from mid spring to mid fall; flowers tolerates light freezes; compact spreading habit to 18" tall by 2' wide; dark green foliage with improved resistance to black spot, rust &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			3g	—
<b>Rosa Pink Drift ('Meijocos')</b> Pink Drift Shrub Rose <i>FLOWERING SHRUB; clusters of deep pink flowers with yellowish centers from spring through frost; disease resistant; low spreading habit to 18" tall by 36" wide; full sun; use in containers or as a ground cover; full sun (Conard-Pyle) Zones 5 - 10</i>			3g	—
<b>Rosa Pink Knockout ('RADcon')</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; strong pink blooms from spring to frost; dark green disease resistant foliage; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>			3g	—
<b>Rosa Popcorn Drift ('Novarospop')</b> Yellow Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; new flowers are yellow which fade to creamy white with age, sometimes suffused with a soft flush; abundant flowers all summer; bushy spreading habit to about 18' tall by 24" wide; dark green foliage with improved resistance to black spot, rust &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 11</i>			3g	—
<b>Rosa Red Drift ('Meigalpio')</b> Red Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; very small clusters of red roses from spring through frost; low spreading habit to 18" tall by 36" wide; use in containers or as a ground cover; dark green foliage with improved resistance to black spot, rust &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			3g	—
<b>Rosa rugosa</b> Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant rose-pink summer flower; red fruit in fall; locate in full sun &amp; organic well-drained slightly acidic soil; very tolerant of coastal areas &amp; somewhat alkaline soil; Asian native; Zones 2 - 7 (8)</i>			3g	—
<b>Rosa rugosa 'Alba'</b> White Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant white summer flower; red fruit in fall; locate in full sun &amp; organic well-drained slightly acidic soil; very tolerant of coastal areas &amp; somewhat alkaline soil; Asian native; Zones 2 - 7 (8)</i>			2g	—
<b>Rosa Sunny Knockout ('RADsunny')</b> Yellow Knockout Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant, single, 3" flowers open butter yellow before fading to off-white from late spring to frost; grows to about 4' tall &amp; wide; highly resistant to black spot as well as mildew, rust &amp; Japanese Beetles; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 9</i>			3g	—
<b>Rosa White Drift ('Meizorlandâ€™™)</b> White Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; abundant clusters of double bright white flowers from mid spring through mid fall; low vigorous spreading mound to 18" high by 30" wide; dark green foliage with improved resistance to black spot, rust &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 11</i>			3g	—

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rosa White Out ('RADwhite')</b> White Knockout Rose <i>DECIDUOUS FLOWERING SHRUB; single white flowers to 3.5" diameter with yellow centers from late spring to frost; dark green foliage; highly resistant to black spot, mildew, rust &amp; Japanese Beetles; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 9</i>			3g	—
<b>Rudbeckia 'Goldstrum'</b> Perennial Black-eyed Susan <i>PERENNIAL; 3" diameter gold petals with dark brown eye from mid-summer into early fall; upright habit to 3' tall by 2' wide; attracts butterflies; good cut flower; resists deer browse; locate in full sun &amp; most well-drained soils; drought tolerant; US native [R. fulgida var. sullivantii] (Hagemann) Zones 4 - 9</i>			1g 2g	— —
<b>Rudbeckia 'Little Goldstar'</b> Dwarf Perennial Black-eyed Susan <i>PERENNIAL; produces masses of 2"+ gold petals with a brown eye from mid-summer through early fall; genetic dwarf habit to about 18" tall; attracts butterflies; good cut flower &amp; container plant; resists deer browse; locate in full sun &amp; most well-drained soils; drought tolerant; US native [R. fulgida var. sullivantii] (Jelitto) Zones 4 - 9</i>			1g 2g	— —
<b>Salix integra 'Hakuro-nishiki' / 'Albomaculata'</b> <b>BUSH</b> Variegated Japanese Willow <i>DECIDUOUS ORNAMENTAL SHRUB; broad bushy shrub to 12' tall &amp; wide; new foliage is a colorful mix of green, white &amp; pink which follows yellow catkins; locate in full sun &amp; moist organic acidic to neutral soils; Zones 4 - 7</i>			3g	—
<b>Salvia 'Blue Hill'</b> Blue Flowering Sage <i>PERENNIAL; lavender-blue flower from June to August; compact upright habit to 30" tall by 15" wide; attracts butterflies; resists deer browse; locate in full sun &amp; most well-drained soils; tolerant of drought &amp; humidity; native to Europe &amp; Asia [S. nemerosa] Zones 4 - 8</i>			1g 2g	— —
<b>Salvia 'Caradonna'</b> Blue Flowering Sage <i>PERENNIAL; blue-violet flowers in early summer on 2' spikes about 12" mounds of green foliage; attracts butterflies; resists deer browse; locate in full sun &amp; most well-drained soils; tolerant of drought &amp; humidity; native to Europe &amp; Asia [S. nemerosa] Zones 4 - 9</i>			2g	—
<b>Salvia 'May Night'</b> Violet Flowering Sage <i>PERENNIAL; persistent blue-violet flower from June to July; 18"; attracts butterflies; resists deer browse; locate in full sun &amp; most well-drained soils; tolerant of drought &amp; humidity; native to Europe &amp; Asia [S. nemerosa] Zones 4 - 8</i>			1g 2g	— —
<b>Sarcococca hookeriana var. humilis</b> Himalayan Sarcococca; Sweetbox <i>EVERGREEN GROUND COVER; ericaceous, stoloniferous evergreen; slow grower to about 18" tall; black fruit; locate in varying degrees of shade &amp; highly organic well-drained acidic soil; native to China; PHS Gold Metal; Zones (5) 6 - 8</i>			1g 2g	— —
<b>Schizachyrium scoparium 'Standing Ovation'</b> Little Bluestem <i>ORNAMENTAL GRASS; narrow upright grey-blue stems to 4' tall are purplish at their base; in fall they become shades of orange, red, yellow &amp; brown; silvery seed heads appear from late summer into fall; deer browse resistant; attracts songbirds &amp; butterflies; locate in full sun &amp; any well-drained soil; highly drought tolerant; US native (North Creek N) Zones 3 - 8</i>			1g 2g	— —

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Sedum 'Angelina'</b> Yellow Stonecrop <i>EVERGREEN GROUND COVER; yellow star-like summer flowers; low spreading habit to 6" tall; succulent evergreen leaves appear chartreuse in spring before turning golden-yellow by summer &amp; ultimately orange to red in fall; withstands minimal foot traffic but not wet soils; cascades over walls or from containers or planters; resistant to drought and deer &amp; rabbit browse; locate in full sun to light shade &amp; very well-drained soils; excellent in poor dry soils [S. reflexum (ruscifolia)] Zones 3 - 8 (9)</i>			1g 2g	____ ____
<b>Sedum 'Autumn Joy'</b> Stonecrop <i>PERENNIAL; pink flowers from Sept into Nov; upright habit to 24" tall &amp; wide; locate in full sun or light shade &amp; medium to well-drained soil; Asian native; Genus renamed Hylotelephium [H. spectabile] Zones 4 - 9</i>			1g 2g	____ ____
<b>Sedum 'Dazzleberry' Sunsparkler</b> Stonecrop <i>EVERGREEN PERENNIAL; 6" raspberry flowers in Aug &amp; Sept totally cover the plant; blue-gray foliage; low spreading habit to 8" tall by 18" wide; attracts butterflies; resists rabbit browse; drought tolerant; locate in full to mostly sunny areas &amp; well-drained soil; Japanese native (Hansen) Zones 4 - 9</i>			1g 2g	____ ____
<b>Skimmia japonica - female</b> Japanese Skimmia <i>EVERGREEN GROUND COVER; lightly fragrant white flowers in April; bright red fruit from mid-fall through winter; glossy evergreen foliage; compact mounding habit to about 3' tall &amp; wide; locate in partial to full shade &amp; rich organic well-drained moisture retentive neutral to acidic soil; native to Asia; Zones (6) 7 - 8 (9)</i>			1g 2g	____ ____
<b>Skimmia japonica - male</b> Japanese Skimmia <i>EVERGREEN GROUND COVER; white flowers in April are larger &amp; more fragrant than those on female plants; no fruit; glossy evergreen foliage; compact mounding habit to about 3' tall &amp; wide; locate in partial to full shade &amp; rich organic well-drained moisture retentive neutral to acidic soil; native to Asia; Zones (6) 7 - 8 (9)</i>			1g 2g	____ ____
<b>Sorbaria sorbifolia 'Sem'</b> Ural Falsespirea; Ash-leaf Spirea <i>DECIDUOUS FLOWERING SHRUB; white flower panicles in early July on new wood; new compound foliage opens with shades of red, pink &amp; chartreuse before summer when it's mostly green with lighter highlights; compact habit to 4' tall &amp; wide; can grow aggressively by root suckers; locate full sun or light shade &amp; moist organic well-drained soil of any pH; native to northern Asia; Zones 2 - 8</i>			3g	____
<b>Spiraea 'Gold Mound'</b> Yellow Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pink flowers in May &amp; June; bright gold spring foliage fades to yellow-green in mid-summer's heat; fall foliage becomes orangish; low compact mound to 3' tall by 4' wide; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			3g	____
<b>Spiraea 'Goldflame'</b> Golden Bumald Spirea <i>DECIDUOUS FLOWERING SHRUB; pink summer flowers; orange-bronze new foliage turns to yellow, then yellow-green &amp; finally green by summer; grows to 3' tall &amp; 4' wide; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. x bumalda] Zones 3 - 8</i>			3g	____
<b>Spiraea 'Lemon Princess'</b> Yellow Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pink flowers in early summer; yellow foliage; compact spreading mound to 2' tall &amp; wider; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			3g	____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Spiraea 'Little Princess'</b> Pink Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pink flowers in early summer; green foliage; compact spreading mound to 3' tall &amp; wider; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			3g	—
<b>Spiraea 'Magic Carpet'</b> Pink Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pinkish-purple flowers in June &amp; July; yellow-green red-tipped foliage; dwarf spreading mound to 2'; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			3g	—
<b>Spiraea Mellow Yellow ('Ogon')</b> Golden Thunberg Spirea <i>DECIDUOUS FLOWERING SHRUB; white flowers in early spring; delicate chartreuse foliage; globular mound to 4' tall &amp; wide; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage; HS Gold Metal [S. thunbergii] Zones 4 - 8</i>			3g	—
<b>Spiraea 'Neon Flash'</b> Red Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; improved 'Anthony Waterer' - no variegated shoots; red flowers in late spring; reddish new foliage becomes a nice green in summer; compact mound; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			3g	—
<b>Spiraea 'Shirobana' / 'Shibori'</b> Pink Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; red, pink &amp; white flowers in early summer and sporadically thereafter; compact rounded mound to 4'; dark green foliage; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			3g	—
<b>Stachys 'Helene von Stein'</b> Lamb's Ear; Betony <i>PERENNIAL; lavender-pink flowers on spikes above the silvery foliage in summer; thick wooly leaves are twice the size of the species; low clumping habit to 12" tall by 18" wide; tolerates drought &amp; deer browse; locate in full sun or light shade &amp; average to well-drained soil; native to Asia Minor [S. byzantina] Zones 4 - 9</i>			2g	—
<b>Syringa Bloomerang Dark Purple ('SMSJBP7')</b> Purple Reblooming Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant purple bloom in spring; from mid-summer to frost a lesser quantity of flowers appear; grows up to 6' tall &amp; wide; locate in full to mostly sunny areas with good air circulation &amp; well-drained neutral to alkaline organic soil; withstands coastal conditions (PW) Zones (3) 4 - 7</i>			3g	—
<b>Syringa x 'Colby's Wishing Star'</b> Dwarf Pink Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; fragrant single repeat blooming pinkish-lilac bloom from spring to frost; small statured somewhat open habit to 6' tall &amp; wide; good disease resistance; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions (Moro) Zones 4 - 9</i>			3g	—
<b>Syringa pubescens subsp. patula 'Miss Kim'</b> Manchurian Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant light lavender blooms; compact upright habit to 6' tall by 5' wide; locate in full sun or light shade &amp; well-drained organic soil of any pH; native to northeastern Asia; Zones 4 - 7</i>			3g	—

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Taxus x media 'Densiformis'</b> Spreading Anglo-Jap Yew <i>EVERGREEN SHRUB; dark green needles; compact spreading mound; grows twice as wide as high; locate in full sun to full shade &amp; moist well-drained slightly alkaline to acidic soil; Zones 4 - 7</i>		15 - 18" 18 - 24"	B&B B&B	____ ____	
<b>Taxus x media 'Hatfieldii'</b> Upright Anglo-Jap Yew <i>EVERGREEN SHRUB; dark green foliage; broadly upright, depending on trimming; locate in full sun to full shade &amp; moist well-drained slightly alkaline to acidic soil; Zones 4 - 7</i>		18 - 24" 24 - 30"	B&B B&B	____ ____	
<b>Taxus x media 'Hicksii'</b> Upright Anglo-Jap Yew <i>EVERGREEN SHRUB; dark green foliage; a little narrower than 'Hatfield'; locate in full sun to full shade &amp; moist well-drained slightly alkaline to acidic soil; Zones 4 - 7</i>		15 - 18" 18 - 24" 24 - 30"	B&B B&B B&B	____ ____ ____	
<b>Thelypteris decursive-pinnata</b> Japanese Beech Fern <i>DECIDUOUS FERN; grows to 24" tall by 18" wide, although will form large clumps; grows to 2' tall by 18" wide; vigorous spreader with short runners, so is easily controlled; locate in light to full shade &amp; moist organic well-drained soil; will tolerate limited drought; Japanese native; Zones 4 - 10</i>			1g 2g	____ ____	
<b>Thuja x 'Green Giant'</b> Hybrid Western Arborvitae; Hybrid Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 15' wide; bright evergreen foliage; minimal pest or disease problems; somewhat deer browse resistant; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] Zones 5 - 7</i>			15g	____	
<b>Thuja occidentalis Fire Chief (â€™Congabeâ€™™)</b> Dwarf Golden Eastern Arborvitae; Dwarf Golden White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; bright red new spring foliage reappears in winter; mature foliage is golden; semi-dwarf globular habit to 4' tall &amp; wide; tolerant of air pollution &amp; Black Walnut; locate in full sun (for best color) or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; sport of 'Rheingold'; native to eastern US &amp; Canada; Zones 3 - 7</i>			2g	____	<b>N</b>
<b>Thuja occidentalis 'Little Giant'</b> Globe Eastern Arborvitae; Globe White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; slow growing globular habit to 4' x 4'; vertical bright green foliage; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>			3g	____	
<b>Thuja occidentalis 'Rheingold'</b> Dwarf Golden Eastern Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; semi-dwarf globular habit to 4'; golden foliage with an orange cast; locate in full sun (for best color) or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>			2g	____	
<b>Thuja occidentalis 'Smaragd'</b> Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones (4) 5 - 7</i>		3' 4'	3g B&B B&B	____ ____ ____	<b>N</b>
<b>Thuja plicata Golden Spire ('Daniellow')</b> Golden Western Arborvitae; Golden Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; golden foliage all year - even in hot summer sun and cold winters; moderate grower with a tight narrow pyramidal to columnar habit to about 15' tall by 4' wide; somewhat deer browse resistant; locate in full sun (for best color) or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US &amp; Canada (Daniels / Plant Haven) Zones 5 - 8 (9)</i>			3g	____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com



# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Vaccinium angustifolium</b> Lowbush Blueberry <i>DECIDUOUS FRUITING SHRUB; white flower in April; highly nutritious blue berries in mid-summer; blue-green summer foliage turns shades of red in fall; low spreading shrub to 2' tall; locate in full sun or partial shade &amp; well-drained to dry acidic soil; adaptable to sterile coastal landscapes; Zones 2 - 5 (6)</i>			1g 2g	____ ____	<b>N</b> <b>N</b>
<b>Vaccinium corymbosum 'Blue Crop'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; midseason crop; 4-6' tall; bright red to purplish fall foliage; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 3 - 7 (8)</i>			2g	____	
<b>Vaccinium corymbosum 'Bluegold'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; late-season crop; 4-6' tall &amp; wide; bright red to purplish fall foliage; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 3 - 7 (8)</i>			2g	____	
<b>Vaccinium corymbosum 'Chippewa'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; midseason; high yielding; very sweet flavor; self pollinating; upright arching habit to 5' by 4' wide; fall foliage is shades of yellow to red; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention (U. of MN) Zones 3 - 7</i>			2g 3g	____ ____	
<b>Vaccinium corymbosum 'Duke'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; early crop; 4-6' tall; bright red to purplish fall foliage; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 3 - 7 (8)</i>			2g	____	
<b>Vaccinium corymbosum 'Elliot'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; late season; 5-7' tall; bright red to purplish fall foliage; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 4 - 7</i>			2g	____	
<b>Vaccinium corymbosum 'Jersey'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; late to midseason crop; 4-6' tall; bright red to purplish fall foliage; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 3 - 7 (8)</i>			2g	____	
<b>Vaccinium corymbosum 'Northland'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; midseason crop; white bell-like flowers in late spring; broadly upright habit to 4' tall by 5' wide; bright red to purplish fall foliage; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 3 - 7 (8)</i>			2g	____	
<b>Vaccinium corymbosum 'Patriot'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; early to midseason crop; 4-6' tall; bright red to purplish fall foliage; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 3 - 7 (8)</i>			2g	____	
<b>Vaccinium corymbosum 'Sweetheart'</b> Hybrid Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; bears midseason and again in fall; first re-bearing blueberry in the market; very hardy strain; upright habit to 6' tall &amp; wide; excellent quality fruit; very disease resistant; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones (2) 3 - 7</i>			3g	____	<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
fax: (267) 397-2076  
email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Vaccinium corymbosum - unknown cultivars</b> Highbush Blueberry - mixed cultivars <i>DECIDUOUS FRUITING SHRUB; mixed fruiting times in summer; upright habit; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention; Zones (2) 3 - 7</i>			3g	—	<b>N</b>
<b>Veronica 'First Lady'</b> White Tall Speedwell <i>PERENNIAL; large white flower spikes all summer (if deadheaded) over dark green foliage; compact broadly-upright habit to 15" tall by 18" wide; good cut flower; attracts butterflies; resists deer &amp; rabbit browse; crown needs to be slightly above the adjacent soil after planting; locate in full sun &amp; well-drained organic moisture retentive soil of any pH; European native [V. longifolia] Zones 4 - 8</i>			2g	—	
<b>Veronica 'First Love'</b> Speedwell <i>PERENNIAL; deep pink flower spikes from late June to Aug; broadly upright habit to 12" tall by 18" wide; deep green summer foliage; attracts butterflies; resistant to deer &amp; rabbit browse; good for coastal areas; crown needs to be slightly above the adjacent soil after planting; locate in full sun or light shade &amp; organic well-drained moisture retentive soil; Zones (3) 4 - 8</i>			2g	—	
<b>Viburnum x burkwoodii</b> Fragrant Viburnum <i>DECIDUOUS FLOWERING SHRUB; pink buds open to fragrant white flowers in April; glossy dark green foliage turns reddish in fall &amp; is semi-evergreen in southern range; upright bushy habit to 10' tall &amp; nearly as wide; locate in full to partial shade &amp; neutral to acidic well-drained moisture retentive soil; Zones 5 - 8</i>			3g 7g	— —	
<b>Viburnum carlesii</b> Koreanspice Viburnum <i>DECIDUOUS FLOWERING SHRUB; spicy fragrant 3" white flowers in early May; red fruit clusters in fall; compact rounded habit to 8'; dull fuzzy foliage turns reddish to burgundy in the fall; locate in full sun or partial shade &amp; moisture retentive well-drained neutral to acidic soil; Korean native; Zones (4) 5 - 7 (8)</i>			3g	—	
<b>Viburnum dentatum</b> Arrowwood Viburnum <i>DECIDUOUS FLOWERING SHRUB; white flower in June; black fruit in fall; variable fall foliage of yellows &amp; reds; upright to broadly upright habit to 15' tall; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US &amp; Canada; Zones (2) 3 - 8</i>			3g 7g	— —	<b>N</b>
<b>Viburnum dentatum Blue Muffin ('Christom')</b> Arrowwood Viburnum <i>DECIDUOUS FLOWERING SHRUB; compact upright habit to 6'; masses of intense blue clusters of fruit follow profuse white flowers in May; deer browse resistant; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US &amp; Canada (PW) Zones (2) 3 - 8</i>			3g	—	
<b>Viburnum dilatum Cardinal Candy ('Henneke')</b> Linden Viburnum <i>DECIDUOUS FLOWERING SHRUB; white cymes up to 6" dia in May; profuse persistent pendulous clusters of bright red fruit from late summer into late winter when they are eaten by birds; lustrous green summer foliage turns russet red in fall; bushy upright habit to 8'; more cold hardy; locate in full sun or moderate shade &amp; neutral to slightly acidic well-drained moisture retentive soil; native to eastern Asia (Henneke) Zones 4 - 7 (8)</i>			3g	—	
<b>Viburnum lantana 'Mohican'</b> Wayfaringtree Viburnum <i>DECIDUOUS FLOWERING SHRUB; profuse off-white flowers in early to mid May; showy reddish-orange fruit in late summer; broadly upright habit to 10'; trained up on a single stem; locate in full sun or moderate shade &amp; neutral to alkaline well-drained soil; native to Europe &amp; western Asia</i>			3g	—	

13 Decision Way, West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Viburnum nudum 'Winterthur'</b> Smooth Witherod; Possumhaw Viburnum <i>DECIDUOUS FLOWERING SHRUB; dark glossy foliage turns brilliant reddish-purple in fall; creamy white flowers in late May; fruit emerges white before turning pink, then red, then blue; locate in full sun to partial shade with moist well drained soil; drought tolerant; PHS Gold Metal; eastern US native; Zones 5 - 9</i>			3g	—	
<b>Viburnum opulus 'Roseum' (Sterile)</b> European Snowball Viburnum; Old Fashioned Snowball Viburnum <i>DECIDUOUS FLOWERING SHRUB; vigorous grower to 10'; very showy sterile white flowers in mid May; does not fruit; locate in full sun or partial shade &amp; just about any soil including boggy; native to Europe &amp; Asia; Zones 3 - 8</i>			3g	—	
<b>Viburnum plicatum f. plicatum 'Popcorn'</b> Compact Japanese Snowball Viburnum <i>DECIDUOUS FLOWERING SHRUB; profuse 2-3" white ball-like flowers; red fruit; compact spreading habit to 8' high &amp; wide; locate in full sun to light shade &amp; well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>			5g	—	
<b>Viburnum plicatum f. tomentosum 'Mariesii'</b> Doublefile Viburnum <i>DECIDUOUS FLOWERING SHRUB; horizontal spreading branches are covered by white flowers in May, followed by red fruit in summer that turns to black; grows to 8' tall by 12' wide; locate in full sun to light shade &amp; well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>			3g 7g	— —	
<b>Viburnum plicatum f. tomentosum 'Shasta'</b> Doublefile Viburnum <i>DECIDUOUS FLOWERING SHRUB; horizontal spreading branches are covered by 5" flat white flowers (cymes) in May, followed by red fruit in summer that transitions to black over several weeks; grows to 6' tall by 12' wide; locate in full sun to light shade &amp; well-drained moisture retentive soil; PHS Gold Metal; native to eastern Asia (Egolf) Zones 5 - 7 (8)</i>			3g	—	
<b>Viburnum x pragense</b> Prague Viburnum <i>EVERGREEN FLOWERING SHRUB; small narrow glossy leathery evergreen foliage; pink flower buds open white; bushy upright habit to 10' tall &amp; nearly as wide; locate in full sun to light shade &amp; well-drained moisture retentive acidic soil; Zones 5 - 8</i>			3g	—	
<b>Viburnum prunifolium</b> Blackhaw Viburnum <i>DECIDUOUS FLOWERING SHRUB; small white flower clusters in May; black fruit in September; purple-red fall foliage; upright habit to 15'; locate in full sun or shade &amp; well-drained soil; drought tolerant; US native; Zones 3 - 9</i>			3g	—	
<b>Viburnum x rhytidophylloides 'Alleghany'</b> Lantanaphyllum Viburnum <i>DECIDUOUS FLOWERING SHRUB; dark heavy textured semi-evergreen foliage; creamy white flowers in May &amp; occasionally in the fall; red fruit in September matures to black in October; upright to 10' tall &amp; nearly as wide; locate in full sun to light shade &amp; well-drained moisture retentive acidic soil (Egolf) Zones (4) 5 - 8</i>			3g 7g	— —	<b>N</b>
<b>Viburnum rhytidophyllum</b> Leatherleaf Viburnum <i>EVERGREEN FLOWERING SHRUB; yellowish-white flowers in mid May; fruit opens red before maturing to black in fall; long narrow foliage is semi-evergreen in northern range - especially dependent on winter wind exposure; upright bushy habit to 15' tall &amp; slightly narrower; locate in light to medium shade &amp; well-drained moisture retentive acidic soil; native to China; Zones 5 - 7</i>			3g 7g	— —	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.rptuthill.com

represented by:

**R.P. Tuthill & Associates**

phone: (888) 321-4545  
 fax: (267) 397-2076  
 email: phin@rptuthill.com

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Viburnum rhytidophyllum 'Cree'</b> Compact Leatherleaf Viburnum <i>EVERGREEN FLOWERING SHRUB; yellowish-white flowers in mid May; fruit opens red before turning black; narrow foliage is semi-evergreen in northern range - especially dependent on winter wind exposure; compact habit to 8' high &amp; wide; possibly more cold hardy than the species; locate in light to medium shade &amp; well-drained moisture retentive acidic soil; native to China; Zones (4) 5 - 7</i>			3g	—	
<b>Viburnum trilobum 'Wentworth'</b> American Cranberrybush Viburnum <i>DECIDUOUS FLOWERING SHRUB; white spring lacecap flower in mid to late May; fruit changes from yellow-red to bright red in mid to late fall and is larger and more persistent than the species; reddish fall foliage; intermediate grower to 12' tall and almost as wide; locate in full sun to partial shade &amp; moist to well-drained acidic soil; native to US &amp; Canada; Zones 4 - 7</i>			3g	—	
<b>Vinca minor 'Bowles'</b> Myrtle; Periwinkle <i>EVERGREEN GROUND COVER; larger azure-blue flowers in April &amp; sporadically thereafter into fall; glossy dark green foliage; trailing habit with runners creating a 3" tall matt; locate in full to partial shade &amp; organic well-drained moisture retentive acidic soil; Zones 4 - 8 (9)</i>		50 / flat	2.25" pp	—	
<b>Vitex agnus-castus 'Abbeville Blue'</b> Blue Lilac Chaste-tree <i>DECIDUOUS FLOWERING SHRUB; fragrant clear blue flower spikes in July on new wood; will be a cut-back shrub most years in the northern hardiness range; locate in full sun &amp; organic well-drained moisture retentive soils; native to southern Europe; Zones (5) 6 - 8</i>			3g 7g sqt	— —	<b>N</b>
<b>Weigela florida Midnight Wine ('Elvera')</b> Dwarf Purple Weigela <i>DECIDUOUS FLOWERING SHRUB; low mounding version of 'Wine &amp; Roses'; hot rosy-pink flowers in mid June; purple foliage; matures at 2' tall; deer browse resistant; locate in full sun &amp; well-drained moisture retentive soil; native to Japan (PW) Zones 5 - 8</i>			3g	—	
<b>Weigela florida My Monet 'Sunset'</b> Dwarf Variegated Weigela <i>DECIDUOUS FLOWERING SHRUB; green foliage that's edged in yellow with red in spring &amp; fall; few dark pink flowers appear intermittently in late spring; very compact mounding habit to 18" high by 24" wide; deer browse resistant; locate in full sun &amp; well-drained moisture retentive soil; native to Japan (PW) Zones 4 - 8</i>			3g	—	
<b>Weigela florida My Monet ('Verweig')</b> Variegated Weigela <i>DECIDUOUS FLOWERING SHRUB; green foliage that's edged in white with a pink tinge in spring; the pink fades to white in summer; purplish-pink flowers appear in late spring; very compact mounding habit to 18" high &amp; wide; deer browse resistant; locate in full sun &amp; well-drained moisture retentive soil; native to Japan (PW) (Verhoef) Zones 4 - 8</i>			3g	—	
<b>Weigela florida Wine &amp; Roses ('Alexandra')</b> Purple Weigela <i>DECIDUOUS FLOWERING SHRUB; hot rosy-pink June flowers; dark burgundy foliage; broadly upright habit to 5'; best in full sun &amp; well drained soil; deer browse resistant; wide; wide; locate in full sun &amp; well-drained moisture retentive soil; PHS Gold Metal; native to Japan (PW) Zones 5 - 8</i>			3g	—	
<b>Weigela Merlot Pink ('Bokratwo')</b> Compact Pink Weigela <i>DECIDUOUS FLOWERING SHRUB; bright pink flowers in June &amp; sporadically through fall; silvery-bronze summer foliage; compact broadly upright habit to 3' tall by 4' wide; deer browse resistant; attracts hummingbirds &amp; butterflies; locate in full to part shade &amp; most well-drained moisture retentive soils; native to Japan; Zones 5 - 8</i>			3g	—	

# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Weigela Merlot Rose ('Bokrafive')</b> Compact Pink Weigela <i>DECIDUOUS FLOWERING SHRUB; rosy-pink flowers in June &amp; sporadically through fall; silvery-bronze summer foliage; compact broadly upright habit to 3' tall by 4' wide; deer browse resistant; attracts hummingbirds &amp; butterflies; locate in full to part shade &amp; most well-drained moisture retentive soils; native to Japan; Zones 5 - 8</i>			3g	—	
<b>Wisteria 'Blue Moon'</b> Blue Kentucky Wisteria <i>DECIDUOUS TWINING FLOWERING VINE; 12" fragrant lilac-blue racemes appear in 3 waves from early summer; vines can grow up to 25'; very cold hardy; not as vigorous as Asian cultivars; locate in full sun &amp; well drained neutral to slightly alkaline soil; shade &amp; over fertilization can reduce flowering; US native [W. macrostachya] (Buchite) Zones 4 - 9</i>	<b>STAKED</b>		3g	—	
<b>Yucca 'Golden Sword'</b> Variegated Yucca; Variegated Adam's Needle <i>EVERGREEN FLOWERING SHRUB; sword-like foliage with gold edges &amp; green centers; white flowers on 4' spikes in June; attracts butterflies; resists deer &amp; rabbit browse; locate in full sun &amp; any well-drained soil; also listed as Y. flaccida; southeast US native [Y. filamentosa] Zones 5 - 9</i>			3g	—	<b>N</b>



# Sepers Nursery Plant List: Fall 2017 / Spring 2018

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY

## Delivery Instructions

Company Name: \_\_\_\_\_

Delivery Address: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

Contact(s): \_\_\_\_\_

Phone Numbers: OFFICE: \_\_\_\_\_ MOBILE: \_\_\_\_\_

ALTERNATE: \_\_\_\_\_ FAX: \_\_\_\_\_

Email Address: \_\_\_\_\_

Requested Delivery Weeks(s): \_\_\_\_\_

Delivery Days / Time: MON  TUE  WED  THU  FRI  SAT  SUN  FROM \_\_\_\_\_ am / pm TO \_\_\_\_\_ am / pm

Special Instructions: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_